

Typical Dosage Of Nikken Founts On Various Press Makes & Models

PRESS MAKE	MODEL(SIZE)	NAME OF NIKKEN FOUNT & TYPICAL DOSAGE							
MITSUBISHI Daiya & Diamond	30 Series or 40-inch & larger	#110 Astro Mark CB-PLUS 4% or 5 Oz./Gallon	#95 Extreme QSD-III 4% or 5 Oz./Gallon	#96 Universal QSD-IV 4% or 5 Oz./Gallon	#98 Astro Mark 20 2-3% or 2.5-4.0 Oz./Gallon				
	10 Series or smaller than 40-inch	#110 Astro Mark CB-PLUS 3% or 4 Oz./Gallon	#95 Extreme QSD-III 3% or 4 Oz./Gallon	#96 Universal QSD-IV 3% or 4 Oz./Gallon	#98 Astro Mark 20 2-3% or 2.5-4.0 Oz./Gallon	#80 Mark III 2% or 2.5 Oz./Gallon	#79 Mark IV 2% or 2.5 Oz./Gallon	#93 Mark X 2% or 2.5 Oz./Gallon	
KOMORI Lithrone	All models					#80 Mark III 1.5% or 2 Oz./Gallon	#79 Mark IV 1.5% or 2 Oz./Gallon	#93 Mark X 1.5% or 2 Oz./Gallon	
HEIDELBERG Speedmaster Alcolor Dampening System	All models	#110 Astro Mark CB-PLUS 4% or 5 Oz./Gallon	#95 Extreme QSD-III 4% or 5 Oz./Gallon	#96 Universal QSD-IV 4% or 5 Oz./Gallon	#98 Astro Mark 20 3-4% or 4-5 Oz./Gallon				
HEIDELBERG Speedmaster Hicolor Dampening System	All models	#110 Astro Mark CB-PLUS 2-3% or 2.5-4.0 Oz./Gallon	#95 Extreme QSD-III 2-3% or 2.5-4.0 Oz./Gallon	#96 Universal QSD-IV 2-3% or 2.5-4.0 Oz./Gallon	#98 Astro Mark 20 2-3% or 2.5-4.0 Oz./Gallon	#80 Mark III 2% or 2.5 Oz./Gallon	#79 Mark IV 2% or 2.5 Oz./Gallon	#93 Mark X 2% or 2.5 Oz./Gallon	
HEIDELBERG Speedmaster Ecocolor Dampening System	All models	#110 Astro Mark CB-PLUS 2-3% or 2.5-4.0 Oz./Gallon	#95 Extreme QSD-III 2-3% or 2.5-4.0 Oz./Gallon	#96 Universal QSD-IV 2-3% or 2.5-4.0 Oz./Gallon	#98 Astro Mark 20 2-3% or 2.5-4.0 Oz./Gallon	#80 Mark III 2% or 2.5 Oz./Gallon	#79 Mark IV 2% or 2.5 Oz./Gallon	#93 Mark X 2% or 2.5 Oz./Gallon	
HEIDELBERG Quickmaster	All models		#95 Extreme QSD-III 2-3% or 2.5-4.0 Oz./Gallon			#80 Mark III 2% or 2.5 Oz./Gallon			#82 SilverPoly F/S with Poly Plates 2% or 2.5 Oz./Gallon
SHINOHARA	All models	#110 Astro Mark CB-PLUS 4% or 5 Oz./Gallon	#95 Extreme QSD-III 4% or 5 Oz./Gallon	#96 Universal QSD-IV 4% or 5 Oz./Gallon	#98 Astro Mark 20 2-3% or 2.5-4.0 Oz./Gallon				
SAKURAI	All models	#110 Astro Mark CB-PLUS 4% or 5 Oz./Gallon	#95 Extreme QSD-III 4% or 5 Oz./Gallon	#96 Universal QSD-IV 4% or 5 Oz./Gallon	#98 Astro Mark 20 2-3% or 2.5-4.0 Oz./Gallon				
RYOBI	All models	#110 Astro Mark CB-PLUS 3% or 4 Oz./Gallon	#95 Extreme QSD-III 3% or 4 Oz./Gallon	#96 Universal QSD-IV 3% or 4 Oz./Gallon	#98 Astro Mark 20 2-3% or 2.5-4.0 Oz./Gallon	#80 Mark III 2% or 2.5 Oz./Gallon	#79 Mark IV 2% or 2.5 Oz./Gallon	#93 Mark X 2% or 2.5 Oz./Gallon	#82 SilverPoly F/S with Poly Plates 2% or 2.5 Oz./Gallon
HAMADA	All models	#110 Astro Mark CB-PLUS 3% or 4 Oz./Gallon	#95 Extreme QSD-III 3% or 4 Oz./Gallon	#96 Universal QSD-IV 3% or 4 Oz./Gallon	#98 Astro Mark 20 2-3% or 2.5-4.0 Oz./Gallon	#80 Mark III 2% or 2.5 Oz./Gallon	#79 Mark IV 2% or 2.5 Oz./Gallon	#93 Mark X 2% or 2.5 Oz./Gallon	#82 SilverPoly F/S with Poly Plates 2% or 2.5 Oz./Gallon