

# PRESS/BLANKET SPECIFICATION MANUAL



DAY INTERNATIONAL, INC.

Image Transfer Group

---

dayGraphica™



*Revised September 2002*

# **PRESS/BLANKET SPECIFICATION MANUAL**

(Note: The specifications listed are as accurate as possible. Due to variations in blanket cylinder or press cutoffs, modifications, or special requirements of an individual location, actual needs may be different than stated. It is always recommended that actual requirements of blanket size, punching or barring be verified prior to entering orders.)

# TABLE OF CONTENTS

## By Manufacturer/Model

---

**A**

---

AB DICK .....	1
ADAST (OMNI) .....	2
AKIRA .....	3
AKIYAMA .....	4
ALBERT FRANKENTHAL .....	5
AM MULTIGRAPHICS .....	7
ARROW .....	9
ASHTON .....	9
ATF .....	11
AURELIA .....	14
AUTOMATION .....	14

---

**B**

---

BABCOCK .....	16
BAKER PERKINS .....	16
BANDHU BANNER .....	18
BANTHIN .....	18
BLAVA .....	19

---

**C**

---

CHAMBON .....	19
CHANDLER .....	20
CLARY-STEVENSON-THATCHER .....	20
CONSOLIDATED .....	21
COPILITH .....	22
CRABTREE .....	22

---

**D**

---

DAVIDSON .....	25
DEV .....	26
DIDDE GLASER .....	27
DRENT-GAZELLE .....	29

---

**F**

---

FAIRCHILD .....	29
FUJI .....	29

---

**G**

---

GESTETNER .....	30
GIEBELER .....	30
GMA .....	31
GOEBEL .....	32
GOSS .....	34
GREGG .....	40

---

**H**

---

HALM .....	42
HAMADA .....	42
HAMILTON .....	45
HANTSCHO .....	46
HARRIS .....	50
HASHIMOTO .....	62
HEIDELBERG .....	62
HOE .....	64

---

**I**

---

IMPERIAL .....	65
ITEK .....	65

---

**K**

---

KBA-PLANETA AG .....	65
KING PRESS .....	66
KOENIG-BAUER (KBA) .....	66
KOMORI .....	67

---

**L**

---

LINOTYPE-HUNTER .....	69
LITTLE JOE .....	70

---

**M**

---

MAILANDER .....	70
MARINONI .....	71
MERGANTHALER .....	71
MIEHLE .....	72
MILLER .....	74
MITSUBISHI .....	76
MIYAKOSHI .....	77
MULLER MARTINI .....	78
M.A.N. ....	78

---

**N**

---

NEBIOLO .....	84
---------------	----

---

**O**

---

OLIVER .....	86
OMNI .....	86
OMSCA .....	86

---

**P**

---

PLANETA .....	89
---------------	----

---

**R**

---

ROCKWELL .....	91
ROLAND .....	91
RONEO VICKERS .....	91
ROTAPRINT .....	92
ROYAL ZENITH .....	93
RUTHERFORD .....	93
RYOBI .....	94

---

**S**

---

SAKURAI (OLIVER) .....	96
SANDEN .....	97
SCHEFFER .....	97
SCHRIBER .....	97
SHINOHARA (FUJI) .....	100
SHIVA .....	100
SOLNA .....	101
STRACHAN-HENSHAW .....	103

---

**T**

---

TIMSON .....	103
TOKO .....	104
TOSHIBA .....	105
T.K.S. ....	106

---

**W**

---

WEB PRESS .....	107
WESTERN GEAR .....	107
WILKENING .....	108
WOOD-HOE .....	109

---

**Z**

---

ZIRCON .....	109
--------------	-----

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>AB DICK:</b>											
320,321	S	14 5/8	9 3/8	3825	53	n/r	n/r	n/a	n/a	n/a	B/P 99811
323	S	20	20 3/4	3832	P&S	n/r	n/r	n/a	n/a	n/a	B/P 99323
324	S	14 5/8	9 13/16	3825	53	n/r	n/r	n/a	n/a	n/a	
325	S	14 5/8	9 7/8	3825	53	n/r	n/r	n/a	n/a	n/a	B/P 99811
330, 331	S	14 5/8	17 9/16	3830	53	n/r	n/r	n/a	n/a	n/a	B/P 89544
335	S	19 3/16	12 1/4	13767	64	n/r	n/r	n/a	n/a	n/a	B/P 9862
344	S	15 5/16	10	3825	53	n/r	n/r	n/a	n/a	n/a	B/P 99324, 99344
350	S	15 3/8	10	3826	P&S	n/r	n/r	n/a	n/a	n/a	B/P 99320,99515
350 W	S	15 3/8	10 5/8	3827	P&S	n/r	n/r	n/a	n/a	n/a	B/P 89500
360M	S	18 1/2	11	10795	64	n/r	n/r	n/a	n/a	n/a	B/P 99545,99713
360, 367, 369, 375, 4810, 8820	S	18 1/2	10 5/8	10795	53	n/r	n/r	n/a	n/a	n/a	15 Hole, B/P 99857
360, 8820	S	18 1/2	10 5/8	3828	64	n/r	n/r	n/a	n/a	n/a	8 Hole, 8820 most T4P.
372	S	21 1/2	11 5/8	3829	64	n/r	n/r	n/a	n/a	n/a	
375	S	20 3/16	12 5/8	3829	64	n/r	n/r	n/a	n/a	n/a	
375	S	18 1/2	12 5/8	3829	64	n/r	n/r	n/a	n/a	n/a	B/P 7768
375	S	19 3/16	12 5/8	3829	64	n/r	n/r	n/a	n/a	n/a	
376, 380, 382	S	15 11/16	20 1/4	3822	64	n/r	n/r	n/a	n/a	n/a	B/P 89393
385	S	18 3/4	22	3823	64	n/r	n/r	n/a	n/a	n/a	B/P 89392

Page 1

9800 Series	S	19 3/8	12 5/8	3829	64	n/r	n/r	n/a	n/a	n/a	
9805 Universal	S	18 1/2	11	10795	64	n/r	n/r	n/a	n/a	n/a	B/P 99857
9835	S	19 3/16	12 5/8	3829	64	n/r	n/r	n/a	n/a	n/a	B/P 99858
9860	S	19 3/16	10 5/8	3828	64	n/r	n/r	n/a	n/a	n/a	B/P98918,98871
9870	S	19 1/4	12 11/16	3829	64	n/r	n/r	n/a	n/a	n/a	
9880	S	19 1/4	22 3/4	12810	64	n/r	n/r	n/a	n/a	n/a	B/P 83049
9910	S	19 1/4	12 5/8	3829	64	n/r	n/r	n/a	n/a	n/a	
B/P 95047	S	18 1/2	11 7/8	n/r	n/r	11923	11923	n/a	n/a	n/a	
B/P 89615	S	19 1/8	22 3/8	3824	53	n/r	n/r	n/a	n/a	n/a	
B/P 99517	S	15 1/2	20 1/4	3832	P&S	n/r	n/r	n/a	n/a	n/a	
Duplicator 20	S	15 11/16	20 1/4	3822	64	n/r	n/r	n/a	n/a	n/a	B/P 89393
Duplicator 22	S	18 3/4	22	3823	64	n/r	n/r	n/a	n/a	n/a	B/P 89392
Ruby	S	19 7/16	13	3829	64	n/r	n/r	n/a	n/a	n/a	

**ADAST (OMNI):**

Dominant 414, 414A	S	18 9/16	11 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Dominant 507	S	18 9/16	20 5/8	29150	53,56	n/r	n/r	n/a	n/a	n/a	
Dominant 512, 513	S	17 3/8	20 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Dominant 514, 515, 516, 524, 525, 526, 547, 557	S	18 9/16	20 5/8	11081	53	n/r	n/r	n/a	n/a	n/a	
Dominant 612	S	22	23 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Dominant 712	S	21 3/4	24 13/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Dominant 714, 724	S	22 3/64	26 7/32	4087	52,76	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 2

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>ADAST (OMNI):</b> (cont'd.)											
Dominant 715, 725, 745, 755 S		22 1/16	26 1/4	4087	52,76	n/r	n/r	n/a	n/a	n/a	
Dominant 716A, 726A, 746A, 756A	S	24 3/8	24 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Dominant 811, 812	S	26 1/8	30 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Dominant 826	S	24 3/4	29 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Dominant 856P, 856A, 816A, 826A, 846A, 866A	S	25	29 1/2	28588	53,76	n/r	n/r	n/a	n/a	n/a	
Romayor Royal 111, 311, 312, 313, 314	S	16 1/8	19 17/32	2946	53	n/r	n/r	n/a	n/a	n/a	
Maxima I	S	16 1/8	19 1/2	2946	53	n/r	n/r	n/a	n/a	n/a	
Maxima II	S	17 3/8	20 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Makograf CS, Ranger, Combi	S	16 1/8	19 1/2	2946	53	n/r	n/r	n/a	n/a	n/a	

**AKIRA**

11"	S	11 1/2	19 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
11 2/3"	S	12	19	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
12"	S	12 1/2	19 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
16"	S	16 1/2	19 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Page 3

17"	S	17 1/2	19 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
17BS, 18E	S	10-18	19 1/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
22 EF-D	S	14-36	22 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**AKIYAMA:**

BT-28	S	24 3/4	27 9/16	26846	53,55	n/r	n/r	n/a	n/a	n/a	
BT 28	S	25 7/32	27 9/16	n/r	n/r	4B	4B	n/a	n/a	n/a	
BT 28	S	21 21/32	27 3/8	n/r	n/r	4B	4B	n/a	n/a	n/a	Coating blanket
BT 32	S	29 15/16	32 3/4	n/r	n/r	4B	4B	n/a	n/a	n/a	
BT-32	S	21 7/16	31 7/8	n/r	n/r	4B,12331	4B,12331	n/a	n/a	n/a	Coating blanket
BT-32	S	21 7/16	31 7/8	n/r	n/r	4B,12331	4B,12331	n/a	n/a	n/a	Coating blanket
BT-40	S	38 3/16	40 1/8	8504	67,55	n/r	n/r	n/a	n/a	n/a	
BT 40	S	38 13/32	40 5/32	n/r	n/r	12331	12331	n/a	n/a	n/a	
BT 40	S	31 3/4	39 3/4	n/r	n/r	12331	12331	n/a	n/a	n/a	Coating Blanket
HA 28	S	25	27 9/16	26612,8506	53	n/r	n/r	n/a	n/a	n/a	
HA 28	S	25 7/32	27 9/16	26612,26846	53,55	n/r	n/r	n/a	n/a	n/a	
HA 28	S	25 7/32	29 9/16	n/r	n/r	4B	4B	n/a	n/a	n/a	
HA 32	S	29 15/16	32 11/16	8504	55,67	4B	4B	n/a	n/a	n/a	
HA 32	S	29 3/8	32 5/8	13604	54,55	4B,12331	4B,12331	n/a	n/a	n/a	
HA 38	S	36 1/4	39 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
HA 40	S	38 3/16	40 5/32	n/r	n/r	12331	12331	n/a	n/a	n/a	
HA 44	S	42 1/8	44 5/8	n/r	n/r	4B,12331	4B,12331	n/a	n/a	n/a	
HA TH 26	S	27	28 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 4

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>AKIYAMA: (cont'd.)</b>											
HA TH 38	S	38	39 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
J-PRINT 40	S	38 13/32	40 3/4	n/r	n/r	4B,12331	4B,12331	n/a	n/a	n/a	
J-PRINT 44	S	42 1/8	44 5/8	n/r	n/r	4B,12331	4B,12331	n/a	n/a	n/a	
SA 38	S	36 1/4	39 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
SA 44	S	45 5/16	45 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
SA 50	S	47 1/4	52	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
<b>ALBERT FRANKENTHAL:</b>											
101	S	19 1/2	26 3/8	n/r	n/r	5B	5B	n/a	n/a	n/a	452 mm CO
A 101B	S	21 7/8	32	n/r	n/r	5B	5B	n/a	n/a	n/a	510 mm CO
A 101S	S	40 3/4	26 3/4	n/r	n/r	5B	5B	n/a	n/a	n/a	
A 102B	S	42 3/4	26 3/16	n/r	n/r	5B	5B	n/a	n/a	n/a	900 mm CO
A 200	S	24 1/4	40 1/8	n/r	n/r	26489	26489	n/a	n/a	n/a	578 mm CO, Bar overhang
A 200	S	26 1/4	40 1/8	n/r	n/r	26489	26489	n/a	n/a	n/a	630 mm CO, Bar overhang
A 200S	S	26 1/4	40 3/16	n/r	n/r	26489	26489	n/a	n/a	n/a	630 mm CO
A 200S	S	24 1/8	40 3/16	n/r	n/r	26489	26489	n/a	n/a	n/a	578 mm CO
Page 5											
A 200S	S	25	40 3/16	n/r	n/r	26489	26489	n/a	n/a	n/a	598 mm CO
A 202, A212	S	25 1/2	40 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	578 mm CO
A 202, A212	S	26 5/16	40 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	598 mm CO
A 202, A212	S	27 9/16	40 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	630 mm CO
A 300S	S	24	40 3/16	n/r	n/r	26489	26489	n/a	n/a	n/a	578 mm CO
A 303	S	42 1/2	39 15/16	n/r	n/r	5B	5B	n/a	n/a	n/a	950 mm CO
A 303	S	36 5/8	45 13/16	n/r	n/r	5B	5B	n/a	n/a	n/a	810 mm CO
A 400	S	47 1/4	32 1/4	n/r	n/r	26489	26489	n/a	n/a	n/a	1156 mm CO, Bar overhang
A 500	S	46	31 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	1120 mm CO
A 505	S	51	31 7/8	n/r	n/r	5B	5B	n/a	n/a	n/a	1140 mm CO, Bar overhang
A 505T	S	52	37 1/2	n/r	n/r	5B	5B	n/a	n/a	n/a	1172 mm CO
ROF 660, ROF 1.2	S	26 3/8	39 3/8	n/r	n/r	5B	5B	n/a	n/a	n/a	22 13/16 CO, 578 mm CO, Bar overhang
ROF 660 ROF 1.2	S	27 1/8	39 3/8	n/r	n/r	5B	5B	n/a	n/a	n/a	23 5/8 CO, 598 mm CO, Bar overhang
ROF 660, ROF 1.2	S	28 3/8	39 3/8	n/r	n/r	5B	5B	n/a	n/a	n/a	24 13/16 CO 630 mm CO, Bar overhang
ROF 660N	S	19 11/16	26 13/16	n/r	n/r	5B	5B	n/a	n/a	n/a	452 mm CO
ROF II	S	26 1/2	39 1/8	n/r	n/r	5B	5B	n/a	n/a	n/a	578 mm CO

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>AM MULTIGRAPHICS (AMI Group):</b>											
40, 50, 75, 80, 81	S	15 1/2	10	3848	P&S	n/r	n/r	n/a	n/a	n/a	
125	S	14 3/8	9 5/8	4502,4503	71	n/r	n/r	n/a	n/a	n/a	Lead & trail diff. punch temp.
206,206C	S	20 1/4	11 3/4	3853	P&S	n/r	n/r	n/a	n/a	n/a	
212	S	14 9/16	9 27/32	7174	53	n/r	n/r	n/a	n/a	n/a	
216	S	15 1/4	20 1/2	3856	P&S	n/r	n/r	n/a	n/a	n/a	
220, 240	S	14 9/16	9 27/32	7174	53	n/r	n/r	n/a	n/a	n/a	
220, 240	S	14 9/16	9 27/32	7174	53	n/r	n/r	n/a	n/a	n/a	
296, 750	S	15 1/2	10	3848	P&S	n/r	n/r	n/a	n/a	n/a	
1200, 1227, 1260, 1275	S	15 1/2	10	3848	P&S	n/r	n/r	n/a	n/a	n/a	
1218	S	20 1/4	12 5/16	13023	53	n/r	n/r	n/a	n/a	n/a	
1250	S	15 7/16	10	3848	P&S	n/r	n/r	n/a	n/a	n/a	AM-200-710-3
1250 (GSA)	S	16 5/16	10	3848	P&S	n/r	n/r	n/a	n/a	n/a	AM-200-710-4
1250 L&W	S	20 7/16	10	3848	P&S	n/r	n/r	n/a	n/a	n/a	AM-200-710-6
1250 LD	S	20 7/16	10 5/8	3850	P&S	n/r	n/r	n/a	n/a	n/a	AM-200-710-6X
1250 W	S	15 7/16	10 5/8	3849	P&S	n/r	n/r	n/a	n/a	n/a	
1250 W	S	18 7/16	10 5/8	3851	53	n/r	n/r	n/a	n/a	n/a	
1250 W	S	18 5/8	11	3851	53	n/r	n/r	n/a	n/a	n/a	

Page 7

1250 WL	S	18 5/8	11 1/8	3852	52	n/r	n/r	n/a	n/a	n/a	
1250 WS	S	15 5/8	11	3851	53	n/r	n/r	n/a	n/a	n/a	
1250 WX	S	16 5/16	10 5/8	3849	P&S	n/r	n/r	n/a	n/a	n/a	AM-200W-710-5
1275W	S	18 7/16	10 5/8	3850	53	n/r	n/r	n/a	n/a	n/a	
1278	S	20 7/16	10 5/8	3850	P&S	n/r	n/r	n/a	n/a	n/a	
1300, 1327	S	20 1/4	11 3/4	3853	P&S	n/r	n/r	n/a	n/a	n/a	
1330, 1332	S	15 5/16	12 5/8	12384	53	n/r	n/r	n/a	n/a	n/a	
1360, 1362	S	18 7/16	12 5/8	12384	53	n/r	n/r	n/a	n/a	n/a	
1520	S	20 5/8	24 7/8	3846	64	n/r	n/r	n/a	n/a	n/a	
1550	S	22 1/8	27 5/8	3847	64	n/r	n/r	n/a	n/a	n/a	
1650(M) XE	S	18 7/16	12 5/8	12384	53	n/r	n/r	n/a	n/a	n/a	4 ply only
1850, 1860, 1862, 1870	S	16 1/16	17 5/8	3854	53	n/r	n/r	n/a	n/a	n/a	
1960, 1962	S	16 1/16	17 5/8	3854	53	n/r	n/r	n/a	n/a	n/a	
2000, 2066	S	15 1/4	20 1/2	3856	P&S	n/r	n/r	n/a	n/a	n/a	
2024	S	25 1/4	20 1/2	3855	53	n/r	n/r	n/a	n/a	n/a	
2066 LD	S	20 1/4	20 1/2	3856	P&S	n/r	n/r	n/a	n/a	n/a	
2250 WL	S	18 5/8	11 1/8	3853	53	n/r	n/r	n/a	n/a	n/a	
2550, 2575	S	15 1/2	10	3848	P&S	n/r	n/r	n/a	n/a	n/a	
2550 WX	S	16 5/16	10 5/8	3849	P&S	n/r	n/r	n/a	n/a	n/a	
2650	S	18 5/8	11	3851	53	n/r	n/r	n/a	n/a	n/a	
2650, 2850, 2875	S	16 1/2	10 5/8	3851	53	n/r	n/r	n/a	n/a	n/a	
2975	S	13	8 1/4	29611	53	n/r	n/r	n/a	n/a	n/a	
3575, 3650, 3850	S	20 3/8	12 3/4	12384	53	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 8

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>AM MULTIGRAPHICS (AMI Group): (cont'd.)</b>											
3575, 3650, 3850	S	16 3/8	12 7/8	12384	53	n/r	n/r	n/a	n/a	n/a	Under bkt. punch 1 end only
4150, 4250	S	16 3/8	10 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
4875	S	16 1/2	10 5/8	3851	53	n/r	n/r	n/a	n/a	n/a	
5200, 5210 5220 (Eagle)	S	19 3/8	20 7/8	n/r	n/r	103A	103A	n/a	n/a	n/a	
6420	S	23 1/16	25 5/8	3987	54,57	n/r	n/r	n/a	n/a	n/a	
8565, 8565	S	16	17 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Multi-Max	S	19	11 3/4	28474	53	n/r	n/r	n/a	n/a	n/a	

**ARROW:**

7000/8000	S	18 17/32	12 5/8	27065	52	n/r	n/r	n/a	n/a	n/a	
-----------	---	----------	--------	-------	----	-----	-----	-----	-----	-----	--

**ASHTON:**

20 X 14 CD	S	16 1/8	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20 X 17 CD	S	19 5/8	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20 X 20 CD	S	22 5/8	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20 X 21 CD	S	23 5/8	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20 X 22 CD	S	25 1/4	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20 X 22 CD	S	24 5/8	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Page 9

20 X 22 Side Drive	S	24 5/8	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20 X 22 Side Drive	S	25 1/4	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Serial # prior to 9452
20 X 24 CD	S	27 1/4	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20 X 24 Side Drive	S	27 1/4	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20 X 25 1/2 CD	S	28 3/4	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20 X 25 1/2 Side Drive	S	28 3/4	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20 X 28 CD	S	31 1/4	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20 X 28 Side Drive	S	31 1/4	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 17 CD	S	19 5/8	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 20 CD	S	22 5/8	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 21 CD	S	23 5/8	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 22 CD	S	24 5/8	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 22 CD	S	25 1/4	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 22 Side Drive	S	24 5/8	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 22 Side Drive	S	25 1/4	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Serial # prior to 9452
26 X 24 CD	S	27 1/4	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 24 Side Drive	S	27 1/4	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 25 1/2 CD	S	28 3/4	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 25 1/2 Side Drive	S	28 3/4	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 26 Side Drive	S	31 1/4	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
26 X 28 CD	S	31 1/4	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
32 X 20 CD	S	22 5/8	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
32 X 21 CD	S	23 5/8	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 10

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>ASHTON: (cont'd.)</b>											
32 X 22 CD	S	25 1/8	32	n/r	n/r	25117	25117	n/a	n/a	n/a	RDP Canada
32 X 22 CD	S	25 1/4	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
32 X 22 CD	S	24 5/8	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
32 X 22 Side Drive	S	24 5/8	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
32 X 24 CD	S	27 1/4	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
32 X 24 Side Drive	S	27 1/4	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
32 X 25 1/2 CD	S	28 3/4	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
32 X 25 1/2 Side Drive	S	28 3/4	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
32 X 28 CD	S	31 1/4	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

<b>ATF:</b>											
Apache	S	19 1/2	12 9/16	12271	53	n/r	n/r	n/a	n/a	n/a	
Chief 15,115, 210, 215, 215A	S	15 3/16	10	3984	53	n/r	n/r	n/a	n/a	n/a	
Chief 17, 117, 217, 1117	S	18 9/16	10 31/32	3752	64	n/r	n/r	n/a	n/a	n/a	
Chief 20	S	21	20 1/2	2824	53	n/r	n/r	n/a	n/a	n/a	New style
Chief 22	S	22	22 3/4	2825	57,54	n/r	n/r	n/a	n/a	n/a	
Chief 238	S	39	39	3762	53	n/r	n/r	n/a	n/a	n/a	
Chief 24, 224, 424	S	21 11/32	24 5/8	3986	54,57	n/r	n/r	n/a	n/a	n/a	

Page 11

Chief 25, 125, 225, 425	S	23 7/16	25 5/8	3987	54,57	n/r	n/r	n/a	n/a	n/a	
Chief 250	S	49 3/4	50 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Chief 255	S	51 1/2	55 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Chief 26, 126, 226	S	25	26 1/2	2834	54,57	n/r	n/r	n/a	n/a	n/a	
Chief 29 A	S	27	29 1/4	3758	54,57	n/r	n/r	n/a	n/a	n/a	
Chief 29	S	27	28 3/4	3758	54,57	n/r	n/r	n/a	n/a	n/a	
Ditto L10, L16	S	13 7/8	14 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Ditto L16B, L16R	S	12	14	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Green Hornet	W	12 7/8	17 1/2	3754	64	n/r	n/r	n/a	n/a	n/a	
Hess Barker	W	26	39	n/r	n/r	4A/RIV	4A/RIV	n/a	n/a	n/a	
Knight Web	W	19	16	3753	73	n/r	n/r	n/a	n/a	n/a	
Little Chief 20	S	16	20	2824	53	n/r	n/r	n/a	n/a	n/a	
Little Chief 20 A	S	16	20 1/2	2824	53	n/r	n/r	n/a	n/a	n/a	
Little Giant	S	12	18	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann DC	S	33 1/2	33	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann DF	S	25 1/2	21	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann Demy D	S	30 1/2	25 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann EQC	S	50 5/8	48 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann LP-53	S	53	54	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann L-135	S	33 1/2	36 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann L-135, L236	S	39 1/2	37	3761	55	n/r	n/r	n/a	n/a	n/a	
Mann L-142, L-242	S	45	43	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann L-148, L248A	S	51 1/2	48 1/2	3764	67	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 12

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>ATF: (cont'd.)</b>											
Mann L-154C, L254C	S	57	54 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann L-159C	S	57	59 1/2	3767	68	n/r	n/r	n/a	n/a	n/a	
Mann L-165C, L-265C	S	56 1/2	65 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann L-248	S	44	48 3/4	3764	67	n/r	n/r	n/a	n/a	n/a	
Mann L-259C	S	57 1/2	59 1/2	3767	68	n/r	n/r	n/a	n/a	n/a	
Mann L-265A	S	66 1/2	65 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann QC	S	50 5/8	45 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
220, 230, 1294	S	13 7/8	14 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann NP56A	S	56	56	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann NP56B	S	48 1/2	56	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mark 1 Master Model	S	15 3/16	10	3984	53	n/r	n/r	n/a	n/a	n/a	
Mark 2	S	15 3/8	10	3914	53	n/r	n/r	n/a	n/a	n/a	
Photostat	S	15 3/16	10	3984	53	n/r	n/r	n/a	n/a	n/a	
Super Chief	S	20 1/8	12 5/8	12271	54	n/r	n/r	n/a	n/a	n/a	
Super Chief 30	S	27	30	2829	54,57	n/r	n/r	n/a	n/a	n/a	
System 1014	S	15 3/16	10	3984	52	n/r	n/r	n/a	n/a	n/a	
Titan DA	W	25 3/4	39	n/r	n/r	4A/RIV.	2E/RIV.	n/a	n/a	n/a	
Titan DS	W	37 1/8	50	n/r	n/r	4A/RIV.	2E/RIV.	n/a	n/a	n/a	

Page 13

Titan RA	W	37 1/8	50 1/4	n/r	n/r	4A/RIV.	2E/RIV.	n/a	n/a	n/a	
Titan RB	W	27 5/16	39	n/r	n/r	4A/RIV.	2E/RIV.	n/a	n/a	n/a	
Titan RK	W	25	39	n/r	n/r	4A/RIV.	2E/RIV.	n/a	n/a	n/a	
Titan 1 DW	W	25	36	n/r	n/r	4A/RIV.	2E/RIV.	n/a	n/a	n/a	
Titan 1 DY	W	25	37	n/r	n/r	4A/RIV.	2E/RIV.	n/a	n/a	n/a	
Web Forms	W	12 7/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Web Forms	W	18 7/8	26 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Web Forms	W	19 1/8	26 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Web Forms	W	23 7/8	26 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Web Forms	W	23 7/8	31 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Web Forms	W	24 1/4	26 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Web Forms	W	25 7/8	26 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Web Forms	W	29 7/8	26 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Web Forms	W	30 1/4	26 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Web Forms	W	69	30 1/2	n/r	n/r	6A	6A	n/a	n/a	n/a	
XLK	S	20 1/8	12 5/8	12271	53	n/r	n/r	n/a	n/a	n/a	
XLK	S	19 13/16	12 5/8	12271	53	n/r	n/r	n/a	n/a	n/a	

**AURELIA: (REF. Omsca)**

**AUTOMATION:**

Color J Multi	S	18 1/4	15 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	18 3/4	15 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 14

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>AUTOMATION: (cont'd.)</b>											
Color J Multi	S	22 5/8	15 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	23 5/8	15 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	25 5/8	15 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	26 5/8	15 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	26 5/8	16 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	18 1/4	17 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	18 3/4	17 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	22 5/8	17 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	23 5/8	17 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	25 5/8	17 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	26 5/8	17 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	18 1/4	20 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	18 3/4	20 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	22 5/8	20 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	23 5/8	20 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	25 5/8	20 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	26 5/8	20 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color J Multi	S	18 3/4	14 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Color K Multi	S	8 7/8	14 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color K Multi	S	9 1/2	14 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color K Multi	S	9	14 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color K Multi	S	9 3/8	14 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**BABCOCK:**

Talisman 19 x 25	S	26 1/8	24 1/8	*	*	*	*	n/a	n/a	n/a	
Talisman 20 x 26	S	23 3/4	26	*	*	*	*	n/a	n/a	n/a	

**BAKER PERKINS:**

G-12	W	38 3/4	27	n/r	n/r	4B	2E	n/a	n/a	n/a	
G-12 Narrow Gap	W	26 3/4	38 3/4	n/r	n/r	4B	25117	n/a	n/a	n/a	
G-14 Narrow Gap	W	46 7/8	36 3/4	n/r	n/r	4B	25117	n/a	n/a	na/	
G-14 Type I	W	49	36 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	
G-14 Type I Narrow Gap	W	49	36 3/4	n/r	n/r	4B	25117	n/a	n/a	n/a	
G-14 Type II	W	48 15/16	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	
G-14 Type II Narrow Gap	W	48 15/16	38 3/4	n/r	n/r	4B	25117	n/a	n/a	n/a	
G-14 Type III	W	50 3/8	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	
G-14 Type III Narrow Gap	W	50 3/8	38 3/4	n/r	n/r	4B	25117	n/a	n/a	n/a	
G-14 Type IV Narrow Gap	W	52 3/4	38 3/4	n/r	n/r	4B	25117	n/a	n/a	n/a	
G-16	W	48 17/32	38 3/4	n/r	n/r	4A	2E	n/a	n/a	n/a	No Pack
G-16	W	48 1/2	38 1/2	n/r	n/r	4B	2E	n/a	n/a	n/a	
G-16 CW	W	56 21/32	48 15/16	n/r	n/r	4B	2E	n/a	n/a	n/a	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>BAKER PERKINS: (cont'd.)</b>											
G-16 Type I	W	50	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	
G-16 Type I	W	52 3/8	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	
G-16 Type II	W	50 3/4	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	
G-16 Z	W	45 9/32	56 21/32	n/r	n/r	4B	25117	n/a	n/a	n/a	
G-16 Z Narrow Gap	W	45 9/32	66 5/8	n/r	n/r	4B	25117	n/a	n/a	n/a	
G-25W	W	48 7/16	54	n/r	n/r	4A	2E	n/a	n/a	n/a	
G-25W Narrow Gap	W	46 15/16	54 1/4	n/r	n/r	4A <sup>1</sup>	27435 <sup>1</sup>	n/a	n/a	n/a	
G-25W Narrow Gap	W	48 7/16	38 7/8	n/r	n/r	4A <sup>1</sup>	27435 <sup>1</sup>	n/a	n/a	n/a	
G-25 Narrow Gap	W	50 1/16	38 7/8	n/r	n/r	4B <sup>1</sup>	25117 <sup>1</sup>	n/a	n/a	n/a	
G-44 Narrow Gap	W	36 3/8	50 5/8	n/r	n/r	101A <sup>1</sup>	26984 <sup>1</sup>	n/a	n/a	n/a	
Gemini Twin Sat., CIC	W	62	39	n/r	n/r	6A	6A	n/a	n/a	n/a	
Gemini Mono (470) 38"	W	37	37	n/r	n/r	6A	6A	n/a	n/a	n/a	Bar overhang
Gemini Mono (530) 36"	W	40	37	n/r	n/r	6A	6A	n/a	n/a	n/a	Bar overhang
Gemini Sat. (470) 36"	W	60 1/4	37	n/r	n/r	6A <sup>1</sup>	6A <sup>1</sup>	n/a	n/a	n/a	
Gemini Sat. (470) 38"	W	60 1/4	39	n/r	n/r	6A <sup>1</sup>	6A <sup>1</sup>	n/a	n/a	n/a	
Gemini Sat. (530) 36"	W	66 5/16	37	n/r	n/r	6A	6A	n/a	n/a	n/a	Bar overhang
Gemini Sat. (530) 38"	W	66 5/16	39	n/r	n/r	6A	6A	n/a	n/a	n/a	Bar overhang
Gemini (470) 38"	W	37	39	n/r	n/r	6A	6A	n/a	n/a	n/a	Bar overhang

Page 17

Gemini (530) 38"	W	40	39	n/r	n/r	6A	6A	n/a	n/a	n/a	Bar overhang
Jupiter Mono	W	70	35 1/2	n/r	n/r	n/r	n/r	n/a			
Mercury Mono	W	28 5/16	37	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Orion Sat.	W	43 1/2	54	n/r	n/r	5A	2E	n/a	n/a	n/a	
Orion	W	37	53	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Orion	W	23 3/4	31	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**BANDHU BANNER:**

20M, 25 M	S	22 3/4	36	n/r	n/r	25761	25117	n/a	n/a	n/a	
20M, 25 M	S	23 1/4	36	n/r	n/r	25761	25117	n/a	n/a	n/a	
Bandhu 4C	S	22 3/4	36	n/r	n/r	25761	25117	n/a	n/a	n/a	
Bandhu 4C	S	23 1/4	36	n/r	n/r	25761	25117	n/a	n/a	n/a	
La Superieure	S	22 3/4	36	n/r	n/r	25761	25117	n/a	n/a	n/a	
La Superieure	S	23 1/4	36	n/r	n/r	25761	25117	n/a	n/a	n/a	
Satellite	S	24	36	n/r	n/r	25761	25117	n/a	n/a	n/a	
Satellite	S	24 7/8	36	n/r	n/r	25761	25117	n/a	n/a	n/a	
Satellite	S	26	36	n/r	n/r	25761	25117	n/a	n/a	n/a	
Wizard	S	20 1/2	36	n/r	n/r	25761	25117	n/a	n/a	n/a	
Wizard	S	24	36	n/r	n/r	25761	25117	n/a	n/a	n/a	

**BANTHIN:**

Lithomatic 20	S	16 1/2	17 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
---------------	---	--------	--------	-----	-----	-----	-----	-----	-----	-----	--

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
------------------------	---------------	-----------------	-----------------	--------------------	-----------------	------------------	-------------------	-----------------	------------------	---------------------	--------

**BLAVA:**

Perfector RZ Unit	W	19 7/8	27 1/2	n/r	n/r	5A	12702	n/a	n/a	n/a	
-------------------	---	--------	--------	-----	-----	----	-------	-----	-----	-----	--

**CHAMBON:**

20L	S	10 5/8-25 1/4	24	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20R	S	15 7/8-34	28 5/8	n/r	n/r	27426	7C	n/a	n/a	n/a	
30L	S	16 1/8-32 5/8	33	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
40L	S	16 1/2-33	40 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
40R	S	13 3/8-31 1/2	28 5/8	n/r	n/r	27426	7C	n/a	n/a	n/a	
50L	S	25-50	47 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Cartonweb	W	41	52	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Cartonweb	W	18-25	25 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Cartonweb	W	35 3/16	40 13/16	n/r	n/r	4B	2E	n/a	n/a	n/a	
Cartonweb R40	W	40 5/32	40 3/8	n/r	n/r	27426	7C	n/a	n/a	n/a	
Chambord OR700, OR720	S	22-43 3/4	40 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Chambord OR1020	S	25-27 1/8	28 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
L65-4, L65-8	S	12 1/4-24 3/8	25 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
L102-4, L102-8	S	20-40 1/8	40 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
PE-4, PE-8	S	20 7/8-25 1/4	24 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

VO350	S	10 5/8-21 1/4	13 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
VO500	S	10 5/8-21 1/4	19 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
VO580	S	10 5/8-21 1/4	22 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
VO610	S	10 5/8-21 1/4	24	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
VO650	S	12 1/4-24 3/8	25 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**CHANDLER:**

2/C Web	W	19 1/8	24 1/2	n/r	n/r	4B INV	4B INV	n/a	n/a	n/a	
Tabloid Perfecter	W	19 5/8	24 1/2	n/r	n/r	4B INV	4B INV	n/a	n/a	n/a	

**CLARY-STEVENS-THATCHER:**

Clary NT Series	W	23 3/4	31	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Clary NT Series	W	20 3/4	26	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Clary NT Series	W	18 5/8	26 1/2	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Clary NT Series	W	23 5/8	26	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Clary NT Series	W	19 1/2	26 1/2	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Clary NT Series	W	24 1/2	36 1/2	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Clary NT Series	W	25 3/4	26 1/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Clary Web	W	18 5/8	20	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Clary Web	W	18 5/8	18 1/2	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Clary Web	W	18 5/8	26	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Clary Web	W	18 5/8	15	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Clary Web	W	18 5/8	20	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>CLARY-STEVENS-THATCHER:</b> (cont'd.)											
Steven Litho-Jet	S	17 1/2-26 1/2	18 1/2-32 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Steven Litho-Jet	S	14-2 8	18 1/2-32 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Sticky-Back
Stevens MS 1000C	W	14-29	20 1/2	n/r	n/r	12377	12702	n/a	n/a	n/a	
Stevens MS 1000C	W	14-29	26 1/2	n/r	n/r	12377	12702	n/a	n/a	n/a	
Stevens MS 1000C	W	14-29	32 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Stevens ST 850	W	25 1/2	21 1/4	n/r	n/r	12377	12702	n/a	n/a	n/a	
Thatcher Pacer #36	W	24 1/2	36	n/r	n/r	27426	27426	n/a	n/a	n/a	

**CONSOLIDATED:**

Champion 27	S	30 1/2	29 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Champion 27, 29	S	29 1/2	29 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Champion 30	S	34 21/32	31 7/32	8758	55	n/r	n/r	n/a	n/a	n/a	Low pile
Champion30A	S	34 5/8	31 1/4	8758	55	n/r	n/r	n/a	n/a	n/a	
Champion 38	S	42	38 7/8	5811	68,79	n/r	n/r	n/a	n/a	n/a	
Champion 38	S	42	39	2773,29601	79,55	n/r	n/r	n/a	n/a	n/a	
Champion 39	S	43 5/16	39 11/16	12587	79	n/r	n/r	n/a	n/a	n/a	
Champion 39	S	43 3/8	39 5/8	12587	79	n/r	n/r	n/a	n/a	n/a	
Champion 40	S	43 5/16	40 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Hi pile

Page 21

Champion 42	S	44	42 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Champion 45	S	47 1/4	45 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Hi pile
Champion 50	S	48 3/8	52 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Chromaprint 4074	S	28 1/2	29 1/2	8744	55	n/r	n/r	n/a	n/a	n/a	
Diamond	S	42 1/8	43 15/16	6355	79	n/r	n/r	n/a	n/a	n/a	
Filius	S	23 3/8	20 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Jewel 29	S	38	31 3/8	8758	55	n/r	n/r	n/a	n/a	n/a	
New Horizon	S	38 1/2	38	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Olympic 28	S	29 1/2	31 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Pearl 24, 25	S	29 1/2	25 1/4	26861	67	n/r	n/r	n/a	n/a	n/a	
Pearl 27	S	29 1/2	30 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Pearl 29	S	29 1/2	29 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Proofing Press 39	S	32	39	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**COPILITH:**

Junior	S	14 1/4	8 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Senior	S	16 5/16	17 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Standard	S	16 1/8	9 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Super	S	20 1/2	24 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**CRABTREE:**

Ambassador AP78	S	68	78 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Countess C-39	S	48	39 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 22

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>CRABTREE: (cont'd.)</b>											
Crusader	W	56 1/2	69 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Empress Mark 10	S	57	54	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Empress Mark 12	S	57	65 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
F Coater	S	45	44 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Falcon F-25	S	25	25 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Falcon F-26	S	24 1/2	26 1/4	13386	54,56	n/r	n/r	n/a	n/a	n/a	
Falcon OF-28	S	29	29	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Falcon OF-32	S	31	33	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Falcon OF-35	S	32 1/2	36 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Falcon OF-38	S	33 1/4	39	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Falcon U-25	S	26	25 1/2	13386	54,56	n/r	n/r	n/a	n/a	n/a	
Falcon U-25	S	26 1/4	25 1/4	13386	54,56	n/r	n/r	n/a	n/a	n/a	
Falcon U-26	S	24	26 1/4	13386	54,56	n/r	n/r	n/a	n/a	n/a	
Falcon U-28	S	24	29	13386	54,56	n/r	n/r	n/a	n/a	n/a	
Fastready 1200	S	49 1/4	47 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Fastready 1200	S	49 1/4	48	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
K66	W	19 5/8	27 3/16	n/r	n/r	4A	4G	n/a	n/a	n/a	
K100	S	35 13/16	41 5/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Page 23

Mann Junior	S	33 1/2	36 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mann LT-36, A	S	43 3/4	37	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mark I	S	50	50 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mark II	S	52	56 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mark III	S	56	65 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Marquess MT 38	S	45	38	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Marquess MT 45	S	47 1/8	45 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Marquess MT 26 x 26	S	38	36 1/2	n/r	n/r	n/r	n/r	n/a	n/a	103A	
Marquess MT 36 x 45	S	45	45 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Marquess MT 38 x 45	S	45	40	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Marquess MT 36 x 29	S	45	36 1/2	n/r	n/r	n/r	n/r	n/a	n/a	103A	
Marquess MT 40 x 45	S	45	40 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Marquess MT 40 x 34,36,38	S	47	40 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Master N2/50	S	49 3/4	50 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Master N2/55	S	51 1/2	55 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Master NP 56	S	56	56	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Monarch 6A, 8A	S	58	49	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
NT 136 (A,B), 236 (A,B)	S	43 3/4	37	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
NT 140, 240	S	48 3/4	41	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Princess MK 3, MK 3A	S	32	33	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Sovereign Perf. 40	S	35 13/16	41 5/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Sovereign Perf. 50	S	50	50 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Sovereign Perf. 56	S	52	56 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 24

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>CRABTREE: (cont'd.)</b>											
Sovereign Perf. 65	S	56	65 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Sovereign Perf. 70	S	58	70 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Sovereign Perf. 72	S	58	72 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Spearhead MK III	S	38 1/8	50 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**DAVIDSON:**

16 x 20	S	16	20 1/4	3917	53	n/r	n/r	n/a	n/a	n/a	
221LD, 241LD, 251LD	S	16	10	3914	53	n/r	n/r	n/a	n/a	n/a	
221SD, 241SD, 251SD	S	15 1/4	10	3914	53	n/r	n/r	n/a	n/a	n/a	
223, 233	S	16	17 3/8	3916	53	n/r	n/r	n/a	n/a	n/a	
227	S	16	10 9/16	3914	53	n/r	n/r	n/a	n/a	n/a	
238, 239	S	12 1/16	14	3915	53	n/r	n/r	n/a	n/a	n/a	
241W	S	17 13/16	10 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
301	S	15 3/16	10	3914	53	n/r	n/r	n/a	n/a	n/a	
400, 500 Series, 500P	S	16	10	3914	53	n/r	n/r	n/a	n/a	n/a	
500SD, 521SD	S	15 1/4	10	3914	53	n/r	n/r	n/a	n/a	n/a	
600 Series	S	13 3/16	17 3/8	3916	53	n/r	n/r	n/a	n/a	n/a	
601 Dilith	S	16	17 1/4	3916	53	n/r	n/r	n/a	n/a	n/a	

Page 25

700 Series, 700P	S	16	17 3/8	3916	53	n/r	n/r	n/a	n/a	n/a	
700 Special	S	16	12	12525	53	n/r	n/r	n/a	n/a	n/a	
901	S	16 1/8	19 3/4	10793	53	n/r	n/r	n/a	n/a	n/a	
Dav-A-Matic 238, 239	S	12 1/16	14	3915	53	n/r	n/r	n/a	n/a	n/a	
Davidson Master Mod.	S	15 3/8	10	3914	53	n/r	n/r	n/a	n/a	n/a	
Dufa VI	S	16	8 1/4	3913	53	n/r	n/r	n/a	n/a	n/a	

**DEV:**

Horizon	W	23 1/4	35	n/r	n/r	7C	7C	n/a	n/a	n/a	
Horizon 1000 Series (546)	W	23 3/8	35	n/r	n/r	27426	27426	n/a	n/a	n/a	
Horizon 1000 Series (560)	W	23 7/8	35	n/r	n/r	27426	27426	n/a	n/a	n/a	
Horizon 1000 Series (578)	W	24 5/8	35	n/r	n/r	27426	27426	n/a	n/a	n/a	
Horizon 1400 Series (500)	W	24 3/4	40	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Horizon 1400 Series (530)	W	25 1/2	40	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Horizon 2000 Series (546)	W	23 3/8	36 1/4	n/r	n/r	27426	27426	n/a	n/a	n/a	
Horizon 2000 Series (560)	W	23 7/8	36 1/4	n/r	n/r	27426	27426	n/a	n/a	n/a	
Horizon 2000 Series (578)	W	24 5/8	36 1/4	n/r	n/r	27426	27426	n/a	n/a	n/a	
Horizon 2000 Series (600)	W	24 3/4	40	n/r	n/r	27426	27426	n/a	n/a	n/a	
Horizon 2000 Series (630)	W	25 3/4	40	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Horizon 2400 Series	W	48 3/4	40 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>DIDDE GLASER:</b>											
725 - 590	W	25 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
727 - 331	W	23 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
731 - 418	W	23 3/8	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
731 - 424	W	25 3/8	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
731 - 420	W	18 3/8	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Apollo 8 1/2"	W	9 1/2	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Apollo 8 1/4"	W	9 1/4	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Apollo 12"	W	12	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Apollo 13"	W	13	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Apollo 797	S	9 1/2	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Colorcom	W	19 1/2	14	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Colorform (24)	W	23 3/8	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Colorform (25)	W	24 3/4	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Colortech	W	18 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Comperfactor 23	W	24 3/4	20 3/8	n/r	n/r	12377	12702	n/a	n/a	n/a	
Compupress (11)	W	12	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Compupress (12)	W	13	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Conservator 16 1/2"	W	17 7/8	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Page 27

Conservator 17	W	18 3/8	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DG 175 X 11"	W	12	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DG 175 X 12"	W	13	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DG 175 X 14"	W	15 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DG 175 X 22"	W	26 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DG 175 X 24"	W	25 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DG 860 X 14"	W	15 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DG 860 X 17"	W	18 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DG 860 X 22"	W	26 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DG 860 X 24"	W	25 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
IBM 9370 (8 1/2")	W	9 5/8	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
IBM 9370 (10)	W	9 1/2	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
IBM 9370 (17)	W	18 3/8	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Tandemer 7 3/4"	W	9 1/4	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Tandemer 8 1/2"	W	9 1/2	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Tandemer 8 1/4"	W	9 1/4	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Tandemer 10"	W	11	13 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Tandemer 17"	W	18 3/4	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Webcom 700 (14)	W	15 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Webcom 700 (17)	W	18 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Webcom 700 (18)	W	18 1/2	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Webcom 700 (21)	W	22 3/8	17 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Webcom 700 (22)	W	25	27 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 28

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>DRENT-GAZELLE:</b>											
Gazelle 2, 3	W	17-25	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Gazelle 4	W	19-30	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Gazelle 5	W	19 11/16-28 3/4	20	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Gazelle 6	W	16-27	19 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Gazelle 7	W	16-28	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Gazelle 8	W	14-26	15 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

<b>FAIRCHILD:</b>											
Color King 2000	W	23 13/16	36	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Color-, News-, Media King	W	24 5/8	36	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Daily King, II	W	25	36	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Process King (546)	W	23 3/16	36 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Process King (578)	W	24 13/16	36 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Process King (630)	W	26 13/16	36 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**FUJI: (REF. Shinohara)**

<b>GESTETNER:</b>											
104	S	14 7/8	8 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
152, 152SF	S	17 1/4	20	n/r	n/r	2E	2E	n/a	n/a	n/a	
200, 201S, 221S, 226, 227	S	15 7/32	9 15/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
202, 212	S	18 17/32	10 15/16	7021	52	n/r	n/r	n/a	n/a	n/a	
208, 209, 210, 211CD, 211SE	S	15 7/32	9 15/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
213	S	18 1/2	12 7/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
213	S	18	12 5/8	7021	52	n/r	n/r	n/a	n/a	n/a	
213, CD,CP	S	18 17/32	12 5/8	25599	52	n/r	n/r	n/a	n/a	n/a	
311, 311CP	S	15	10 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
312	S	18 1/2	11	29599	52	n/r	n/r	n/a	n/a	n/a	
313, 313CDP, 413CD	S	18 1/2	12 9/16	25599	52	n/r	n/r	n/a	n/a	n/a	
318, 319, 329, 339, 411	S	15 7/32	9 15/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
353, 355, 470, 470NP	S	16 3/8	18 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
453, 455	S	16 3/8	20 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

<b>GIEBELER:</b>											
16" CO	W	18 5/16	22	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
16 2/3"	W	19	22	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
17"	W	19 1/4	22	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
18"	W	20 5/16	22	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
20"	W	22 13/16	22	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
22"	W	24 9/16	22	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>GIEBELER: (cont'd.)</b>											
24"	W	26 1/2	22	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
25"	W	27 11/16	22	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
28"	W	30 11/16	22	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Rotaflex MB 550	W	18 1/4-28 1/8	15 3/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Rotaflex MB 630	W	18 1/4-36 5/8	19 3/32	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
System R520	W	23 9/16-38 19/32	20 21/32	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
System R865	W	22 25/32-30 11/16	34 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Rotomax, R860, R869	W	22 7/16	34 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Rotomax, R860, R869	W	24 3/32	34 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Rotomax, R860, R869	W	26	34 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	

<b>GMA:</b>											
DPC 44 (1120)	W	46 5/8	32 5/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DPC 44 (578)	W	25 1/4	37	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DPC 44 (578)	W	55	39	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DPC 44 (587)	W	55	39	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DPC 44 (597)	W	26	37	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 8	W	19 7/8	27 1/2	n/r	n/r	4C	4B INV	n/a	n/a	n/a	

Page 31

OP 16	W	27 1/2	38 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 22 (575)	W	25 1/4	39	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 23 (597)	W	26	39	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 24 (625)	W	27 1/8	39	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 27 (698)	W	30 1/16	43 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 27 (914)	W	40 7/8	50 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 35 (625)	W	56 3/4	72 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 35 (900)	W	38	53 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 35 (908)	W	42 1/8	61 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 35 (921)	W	42 5/8	61 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 35 (981)	W	45 3/8	64	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 35 (1086)	W	49 1/2	66	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 35 (1168)	W	53	55 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 38 (981)	W	39	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OP 40 (1020)	W	44 1/4	32 5/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
SMST (578)	W	25 1/4	37	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
SMST (578)	W	25 1/4	37 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
SMST (587)	W	55	39	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
SMST (587)	W	26	37	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

<b>GOEBEL:</b>											
Dataforma 865	W	22-30	34 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Ecoprint AB520	W	23 3/4-26 3/4	20 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 32

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>GOEBEL: (cont'd.)</b>											
Miniform 400	W	10-24	15 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Miniforma 72/520S	W	27 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Multiforma	W	16-18	Var.	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Custom widths
Multiforma	W	22-26 3/4	Var.	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Custom widths
Opti-Forma 73/520S	W	31 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520S	W	33 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520S	W	35	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520S	W	35 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520S	W	37 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 680	W	24-27	27 1/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 840, S840	W	20-38	33 1/2	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(14)	W	15 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(16 2/3)	W	18 3/8	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(16)	W	17 23/32	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(17)	W	18 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(18)	W	19 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(20)	W	21 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(21)	W	22 23/32	22 7/16	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	

Page 33

Opti-Forma 73/520 S(21)	W	22 23/32	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(22)	W	23 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(24)	W	25 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(25)	W	26 3/4	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(26)	W	27 23/32	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(28)	W	29 3/4	22 7/16	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(28)	W	29 23/32	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(42)	W	43 3/4	22 7/16	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Opti-Forma 73/520 S(22)	W	23 1/2	22 7/16	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Universal Multiforma	W	16-20	22-26 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Custom Width
Universal Multiforma	W	20-28	33 (var.)	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Varicolour 520	W	7 7/8-28 7/8	20 7/8	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Varicolour 560	W	7 7/8-28 7/8	21 15/16	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Varicolour 670	W	7 7/8-28 7/8	26 3/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Varicolour 840	W	7 7/8-28 7/8	33 1/2	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Variforma 500, Planetary	W	8-24	19 5/8 (var.)	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**GOSS:**

C-38 14 1/2"	W	24 7/32	38 3/8	n/r	n/r	4A <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	
C-38 15"	W	25	38 3/8	n/r	n/r	4A <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	
C-150 T-Bar	W	23 5/16	35	n/r	n/r	27426	27426	n/a	n/a	n/a	3 or 4 ply blanket
C-150 Detail 1, 3	W	23 3/4	35	n/r	n/r	4A <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	Nar. gap 546 CO
C-150 Detail 2, 4	W	25 1/32	35	n/r	n/r	4A <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	Nar. gap 578 CO

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 34

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>GOSS:</b> (cont'd.)											
C-250 Detail 1,2	W	23 5/8	36 1/2	n/r	n/r	4B	25117	n/a	n/a	n/a	DWG:C139904
C-250 Detail 3,4	W	25 3/8	38 1/2	n/r	n/r	4B	25117	n/a	n/a	n/a	DWG:C139904
C-450	W	44 3/4	46 1/2	n/r	n/r	4A	25117	n/a	n/a	n/a	
C-500 Detail 1,2	W	44 3/4	36 1/2	n/r	n/r	4B	25117	n/a	n/a	n/a	
C-500 Detail 3,4	W	44 3/4	40 1/2	n/r	n/r	4B	25117	n/a	n/a	n/a	
C-500 Detail 5,6	W	44 3/4	46 1/2	n/r	n/r	4B	25117	n/a	n/a	n/a	
C-700 Detail 1,2	W	42 1/2	50 1/4	n/r	n/r	4C	10407	n/a	n/a	n/a	DWG:C112990
C-700 Detail 3,7,13	W	44 1/2	58 1/4	n/r	n/r	4C	10407	n/a	n/a	n/a	DWG:C112990
C-700 Detail 4,8,12,14	W	44 1/2	66 1/4	n/r	n/r	4C	10407	n/a	n/a	n/a	DWG:C112990
C-700 Detail 5,9	W	44 1/2	36 1/2	n/r	n/r	4C	10407	n/a	n/a	n/a	DWG:C112990
C-700 Detail 6,10	W	44 1/2	40 1/2	n/r	n/r	4C	10407	n/a	n/a	n/a	DWG:C112990
C-700 21" C.O. Detail 1,2	W	44 7/8	66 1/4	n/r	n/r	4B	27406	n/a	n/a	n/a	Nar. gap
C-700 21" C.O. Detail 3,4	W	44 7/8	58 1/4	n/r	n/r	4B	27406	n/a	n/a	n/a	Nar. gap
C-700D	W	48 9/16	80 1/4	n/r	n/r	4B	27406	n/a	n/a	n/a	Nar. gap; DWG:C141649
C-700E	W	41 3/4	72 1/2	n/r	n/r	4A	29183	n/a	n/a	n/a	
C-700 LGD	W	33 7/8	54 1/4	n/r	n/r	4B <sup>1</sup>	25117 <sup>1</sup>	n/a	n/a	n/a	DWG:C145011
CIC	W	47 11/16	35	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	Use 27387 - no pack

Colorliner Detail 1	W	45 15/16	25 3/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Colorliner Detail 2	W	45 15/16	25 7/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Colorliner Detail 3	W	45 15/16	26 3/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Colorliner Detail 4	W	45 15/16	26 7/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Colorliner Detail 5	W	45 15/16	27 3/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Colorliner Detail 6	W	45 15/16	27 7/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Colorliner Detail 7	W	45 15/16	28 3/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Colorliner Detail 8	W	45 15/16	28 7/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Colorliner Detail 9	W	45 15/16	29 3/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Colorliner Detail 10	W	45 15/16	29 7/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Colorliner Detail 11	W	45 15/16	30 3/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Community 60	W	23 5/16	35	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	Std. gap, 546 CO
Community 60	W	24 11/16	35	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	Std. gap, 578 CO
Community 60	W	25	35	n/r	n/r	4A <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	Nar. gap, 578 CO
Community 60	W	54 1/2	41 5/16	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	Std. gap, 660 CO
Community 63	W	26 5/8	40	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Community Detail 1,2	W	23 1/8	35	n/r	n/r	4B	25117	n/a	n/a	n/a	Nar. gap, 533 CO
Community Detail 3	W	24 9/16	35	n/r	n/r	4B	25117	n/a	n/a	n/a	Nar. gap, 560 CO
Community MBP Detail 11,12	W	26 19/32	35	3921	52/54	4A <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	
Community MBP Detail 1,3	W	24 1/2	35	3921	52/54	4A <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	
Community MBP Detail 2,4	W	25 1/4	35	3921	52/54	4A <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	
Community MBP Detail 5,7	W	24 9/16	35	3921	52/54	4A <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	
Community MBP Detail 6,8	W	25 11/32	35	3921	52/54	4A <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>GOSS: (cont'd.)</b>											
Community MBP Detail 9,10	W	26 7/16	35	3921	52/54	4A <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	
Community T-Bar	W	48	35	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	} Use bar 27387 with no-pack blankets
Community T-Bar	W	47 11/16	35	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Community T-Bar	W	24 5/8	35	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Community T-Bar	W	47	35	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Cosmo T-Bar	W	47 5/16	31	n/r	n/r	27426	27426	n/a	n/a	n/a	
Headliner	W	44 15/16	30 1/4	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	348 CO
Headliner	W	45 15/16	27 1/2	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	Use bar 26935 for no-pack
Headliner	W	45 15/16	29	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	356 CO
Headliner	W	47 7/16	30 1/4	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	368 CO
Headliner	W	48 15/16	30 1/4	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	381 CO
Headliner HT 60/70	W	39	25 9/16	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	299 CO
Headliner HT 60/70	W	41 7/16	29 1/2	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	318 CO
Headliner HT 60/70	W	46 1/4	33 3/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	356 CO
Headliner HT 60/70	W	47 3/4	33 3/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	368 CO
Headliner HT 60/70	W	49 5/16	33 3/8	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	382 CO
Headliner Ser.1000-13 11/16"	W	44 13/16	25 1/4-30 1/4	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap

Page 37

Headliner Ser.2000-14 1/32"	W	45 13/16	25 1/4-30 1/4	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Headliner Ser.3000-14 1/2"	W	47 5/16	25 1/4-30 1/4	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Headliner Ser.4000-15"	W	48 13/16	25 1/4-30 1/4	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
Magnum	W	23 1/8	35	n/r	n/r	4B	25117	n/a	n/a	n/a	Nar. gap, 533 CO
Metro Detail 1-13 11/16"	W	44 1/2	33 3/8	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Metro Detail 4,7-13 11/16"	W	44 13/16	33 3/8	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Metro Detail 10-14 1/32"	W	45 13/16	33 3/8	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Metro Detail 2 14 1/2"	W	47	33 3/8	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Metro Detail 5, 8 14 1/2"	W	47 5/16	33 3/8	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Metro Detail 3 15"	W	48 1/2	33 3/8	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Metro Detail 6, 9 15"	W	48 13/16	33 3/8	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Metro Series 1000	W	44 13/16	VAR.	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Metro Series 2000	W	45 13/16	VAR.	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Metro Series 3000	W	47 5/16	VAR.	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Metro Series 4000	W	48 13/16	VAR.	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Publication P-50	W	40 7/8	50 7/8	n/r	n/r	4A	5A	n/a	n/a	n/a	
Satellite/Journal	W	25 1/2	35 1/2	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	3 or 4 ply blanket
Signature HV	W	22 13/16	36 1/4	n/r	n/r	26935 <sup>1</sup>	26935 <sup>1</sup>	n/a	n/a	n/a	T-Bar Lock Up, 533 CO
Signature HV	W	22 13/16	36 1/4	n/r	n/r	4A	10407	n/a	n/a	n/a	Nar. gap, 533 CO
Signature HV	W	22 3/4	33 3/4	n/r	n/r	4A	2E	n/a	n/a	na/	Nar. gap, 533 CO
Signature HV	W	24 5/8	36 1/4	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	3 or 4 ply, 580 CO

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>GOSS: (cont'd.)</b>											
Signature HV	W	24 5/8	36 1/4	n/r	n/r	4A	2E	n/a	n/a	n/a	Nar. gap, 578 CO
Signature HV	W	26 5/8	39 11/16	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	3 or 4 ply blanket, 680 CO
Signature HV	W	26 13/16	36 7/16	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	533 CO
Suburban 56	W	23 21/32	36 5/8	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Suburban 58	W	24 1/4	36 1/4	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Suburban 58	W	44 1/2	58 1/4	n/r	n/r	4C	2E	n/a	n/a	n/a	
Suburban 60	W	25 1/4	39	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Suburban 63	W	26 1/2	39	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Suburban 66	W	44 1/2	66 1/4	n/r	n/r	4C	2E	n/a	n/a	n/a	
Suburban/Urbanite Det. 1,4,5	W	24 5/8	36 1/4	3923	52/54	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	3 or 4 ply blanket
Suburban/Urbanite Det. 2,3,6	W	47	36 1/4	3923	52/54	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	3 or 4 ply blanket
Suburban/Urbanite Det. 7	W	47 5/16	36 1/4	3923	52/54	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	3 or 4 ply blanket
Universal	W	22 13/16	36	n/r	n/r	27262 <sup>1</sup>	27435 <sup>1</sup>	n/a	n/a	n/a	530 CO
Universal	W	23 1/2	36	n/r	n/r	27262 <sup>1</sup>	27435 <sup>1</sup>	n/a	n/a	n/a	546 CO
Universal	W	24 3/32	35 15/16	n/r	n/r	27262 <sup>1</sup>	26007 <sup>1</sup>	n/a	n/a	n/a	
Universal	W	24 3/4	36	n/r	n/r	27262 <sup>1</sup>	27435 <sup>1</sup>	n/a	n/a	n/a	578 CO
Universal	W	25 9/16	36	n/r	n/r	27262 <sup>1</sup>	27435 <sup>1</sup>	n/a	n/a	n/a	599 CO

Page 39

Universal	W	26 3/4	36	n/r	n/r	27262 <sup>1</sup>	27435 <sup>1</sup>	n/a	n/a	n/a	630 CO
Universal 45	W	24 9/16	36	n/r	n/r	27262 <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	
Universal 70	W	44	36	n/r	n/r	27262 <sup>1</sup>	26007 <sup>1</sup>	n/a	n/a	n/a	
Universal 70	W	44	36	n/r	n/r	29355 <sup>1</sup>	29356 <sup>1</sup>	n/a	n/a	n/a	No pack
Universal 70	W	45 7/8	39 3/8	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	
Universal 70	W	47 5/16	39 1/4	n/r	n/r	5C <sup>1</sup>	26991 <sup>1</sup>	n/a	n/a	n/a	
Universal 70	W	50 27/32	39 3/8	n/r	n/r	25971,5C <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	
Urbanite 56	W	45 3/4	36 3/8	3923	52/54	27387	27387	n/a	n/a	n/a	No pack, 560 CO
Urbanite 56	W	45 13/16	36	n/r	n/r	27426	27426	n/a	n/a	n/a	560 CO
Urbanite 56	W	47	36 1/4	3924	71	27426	27426	n/a	n/a	n/a	580 CO
Urbanite 56	W	47 1/8	29	n/r	n/r	27426	27426	n/a	n/a	n/a	580 CO
Urbanite 56	W	47 5/16	36 3/8	3923	52/54	27426	27426	n/a	n/a	n/a	580 CO
Urbanite 56	W	48 13/16	38 3/8	3923	52/54	27426	27426	n/a	n/a	n/a	600 CO

**GREGG:**

17 X 18	W	19 1/8	21	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	475 CO
17.750 X 26	W	19 3/8	27	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	452 CO
17.798 X 26	W	19 15/32	27	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	
19.375 X 33/36	W	21 1/32	37	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	492 CO
21 X 26 1/2	W	23 1/8	27	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	544 CO
21.496 X 36/38	W	23 3/16	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	546 CO
22 X 18	W	23 11/16	21	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	591 CO
22.746 X 38	W	24 13/32	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	579 CO

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 40

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>GREGG: (cont'd.)</b>											
22.75 X 26	W	24 7/16	27	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	578 CO
22.75 X 38	W	24 7/16	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	
22.776 X 36	W	24 7/16	37	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	579 CO
23 X 18 1/2	W	24 11/16	19	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	432 CO
23.5 X 38	W	25 3/16	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	598 CO
23.562 X 38	W	25 1/4	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	
24 X 18 1/2	W	25 11/16	19	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	559 CO
24 X 26	W	25 5/8	27	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	608 CO
24 X 38	W	25 5/8	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	608 CO
24.562 X 38	W	26 1/4	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	624 CO
24.803 X 38	W	26 1/2	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	630 CO
25.133 X 38	W	26 13/16	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	633 CO
28 X 18	W	29 11/16	21	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	743 CO
42.933 X 36	W	23 3/16	37	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	1090 CO
45.552 X 38	W	47 1/4	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	1157 CO
45.675 X 38	W	47 3/8	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	1160 CO
47.272 X 38	W	48 15/16	39	n/r	n/r	2E INV	2E INV	n/a	n/a	n/a	1201 CO

**HALM:**

Jet Press, Jumbo Jet	S	4 1/4-18	3 1/4-24	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
P-1900, P-7900	S	12	18	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Super Jet	S	19 1/2	24 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**HAMADA:**

5 Star	S	16 1/8	10 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
5 Star Metric	S	16 9/16	10 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
480	S	16 3/8	18 3/8	5364	53	n/r	n/r	n/a	n/a	n/a	
500 CDA New Style	S	16 3/8	11 13/16	5362	67	n/r	n/r	n/a	n/a	n/a	
500 CDA Old Style	S	16 5/16	10 11/16	5361	53	n/r	n/r	n/a	n/a	n/a	
500 PF, 600 PF	S	18 7/8	10 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
500 PFM	S	18 7/8	11 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
500-555, 600-665	S	16 5/16	10 11/16	n/r	n/r	4B	4B	n/a	n/a	n/a	
550 CDA	S	16 1/2	11 3/4	5364	53	n/r	n/r	n/a	n/a	n/a	
550 CDA, 550 CDX	S	16 3/8	11 13/16	5362	67	n/r	n/r	n/a	n/a	n/a	
600 AT/AT-II, 600 CD	S	19 1/16	11 13/16	5363	53	n/r	n/r	n/a	n/a	n/a	
600 PFM and PFPSP3	S	18 13/16	11 3/8	12376	53	n/r	n/r	n/a	n/a	n/a	
601 CD	S	19 1/2	12 1/4	10794,8341	53	n/r	n/r	n/a	n/a	n/a	
601, 602, 662	S	19 7/8	12	10794,8341	53	n/r	n/r	n/a	n/a	n/a	
611 CD, 612 CD XLA-II	S	19 3/8	12	10794	53	n/r	n/r	n/a	n/a	n/a	
660	S	19 7/16	11 7/8	5363	53	n/r	n/r	n/a	n/a	n/a	
665	S	19 1/16	11 3/4	10794,8341	53	n/r	n/r	n/a	n/a	n/a	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HAMADA: (cont'd.)</b>											
7 Star	S	16 1/2	17	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
700, 770 CD, CDX-NP	S	16 5/16	18 3/8	5364	53	n/r	n/r	n/a	n/a	n/a	
800 DX, SX, DCX, SDX	S	16 5/16	20 1/4	4926	53	n/r	n/r	n/a	n/a	n/a	
885, 885 CDX	S	16 5/16	20 3/8	4926	53	n/r	n/r	n/a	n/a	n/a	
900 CD, 900 CDX	S	18 7/8	22 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
1100 CD, 1100 CDX	S	22 3/8	22 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
2100	S	26 3/8	22 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
8000GLX	S	16 3/4	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
A52, 252, A 252F	S	17 7/8	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
A52, A52NP, 252	S	19 3/4	20 1/2	n/r	n/r	26490	26490	n/a	n/a	n/a	
A58	S	20 1/2	22 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
A66	S	23 5/8	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aporro	S	37	39 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
B252	S	17 1/2	20 1/16	n/r	n/r	2E	2E	n/a	n/a	n/a	
B452	S	18 1/2	20 15/32	n/r	n/r	27141	27141	n/a	n/a	n/a	
B452 A	S	17 3/4	20 1/16	n/r	n/r	26490,27141	26490,27141	n/a	n/a	n/a	
Bologna	S	47 5/8	52	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
C248	S	16 1/4	18 1/2	n/r	n/r	27141	27141 INV.	n/a	n/a	n/a	4 ply only

Page 43

C52SF-NP, C252, CT257	S	16 1/4	20	n/r	n/r	27141	27141 INV.	n/a	n/a	n/a	
Chandler 24	S	19	24 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Chandler 32	S	22 9/16	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Coating Cylinder	S	31 3/8	41	n/r	n/r	26489	26489	n/a	n/a	n/a	
Coating Unit	S	30 3/4	41	n/r	n/r	26489	26489	n/a	n/a	n/a	
Collector	S	51 3/16	35 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Crowner	S	45 5/16	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DU-34	S	19 3/16	12 or 12 5/8	n/r	n/r	12331,4B	12331,4B	n/a	n/a	n/a	3 ply blankets
Duetto	S	18 11/16	12 1/4	n/r	n/r	2F	2F	n/a	n/a	n/a	
Eminent 32	S	24	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Eminent 35	S	23 5/8	35 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Eminent 36, HCO 36	S	24 5/8	35 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
E47, E47NP, E47S	S	16 3/8	18 3/8	5364	53	n/r	n/r	n/a	n/a	n/a	
Gemy	S	24	32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
H234	S	19 15/16	12 5/8	n/r	n/r	4B,27140	4B,27140	n/a	n/a	n/a	
H248	S	16 5/16	18 1/2	n/r	n/r	27141	27141	INV.	n/a	n/a	
HS	S	35	39 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Koebau Commander	S	57 1/16	32 5/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Opal	S	36 7/16	40 5/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
R 34	S	19 3/4	13 1/4	n/r	n/r	4B	4B	n/a	n/a	n/a	3 ply blankets
RS/VS 34, VS 34LS-S, VS 34FA-M	S	19 13/16	12 1/2	n/r	n/r	12331	12331	n/a	n/a	n/a	
Seiki, AOR 25	S	41 3/8	27 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 44

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HAMADA: (cont'd.)</b>											
Seiki, AOR 32	S	33 1/16	25 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Seiki, AOR 36	S	37 3/16	25 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Seiki, BOR 43	S	45 11/16	37 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Seiki, SR 25	S	39 3/8	26 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Seiki, SR 32	S	50 3/4	34 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Seiki, SR 35	S	50 3/4	37	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Top Runner Systems	S	15 3/8	10	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
VS 34	S	18 1/2	12 5/8	n/r	n/r	4B	4B	n/a	n/a	n/a	
VS 34	S	19 3/4	13 1/8	n/r	n/r	12331 <sup>1</sup>	12331 <sup>1</sup>	n/a	n/a	n/a	Hole centered in bar

**HAMILTON:**

Forms Press 18 1/4" AC	W	15 1/4, 16 1/4, 19 1/4	18 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Forms Press 20 1/4" AC	W	16 1/4, 19 1/4, 24 1/4	20 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Forms Press 22 1/4" AC	W	19 1/4, 24 1/4	22 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Forms Press 26 1/4" AC	W	19 1/4, 21 3/4, 24 1/4, 30 1/4	26 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Forms Press 31 1/4" AC	W	19 1/4, 24 1/4, 30 1/4	31 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Forms Press 32 1/4" AC	W	24 1/4	32 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	

Page 45

Hamilton	W	37 9/16	32	n/r	n/r	4A	7C	n/a	n/a	n/a	
Hamilton	W	38 1/16	32	n/r	n/r	4B	7C	n/a	n/a	n/a	
Hamilton	W	43 1/2	32	n/r	n/r	4A	7C	n/a	n/a	n/a	
Hamilton	W	44 1/2	42	n/r	n/r	4A	7C	n/a	n/a	n/a	
Publications Press	W	21 1/2	31 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Publications Press	W	23 1/4	39 1/2	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Publications Press	W	25	36 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Publications Press	W	35 1/4	38 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Universal Pack	W	34	40	n/r	n/r	4B	7C	n/a	n/a	n/a	

**HANTSCHO:**

MK I	W	27 5/16	38 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
MK II	W	21 3/8	32 1/4	n/r	n/r	4B	2E	n/a	n/a	n/a	492 CO
MK II	W	24 13/16	36 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	22 3/4 X 36W/D
MK II	W	25	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	22 3/4 X 38, 578 CO
MK II	W	25 13/16	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	23 9/16 X 38, 598 CO
MK II	W	25 5/8	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	23 9/16 X 38
MK II	W	27 1/4	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	38", 638 CO
MK II	W	25	40 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	40", 578 CO
MK II	W	25 3/8	40 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	40", 598 CO
MK II JR	W	25	36 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	22 3/4 X 36, 578 CO
MK II JR	W	25 3/8	36 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	23 1/16 X 36, 586 CO
MK II JR 36	W	25 13/16	36 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	598 CO

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 46

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HANTSCHO: (cont'd.)</b>											
MK II JR 38	W	25 5/8	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	598 CO
MK III	W	37 3/8	50 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	897 CO
MK III	W	39 1/2	55 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	949 CO
MK III	W	37 1/16	50 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	35 X 50, 889 CO
MK III	W	40 7/8	55 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	38 3/4 X 55, 984 CO
MK III	W	49 1/4	55 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	47 1/8 X 55, 1157 CO
MK III	W	49 9/16	35 7/8	n/r	n/r	4B	2E	n/a	n/a	n/a	47", 1197 CO
MK III	W	52 7/16	38 7/8	n/r	n/r	4B	2E	n/a	n/a	n/a	50", 1260 CO
MK IV	W	24 13/16	36	n/r	n/r	4B	2E	n/a	n/a	n/a	538 CO
MK IV	W	24 13/16	38 3/8	n/r	n/r	4B	2E	n/a	n/a	n/a	22 3/4 X 38, 578 CO
MK IV	W	25 5/8	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	23 9/16 X 38, 598 CO
MK IV	W	27	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	630 CO
MK IV	W	27 3/8	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	638 CO
MK IV & VI	W	25 1/16	36 1/2	n/r	n/r	5A	RIV.	n/a	n/a	n/a	Nar. gap
MK IV & VI 7 1/2	W	26 1/8	36 1/4	n/r	n/r	5B	12702	n/a	n/a	n/a	23 9/16 X 36
MK IV & VI 7 1/2	W	26 1/8	38 1/2	n/r	n/r	11923	RIV.	n/a	n/a	n/a	23 9/16 X 38
MK IV & VI 7 1/4	W	25 5/16	36 1/4	n/r	n/r	11923	RIV.	n/a	n/a	n/a	22 3/4 X 36
MK IV & VI 7 1/4	W	25 5/16	38 1/2	n/r	n/r	11923	RIV.	n/a	n/a	n/a	22 3/4 X 38

Page 47

MK IV & VI X 36	W	24 15/16	36 1/4	n/r	n/r	11923	RIV.	n/a	n/a	n/a	22 3/4 X 36
MK V	W	19 9/16	27	n/r	n/r	4B	2E	n/a	n/a	n/a	17 3/4 X 26, 451 CO
MK V-A	W	19 9/16	26 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	17 3/4 X 26 1/2
MK V-A	W	19 4/4	26 1/2	n/r	n/r	11923	RIV.	n/a	n/a	n/a	17 3/4 X 26 1/2, 451 CO, Nar. gap
MK VI	W	24 15/16	38 1/2	n/r	n/r	11923	RIV.	n/a	n/a	n/a	22 3/4 X 38, 530 CO, Nar. gap
MK VI	W	21 3/8	33 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	492 CO, Std. gap
MK VI	W	21 3/8	33 3/4	n/r	n/r	4B	25117	n/a	n/a	n/a	492 CO, Nar. gap
MK VI	W	24 11/16	36 3/8	n/r	n/r	4B	2E	n/a	n/a	n/a	22 3/4 X 36, 538 CO
MK VI	W	24 15/16	36 1/4	n/r	n/r	11923	RIV.	n/a	n/a	n/a	22 3/4 X 36, 538 CO, Narrow gap
MK VI A	W	25 1/16	36 1/2	n/r	n/r	4B	2E	n/a	n/a	n/a	578 CO
MK VI A	W	25 7/8	36 1/4	n/r	n/r	4B	2E	n/a	n/a	n/a	
MK VI A1	W	21 5/8	33 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	492 CO
MK VI A1	W	25	36 1/4	n/r	n/r	4B	2E	n/a	n/a	n/a	578 CO
MK VI A1	W	24 3/4	38 1/4	n/r	n/r	5A	25117	n/a	n/a	n/a	578 CO, Nar. gap
MK VI A1	W	25 7/8	36 1/4	n/r	n/r	4B	2E	n/a	n/a	n/a	598 CO
MK VI A1	W	27	38	n/r	n/r	4B	2E	n/a	n/a	n/a	630 CO
MK VI A1	W	27 1/16	38 1/4	n/r	n/r	5A	25117	n/a	n/a	n/a	630 CO, Nar. gap
MK VII	W	24 15/16	36 1/2	n/r	n/r	4B	2E	n/a	n/a	n/a	22 3/4 X 36, 578 CO
MK VII	W	25 3/4	36 1/2	n/r	n/r	4B	2E	n/a	n/a	n/a	23 9/16 X 36, 598 CO
MK VII	W	26 1/8	38 1/4	n/r	n/r	11923	RIV.	n/a	n/a	n/a	7 1/2 X 38, 664 CO

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 48

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HANTSCHO: (cont'd.)</b>											
MK X	W	21 5/8	33 1/4	n/r	n/r	4B	2E	n/a	n/a	n/a	492 CO
MK X	W	23 5/16	36 1/4	n/r	n/r	4B	2E	n/a	n/a	n/a	533 CO
MK X	W	24 3/4	36 1/4	n/r	n/r	4B	2E	n/a	n/a	n/a	643 CO
MK X	W	25 1/16	36 1/4	n/r	n/r	4B	2E	n/a	n/a	n/a	578 CO
MK XVI	W	21 7/16	33 1/2	n/r	n/r	5A	12702,25117	n/a	n/a	n/a	492 CO, Nar. gap
MK XVI	W	23 1/4	34 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	533 CO
MK XVI	W	23 7/8	36 1/4	n/r	n/r	4B	2E	n/a	n/a	n/a	546 CO
MK XVI	W	25 1/16	36 1/4	n/r	n/r	5A	25117	n/a	n/a	n/a	546 CO, Nar. gap
MK XVI	W	25	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	578 CO
MK XVI	W	25	36 1/4	n/r	n/r	5A	12702,25117	n/a	n/a	n/a	578 CO, Nar. gap
MK XVI	W	25 7/8	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	598 CO
MK XVI	W	27	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	630 CO
MK XVIII	W	24 15/16	36 3/8	n/r	n/r	4B	26991	n/a	n/a	n/a	22 3/4 X 36", 578 CO
MK XVIII	W	24 15/16	38 3/4	n/r	n/r	4B	26991	n/a	n/a	n/a	25 1/8 X 38", 578 CO
MK XX	W	47 7/8	36 1/4	n/r	n/r	11923	2E	n/a	n/a	n/a	578 CO
MM XXII (Nebiolo)	W	25	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	578 CO
MK XXIII (Nebiolo)	W	25 13/16	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	598 CO
MK XXV (Nebiolo)	W	27 3/8	38 3/4	n/r	n/r	4B	2E	n/a	n/a	n/a	638 CO

Page 49

W-159	W	40 5/8	55 1/4	n/r	n/r	4B	2E	n/a	n/a	n/a	
World 16	W	25 5/16	36 3/8	n/r	n/r	109A	26991	n/a	n/a	n/a	DWG:CHP01901119
World 16	W	21 7/16	34 1/2	n/r	n/r	25025	26991	n/a	n/a	n/a	DWG:CHP01901121
World 16	W	25 5/16	38 3/8	n/r	n/r	25025	26991	n/a	n/a	n/a	DWG:CHP01901122
World 16	W	26 1/8	38 3/8	n/r	n/r	109A	26991	n/a	n/a	n/a	DWG:CHP01901125

**HARRIS:**

A50K	W	39 1/4	50 1/2	n/r	n/r	2A	2B	n/a	n/a	n/a	
A50L	W	75	49 3/4	n/r	n/r	6A	6A	n/a	n/a	n/a	
CL	S	26 3/4	26 1/2	3506	53	n/r	n/r	n/a	n/a	n/a	
CL 225, CL 1925	S	29	26	3506	53	n/r	n/r	n/a	n/a	n/a	
COTTRELL	W	43 1/16	41 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	HALF BOOK
COTTRELL	W	42 5/8	41 3/8	n/r	n/r	2A <sup>1</sup>	3B	n/a	n/a	n/a	HALF BOOK
COTTRELL	W	44 3/4	61 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	BOOK
COTTRELL	W	45 1/4	61 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	BOOK
COTTRELL	W	43 1/8	64 3/8	n/r	n/r	110A	7A	n/a	n/a	n/a	BOOK
EL #31	S	29 1/4	36	3508	53	n/r	n/r	n/a	n/a	n/a	
FT, FT #34	S	40 1/2	50 1/2	3516	53	n/r	n/r	n/a	n/a	n/a	
GT, HB 41, HT, JT	S	51	54 1/2	3517	53	n/r	n/r	n/a	n/a	n/a	
Harris 226 B/P	S	27	29 1/2	8935	54	n/r	n/r	n/a	n/a	n/a	
Harris 226N/426N	S	24 3/8	29 15/16	8936	54	n/r	n/r	n/a	n/a	n/a	
L25 Series	S	24 3/4	25	3503	53	102A <sup>2</sup>	102A <sup>2</sup>	202	302	101A	
L25 Series	S	24 1/4	25 1/4	3503	53	102A <sup>2</sup>	102A <sup>2</sup>	202	302	101A	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 50

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HARRIS: (cont'd.)</b>											
L25 Series	S	27	29 1/2	2875	75,54	n/r	n/r	n/a	n/a	n/a	
L26 Series	S	24 3/8	29 15/16	8936	54	n/r	n/r	n/a	n/a	n/a	
L26, L36 C	S	30	36	3508	53	102A <sup>2</sup>	102A <sup>2</sup>	211	311	101A	
L28, L29, L30 Series	S	29 1/4	30	2836	53	102A <sup>2</sup>	102A <sup>2</sup>	204	304	101A	
L29 C	S	29 3/4	30	3354	53	102A	102A	n/a	n/a	n/a	
L30 A, B Series	S	27	30	2836	53	102A <sup>2</sup>	102A <sup>2</sup>	204	304	101A	
L36 C	S	32 3/4	36 3/4	2890	53	102B <sup>2</sup>	102B <sup>2</sup>	210	310	101A	
L36 A, B Serues	S	29 1/4	36	3508	53	102A <sup>2</sup>	102A <sup>2</sup>	211	311	101A	
L36 Series	S	31 1/8	36 13/16	3606	73	n/r	n/r	n/a	n/a	n/a	
L38 Series	S	31	39 1/2	2837	53	102B <sup>2</sup>	102B <sup>2</sup>	208	308	101A	
L40 Series	S	33 1/2	41	6976	54	102B <sup>2</sup>	102B <sup>2</sup>	209	309	101A	
L60 A, B Series	S	52 1/4	60 1/2	3520	53	102A	102A	n/a	n/a	n/a	
L60 A, B Series	S	45	60 1/2	3520	53	n/r	n/r	n/a	n/a	n/a	Under blanket
LB	S	51	54 1/2	3517	53	102H	102H	n/a	n/a	n/a	
LE (343)	S	54	59	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
LF #44	S	54	65	n/r	n/r	102H	102H	n/a	n/a	n/a	
LOB	S	61 1/2	79	3527	53	102H	102H	n/a	n/a	n/a	
LOE	S	18	22 3/8	3502	67	n/r	n/r	n/a	n/a	n/a	Wrap around

Page 51

LQA, LQB	S	40	43 1/2	3512	53	n/r	n/r	n/a	n/a	n/a	
LSB	S	23 3/4	23	2835	53	102A <sup>2</sup>	102A <sup>2</sup>	201	301	101A	
LSC, LSD, LSE	S	45 1/2	46 1/2	3514	53	n/r	n/r	n/a	n/a	n/a	
LSF, LSG, LSH	S	57	68 1/2	3521	53	102H	102H	n/a	n/a	n/a	
LSF, LSG, LSH	S	61 1/2	68 1/2	3521	53	102H	102H	n/a	n/a	n/a	
LSF, LSG, LSH	S	61 1/2	69 1/2	3521	53	102H	102H	n/a	n/a	n/a	
LSH	S	26 1/2	30	2836	53	102A <sup>2</sup>	102A <sup>2</sup>	205	305	101A	
LSJ, LSK, LSL, LSM	S	52 1/4	59 1/2	3519	53	102H	102H	n/a	n/a	n/a	
LSN	S	24 5/8	30	3507	53	102A <sup>2</sup>	102A <sup>2</sup>	205	305	101A	
LSQ	S	35 1/4	44	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
LSQ, LSR	S	37	41 1/2	3510	64	n/r	n/r	n/a	n/a	n/a	
LSS, LST	S	45	48 1/2	3515	53	n/r	n/r	n/a	n/a	n/a	
LSW, LSX, LSZ	S	52 1/4	54 1/2	3519	53	n/r	n/r	n/a	n/a	n/a	
LT TCLF #45	S	54	65	n/r	n/r	102H	102H	n/a	n/a	n/a	
LTA, LTB	S	52 1/4	66 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
LTC	S	29 1/4	30	2836	53	102A <sup>2</sup>	102A <sup>2</sup>	204	304	101A	
LTC (#128-#138)	S	28	30	2836	53	n/r	n/r	n/a	n/a	n/a	
LTD	S	29 1/2	36	3508	53	102A	102A	211	311	101A	
LTE, LTG	S	22 3/4	23	2835	53	102A <sup>2</sup>	102A <sup>2</sup>	201	301	101A	
LTG (#122)	S	26 1/4	23	2835	53	102A <sup>2</sup>	102A <sup>2</sup>	201	301	101A	
LTk, LTL, LTM	S	52 1/4	59 1/2	3519	53	102H	102H	n/a	n/a	n/a	
LTM	S	52 1/4	66 1/2	n/r	n/r	102H	102H	n/a	n/a	n/a	
LTN #134, 136	S	29 1/2	36	3508	53	102A <sup>2</sup>	102A <sup>2</sup>	206	306	101A	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 52

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HARRIS: (cont'd.)</b>											
LTN 789 and up	S	29	36	3508	53	102A <sup>2</sup>	102A <sup>2</sup>	206	306	101A	
LTP #234, 236, 556 & up	S	29 1/2	36	3508	53	102A <sup>2</sup>	102A <sup>2</sup>	206	306	101A	
LTQ, LTR, LTS	S	61 1/2	73 1/2	3524	52	102H	102H	n/a	n/a	n/a	
LTR, LTS 101-103	S	61 1/2	73 1/2	3522	64	102H	102H	n/a	n/a	n/a	
LTV 122A	S	23 3/4	23	2835	53	102A <sup>2</sup>	102A <sup>2</sup>	201	301	101A	
LTW	S	29 1/4	30	2836	53	102A <sup>2</sup>	102A <sup>2</sup>	204	304	101A	
LTX 101 to 106	S	62	77 1/2	3526	53	102H	102H	n/a	n/a	n/a	
LTX 107 and up	S	62 3/4	77 1/2	2786	53	102H	102H	n/a	n/a	n/a	
LTY 101 to 148	S	62	77 1/2	3526	53	102H	102H	n/a	n/a	n/a	
LTY 149 and up	S	62 3/4	77 1/2	2786	53	102H	102H	n/a	n/a	n/a	
LTZ 101 to 106	S	62	77 1/2	3526	53	102H	102H	n/a	n/a	n/a	
LTZ 162 and up, 102	S	62 3/4	77 1/2	2786	53	102H	102H	n/a	n/a	n/a	
LUB	S	40	43 1/2	3512	53	n/r	n/r	n/a	n/a	n/a	
LUC	S	61 1/2	73 1/2	3524	53	102H	102H	n/a	n/a	n/a	
LUD	S	45	50	2947	53	102H	102H	n/a	n/a	n/a	
LUD 102 and up	S	62 3/4	77 1/2	2786	53	102H	102H	n/a	n/a	n/a	
LUD, LUE	S	45	48 1/2	3515	53	n/r	n/r	n/a	n/a	n/a	
LUF	S	52 1/4	59 1/2	3519	53	102H	102H	n/a	n/a	n/a	

Page 53

LUF	S	52 1/4	60 1/2	3519	53	102H	102H	n/a	n/a	n/a	
LUG	S	61 1/2	73 1/2	3524	53	102H	102H	n/a	n/a	n/a	
LUH 120	S	21	20 1/2	3501	53	102A <sup>2</sup>	102A <sup>2</sup>	200	300	101A	
LUJ 101 to 114	S	61 1/2	73 1/2	3526	53	102H	102H	n/a	n/a	n/a	
LUJ 115 and up	S	62 3/4	77 1/2	2786	53	102H	102H	n/a	n/a	n/a	
LUJ, LUK	S	65 3/4	77 1/2	2786	53	102H	102H	n/a	n/a	n/a	
LUK 102 and up	S	62	77 1/2	2786	53	102H	102H	n/a	n/a	n/a	
LUL 138, LUM 238	S	31	38 1/2	2837	53	102B <sup>2</sup>	102B <sup>2</sup>	207	307	101A	
LUL 138, LUM 238	S	31	39	2837	53	102B <sup>2</sup>	102B <sup>2</sup>	208	308	101A	Special
LUN, LUP	S	45	50	2947	53	102A	102A	n/a	n/a	n/a	
LUN 129, LUP 149	S	45	50 1/2	2947	53	102A	102A	n/a	n/a	n/a	
LUR	S	52 1/4	59 1/2	3519	53	102H	102H	n/a	n/a	n/a	
LUS 126, 101-186	S	26 7/8	26	3504	53	102A <sup>2</sup>	102A <sup>2</sup>	203	303	101A	
LVA,LVB,LVC,LVD,LVE,LVF	S	52 1/4	60 1/2	3520	53	102H	102H	n/a	n/a	n/a	
LVG 101 and up	S	62	77 1/2	2786	53	102H	102H	n/a	n/a	n/a	
LWA, LWB, LWC	S	62	77 1/2	2786	53	102H	102H	n/a	n/a	n/a	
LWA, B, C, D, E, F 78"	S	61 1/2	78 3/4	3527	53	102H	102H	n/a	n/a	n/a	
LWG, LWP 138, LWQ 238,											
LWR 438	S	31	38 1/2	2837	53	102B <sup>2</sup>	102B <sup>2</sup>	208	308	101A	
LWP138, LWQ238, LWR438	S	31	39 1/2	2837	53	102B <sup>2</sup>	102B <sup>2</sup>	208	308	101A	Special
LWX	S	34	40	3509	53	n/r	n/r	n/a	n/a	n/a	
LXA, LXB 1096 and up	S	28 1/2	30	2836	53	102A <sup>2</sup>	102A <sup>2</sup>	204	304	101A	
LXB, LXE, LXF 220, LXG 129	S	29 1/4	30	2836	53	102A <sup>2</sup>	102A <sup>2</sup>	204	304	101A	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 54

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HARRIS: (cont'd.)</b>											
LXC	S	21	20 1/2	3501	53	102A <sup>2</sup>	102A <sup>2</sup>	200	300	101A	
LXD	S	23 3/4	23	2835	53	102A <sup>2</sup>	102A <sup>2</sup>	201	301	101A	
LXD 122	S	26 1/4	23	2835	53	102A <sup>2</sup>	102A <sup>2</sup>	201	301	101A	
LXF	S	26 7/8	26	n/r	n/r	102A <sup>2</sup>	102A <sup>2</sup>	203	303	101A	
LXF 126	S	28 1/2	26	3504	53	102A <sup>2</sup>	102A <sup>2</sup>	203	303	101A	
LXG, LXV	S	28 1/2	30	2836	53	102A <sup>2</sup>	102A <sup>2</sup>	204	304	101A	
LXK	S	24 3/4	25	3503	53	102A <sup>2</sup>	102A <sup>2</sup>	202	302	101A	
LXM	S	31 1/8	36 13/16	2890	53	102A <sup>2</sup>	102A <sup>2</sup>	210	310	101A	
LXM	S	29 1/4	36	3508	53	n/r	n/r	n/a	n/a	n/a	
LXO	S	22 3/4	20	2835	53	102A <sup>2</sup>	102A <sup>2</sup>	201	301	101A	
LXP,LXQ,LXR,LXS,LXT, LXU	S	62	77 1/2	2786	53	102H	102H	n/a	n/a	n/a	
LXP,LXQ,LXR,LXS,LXT, LXU	S	57	77 1/2	2786	53	102H	102H	n/a	n/a	n/a	Under blanket
M70	W	25 1/4	18 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	584 CO
M70	W	24 13/16	20 1/2	n/r	n/r	6A INV	7C	n/a	n/a	n/a	599 CO
M80	W	25 1/4	18 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	584 CO
M80	W	26 5/8	18 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	599 CO
M80T	W	20 1/2	24 13/16	n/r	n/r	6A INV	7C	n/a	n/a	n/a	599 CO
M80T	W	24 3/4	20	n/r	n/r	6A INV	7C	n/a	n/a	n/a	584 CO

Page 55

M80T	W	26 5/8	20	n/r	n/r	6A INV	7C	n/a	n/a	n/a	630 CO
M85	W	19 5/16	26 1/2	n/r	n/r	6A INV	10407	n/a	n/a	n/a	
M90	W	24 3/4	20	n/r	n/r	6A INV	7C	n/a	n/a	n/a	
M100	W	26 1/2	24 7/8	n/r	n/r	6A INV	7C	n/a	n/a	n/a	599 CO
M100L	W	24 13/16	26 1/2	n/r	n/r	6A 1NV	7C	n/a	n/a	n/a	
M110	W	18 1/2	26 1/2	n/r	n/r	6A 1NV	7C	n/a	n/a	n/a	451 CO, after 1981
M110 A, B & C	W	19 5/16	26 5/8	n/r	n/r	6A 1NV	7C	n/a	n/a	n/a	471 CO
M112	W	18 1/2	26 1/2	n/r	n/r	6A INV	7C	n/a	n/a	n/a	451 CO, after 1981
M120	W	21 3/16	31	n/r	n/r	6A INV	7C	n/a	n/a	n/a	
M122	W	21 3/16	31	n/r	n/r	6A INV	7C	n/a	n/a	n/a	
M130	W	25 1/8	38 1/4	n/r	n/r	7C <sup>1</sup>	26184 <sup>1</sup>	n/a	n/a	n/a	599 CO
M130	W	27 3/16	38 1/4	n/r	n/r	7C <sup>1</sup>	26184 <sup>1</sup>	n/a	n/a	n/a	
M130	W	25 7/16	38 1/4	n/r	n/r	29706 <sup>1</sup>	29036 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
M200	W	26 1/2	36 1/2	n/r	n/r	2G	7A	n/a	n/a	n/a	599 CO, after 1973
M200	W	27 5/8	36 1/2	n/r	n/r	2G	7A	n/a	n/a	n/a	599 CO, before 1973
M200	W	26 7/8	38 1/4	n/r	n/r	2G	7A	n/a	n/a	n/a	610 CO
M200	W	26	36 1/2	n/r	n/r	2G	7A	n/a	n/a	n/a	579 CO
M200	W	26 7/8	38 1/2	n/r	n/r	2G	7A	n/a	n/a	n/a	630 CO, after 1973
M200	W	28 7/8	38 1/2	n/r	n/r	2G	7A	n/a	n/a	n/a	630 CO, before 1973
M200 A	W	26 7/8	36 1/2	n/r	n/r	2G	7A	n/a	n/a	n/a	610 CO
M200 A	W	26 7/8	38 1/4	n/r	n/r	2G	7A	n/a	n/a	n/a	610 CO

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 56

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HARRIS: (cont'd.)</b>											
M200 A	W	27 5/8	36 1/2	n/r	n/r	2G	7A	n/a	n/a	n/a	630 CO
M200 A	W	27 7/8	38 1/4	n/r	n/r	2G	7A	n/a	n/a	n/a	630 CO
M300	W	26 1/16	36 1/2	n/r	n/r	2G	7A	n/a	n/a	n/a	22 3/4 CO
M300	W	26 7/8	36 1/2	n/r	n/r	2G	7A	n/a	n/a	n/a	23 9/16 CO
M300M	W	23 3/4	36 1/2	n/r	n/r	2G	7A,26490	n/a	n/a	n/a	533 CO
M300M	W	24 5/16	36 1/2	n/r	n/r	2G	7A,26490	n/a	n/a	n/a	546 CO
M300M	W	25 9/16	36 1/2	n/r	n/r	2G	7A,26490	n/a	n/a	n/a	579 CO
M300M	W	26 3/8	38 1/2	n/r	n/r	2G	7A,26490	n/a	n/a	n/a	599 CO
M300M	W	26 3/4	38 1/2	n/r	n/r	2G	26490	n/a	n/a	n/a	610 CO
M300M	W	27 9/16	38 1/2	n/r	n/r	2G	26490	n/a	n/a	n/a	630 CO
M300M	W	30 3/8	40 5/8	n/r	n/r	2G	26490	n/a	n/a	n/a	700 CO
M532	W	43	33 3/8	n/r	n/r	4G INV	4G INV	n/a	n/a	n/a	
M600	W	24 1/4	35 3/4	n/r	n/r	2B	6A	n/a	n/a	n/a	546 CO
M600	W	26 1/8	39 1/2	n/r	n/r	2B	6A	n/a	n/a	n/a	578 CO
M600	W	27	39 1/8	n/r	n/r	26009 <sup>1</sup> ,28905	26009 <sup>1</sup> ,28905	n/a	n/a	n/a	598 CO, Nar. gap
M600	W	27 5/8	39 1/8	n/r	n/r	26009 <sup>1</sup> ,28905	26009 <sup>1</sup> ,28905	n/a	n/a	n/a	610 CO, Nar. gap
M600	W	28 1/2	39 1/8	n/r	n/r	26009 <sup>1</sup> ,28905	26009 <sup>1</sup> ,28905	n/a	n/a	n/a	630 CO, Nar. gap
M600	W	25 15/16	39 1/8	n/r	n/r	26009 <sup>1</sup> ,28905	26009 <sup>1</sup> ,28905	n/a	n/a	n/a	578 CO, Nar. gap

Page 57

M700	W	26	38 1/2	n/r	n/r	2B	6A	n/a	n/a	n/a	578 CO
M700	W	27	38 1/2	n/r	n/r	2B	6A	n/a	n/a	n/a	598 CO
M1000 A	W	53 1/2	38 3/8	n/r	n/r	6A INV	6A INV	n/a	n/a	n/a	
M1000 A, A2, B,											
BE 22 3/4 C.O.	W	52	38 1/8	n/r	n/r	6A INV,28924	6AINV,28924	n/a	n/a	n/a	
M1000 A, B, BE 22 1/4 CO	W	52	36	n/r	n/r	28924	28924	n/a	n/a	n/a	.180 Gap
M1000 A, B, BE 22 3/4 CO	W	52 1/4	38 3/8	n/r	n/r	28924	28924	n/a	n/a	n/a	.180 Gap
M1000 A2 21 3/4 CO	W	50 1/8	35 3/8	n/r	n/r	13508	13508	n/a	n/a	n/a	.210 Gap
M1000 B	W	53 1/2	38	n/r	n/r	28924	28924	n/a	n/a	n/a	.180 Gap
M1000 B	W	53 1/2	38	n/r	n/r	28924	28924	n/a	n/a	n/a	.210 Gap
M1000 B 21 3/4 CO	W	50 1/8	35 3/8	n/r	n/r	28924	28924	n/a	n/a	n/a	.180 Gap
M1000 B 22 1/2 CO	W	51 3/4	35 3/8	n/r	n/r	28924	28924	n/a	n/a	n/a	.180 Gap
M1000 BE	W	50 1/8	35 3/8	n/r	n/r	28924	28924	n/a	n/a	n/a	.180 Gap
M5000	W	75	49 3/4	n/r	n/r	6A INV	6A INV	n/a	n/a	n/a	
Mercury 21.00 CO	W	23 1/8	36 1/2	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	
Mercury 22.047 CO	W	24 1/2	36 1/2	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	
Mercury 22.75 CO	W	24	36 1/2	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	
Mercury 22.047 CO	W	24 7/16	36 1/2	n/r	n/r	29184	29183	n/a	n/a	n/a	Nar. gap
Mercury 4pp	W	25 5/8	36 1/2	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	578 CO
Mercury 4pp	W	25 3/16	36 1/2	n/r	n/r	29184	29183	n/a	n/a	n/a	578 CO, Nar. gap
Metal Decorating	S	VAR.	43 1/2	7658	53,79	n/r	n/r	n/a	n/a	n/a	
N400	W	51 3/4	36	n/r	n/r	10407	10407	n/a	n/a	n/a	
N420	W	25 1/4	39	n/r	n/r	10407	10407	n/a	n/a	n/a	579 CO

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 58

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HARRIS: (cont'd.)</b>											
N420	W	30 1/2	40 21/32	n/r	n/r	10407	10407	n/a	n/a	n/a	700 CO
N420, N420D	W	27 9/32	39 3/32	n/r	n/r	10407	10407	n/a	n/a	n/a	630 CO
N420A, N420B	W	25 1/4	36 1/2	n/r	n/r	10407	10407	n/a	n/a	n/a	578 CO
N800	W	47 1/4	36	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
N800	W	48 7/8	36	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
N845	W	47	36 3/8	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
N845	W	48 15/16	36	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	Nar. gap
N845	W	47 1/4	36	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	579 CO
N845	W	48 7/8	36	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	599 CO
N845	W	51 3/8	36	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	630 CO
N845, N845A	W	44 5/8	36	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	546 CO
N845, N845A	W	45 3/4	36	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	560 CO
N850	W	54 7/8	39	n/r	n/r	25968	25968	n/a	n/a	n/a	25 11/16
N850, N850A, N850B	W	52 7/8	39	n/r	n/r	25968	25968	n/a	n/a	n/a	599 CO
N850, N850A, N850B	W	55 3/8	39	n/r	n/r	25968	25968	n/a	n/a	n/a	630 CO
N850, N850L	W	51 5/8	57 1/2	n/r	n/r	25968	25968	n/a	n/a	n/a	579 CO
N850, N850L	W	53 3/16	57 1/2	n/r	n/r	25968	25968	n/a	n/a	n/a	599 CO
N850, N850L	W	55 5/8	57 1/2	n/r	n/r	25968	25968	n/a	n/a	n/a	630 CO

Page 59

N850 B	W	52 5/16	38 3/8	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
N900	W	45 5/8	46	n/r	n/r	110A <sup>1</sup>	110B <sup>1</sup>	n/a	n/a	n/a	
N900 III	W	46 1/2	61 1/4	n/r	n/r	2A	3B	n/a	n/a	n/a	
N900 III	W	46 1/2	66 3/4	n/r	n/r	2A	3B	n/a	n/a	n/a	
N936	W	45 5/8	36	n/r	n/r	110A <sup>1</sup>	110B <sup>1</sup>	n/a	n/a	n/a	Nar. gap
N954	W	45 3/4	54	n/r	n/r	110A <sup>1</sup>	110B <sup>1</sup> , 27426	n/a	n/a	n/a	
N1600	W	45 5/8	33	n/r	n/r	110A <sup>1</sup>	110B <sup>1</sup>	n/a	n/a	n/a	
N1600	W	47	33	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	579 CO
N1600	W	49 5/8	30	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	776 CO
N1600	W	60	45 1/2	n/r	n/r	110A <sup>1</sup>	110B <sup>1</sup>	n/a	n/a	n/a	
N1650	W	45 5/8	33	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	560 CO
N1650	W	47 1/4	31 1/2	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	579 CO
N1650	W	48 7/8	31 1/2	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	599 CO
N1660	W	45 5/8	66	n/r	n/r	110A <sup>1</sup>	110B <sup>1</sup>	n/a	n/a	n/a	
N1680	W	49 5/8	31	n/r	n/r	110A <sup>1</sup>	110B <sup>1</sup>	n/a	n/a	n/a	
N1680	W	51 1/4	31	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
N1700	W	45 5/8	66	n/r	n/r	110A <sup>1</sup>	110B <sup>1</sup>	n/a	n/a	n/a	
N4000	W	37 7/8	57 3/8	n/r	n/r	28036	13339	n/a	n/a	n/a	427 CO
N4000	W	38 3/4	50 5/16	n/r	n/r	28036	13339	n/a	n/a	n/a	438 CO
N4000	W	39 11/16	50 5/16	n/r	n/r	28036	13339	n/a	n/a	n/a	451 CO
N9000	W	46 1/2	66 3/8	n/r	n/r	2A <sup>1</sup>	3B	n/a	n/a	n/a	
N9000D	W	50 1/16	75 3/8	n/r	n/r	2A <sup>1</sup>	2B	n/a	n/a	n/a	
N9000D	W	50 1/16	80 3/8	n/r	n/r	2A <sup>1</sup>	3B	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 60

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HARRIS: (cont'd.)</b>											
NC 400 22" CO	W	23 1/4	36 1/2	n/r	n/r	10407	10407	n/a	n/a	n/a	559 CO, Nar. gap
NC 400 22 3/4" CO	W	25 1/4	36 1/2	n/r	n/r	7C	7C	n/a	n/a	n/a	603 CO, Nar. gap
NC 400B 21" CO	W	23 1/4	36 1/2	n/r	n/r	26184	7C	n/a	n/a	n/a	
NC 450	W	25 1/4	36 1/2	n/r	n/r	7C	7C	n/a	n/a	n/a	
Omsca (Ref. OMSCA)											
Schriber (Ref. SCHRIBER)											
TWB 130L	S	27	30	2836	53	102A	102A	204	304	101A	
TWG	S	45	50	2947	53	n/r	n/r	n/a	n/a	n/a	
V15A, D, H, V22, V25	W	25 1/4	36 1/2	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	
V15B	W	27 9/32	39 3/32	n/r	n/r	10407	10407	n/a	n/a	n/a	
V22, V25	W	25 1/2	36 1/2	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	
V30	W	24	36 1/2	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	
V30	W	25 3/16	35 1/2	n/r	n/r	29184	29183	n/a	n/a	n/a	Nar. gap
V 700	W	25 1/4	36 1/2	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	578 CO
Vangard 31	W	25 1/2	31 1/2	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	
Vangard 36	W	25 1/2	36 1/2	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	

Page 61

**HASHIMOTO:**

AFB, AFK	S	21 5/8	19 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
AF-S	S	16 1/2	19 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
BES	S	20 7/8	22 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
BFK	S	20 7/8	22 13/16	n/r	n/r	4B INV	4B INV	n/a	n/a	n/a	
F521, F522	S	19 5/8	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
F662, GA26	S	26	26 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
GAG, GAS, GB-S, GR65	S	24 3/8	26	n/r	n/r	109A	109A	n/a	n/a	n/a	
Impulse 20	S	19 5/8	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Impulse 22	S	20 7/8	22 13/16	n/r	n/r	4B INV	4B INV	n/a	n/a	n/a	
Impulse 26	S	26	26 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
JA, JB, JC, JM	S	20 7/8	22 13/16	n/r	n/r	4B INV	4B INV	n/a	n/a	n/a	
Multiworker	S	26	26 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
SA551, SA552, SA554	S	20 7/8	22 13/16	n/r	n/r	4B INV	4B INV	n/a	n/a	n/a	
SA651	S	26	26 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**HEIDELBERG:**

GTO 46	S	17 5/16	18 1/8	n/r	n/r	11059	11059	n/a	n/a	n/a	
GTO 52	S	17 1/2	20 1/2	n/r	n/r	11059,26845	11059,26845	n/a	n/a	n/a	
GTO 52	S	17 11/16	20 3/8	n/r	n/r	11059	11059	n/a	n/a	n/a	
KOR	S	18 1/2	23 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
KORA	S	20 1/4	23 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
KORD-25	S	20 1/4	25 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 62

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HEIDELBERG: (cont'd.)</b>											
KORD-62	S	20 1/4	24 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
KORD-64	S	20 5/8	26 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
KORS	S	23	29 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
MO	S	22 1/4	26 7/8	n/r	n/r	11059,26845	11059,26845	n/a	n/a	n/a	
Quickmaster 46	S	21 7/8	13 1/4	n/r	n/r	28936 <sup>1</sup>	28936 <sup>1</sup>	n/a	n/a	n/a	4 ply
Rotospeed III ROH,											
RON, ROZ	S	31 1/8	41 1/8	n/r	n/r	112	112	n/a	n/a	n/a	
SOA, SOAZ, SOR, SORZ	S	27 1/8	33 1/2	n/r	n/r	112	112	851	851	103B	
SORD, SORDZ	S	28 1/8	36 1/4	n/r	n/r	112	112	852	852	103B	
SORK, SORKZ	S	22 1/4	26 7/8	n/r	n/r	112	112	853	853	103B	
SORM, SORM Z	S	23 3/4	29 5/8	n/r	n/r	112	112	854	854	103B	
SORS, SORS Z	S	31 1/8	41 1/8	n/r	n/r	112	112	n/a	n/a	n/a	
Speedmaster 52	S	18 1/8	21 1/16	n/r	n/r	11059,27289	11059,27289	n/a	n/a	n/a	
Speedmaster 52 Coater	S	15 3/8, 17 3/4	21	n/r	n/r	29607	29606	n/a	n/a	n/a	
Speedmaster 72	S	23 3/4	29 5/8	n/r	n/r	112	112	n/a	n/a	n/a	
Speedmaster 74	S	24 11/16	30 3/8	n/r	n/r	7C <sup>1</sup> ,28527 <sup>1</sup>	7C <sup>1</sup> ,28527 <sup>1</sup>	n/a	n/a	n/a	
Speedmaster 74 Coater	S	24 5/8	30 3/8	n/r	n/r	28527 <sup>1</sup>	28527 <sup>1</sup>	n/a	n/a	n/a	4 ply
Speedmaster 102	S	31 1/8	41 1/8	n/r	n/r	7C,28527	7C,28527	n/r	n/r	n/r	

Page 63

Speedmaster 102	S	33 1/16	41 7/16	n/r	n/r	7C,28527	7C,28527	n/a	n/a	n/a	
Speedmaster 102	S	33 1/8	41 3/8	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	QuickLock
Speedmaster 102 Coater	S	31 1/2	41 1/8	n/r	n/r	7C <sup>1</sup> ,28527 <sup>1</sup>	7C <sup>1</sup> ,28527 <sup>1</sup>	850	850	103B	
Speedmaster 102, 102CD S	S	31 1/8	41 1/8	n/r	n/r	112	112	n/a	n/a	n/a	Models prior 3/1997
Speedmaster 102, 102CD S	S	31 1/8	41 1/8	n/r	n/r	29366	29366	n/a	n/a	n/a	Models after 3/1997
Speedmaster 102CD	S	33 1/8	41 3/8	n/r	n/r	7C <sup>1</sup> ,28527 <sup>1</sup>	7C <sup>1</sup> ,28527 <sup>1</sup>	n/a	n/a	n/a	Post DRUPA '95
Speedmaster 102CD Coater	S	31 1/8	41 1/8	n/r	n/r	112	112	n/a	n/a	n/a	
Speedmaster 102CD Coater	S	31 1/2	41 3/8	n/r	n/r	7C <sup>1</sup> ,28527 <sup>1</sup>	7C <sup>1</sup> ,28527 <sup>1</sup>	850	850	103B	Post DRUPA '95
TOK,TOM	S	16	10 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
WEB 8pp (HALF)	W	25 1/2	20 13/16	n/r	n/r	7C <sup>1</sup> ,28975	7C <sup>1</sup> ,28975	n/a	n/a	n/a	578 CO
WEB 8pp (HALF)	W	26 9/16	20 13/16	n/r	n/r	7C <sup>1</sup> ,28527	7C <sup>1</sup> ,28527	n/a	n/a	n/a	588 CO
WEB 8pp (HALF)	W	28 3/16	20 13/16	n/r	n/r	7C <sup>1</sup> ,28975 <sup>1</sup>	7C <sup>1</sup> ,28975 <sup>1</sup>	n/a	n/a	n/a	
WEB 16pp, 32pp (FULL)	W	26 31/32	39 7/32	n/r	n/r	25607,28905 <sup>1</sup>	25607,28905 <sup>1</sup>	n/a	n/a	n/a	588 CO
WEB 16pp, 32pp (FULL)	W	26 3/16	39 7/32	n/r	n/r	25607,28905 <sup>1</sup>	25607,28905 <sup>1</sup>	n/a	n/a	n/a	578 CO
WEB 16pp, 32pp (FULL)	W	28 3/4	39 7/32	n/r	n/r	25607 <sup>1</sup> ,28905 <sup>1</sup>	25607 <sup>1</sup> ,28905 <sup>1</sup>	n/a	n/a	n/a	

**HOE:**

36" METAL DECO	S	46	36 1/2	n/r	n/r	n/r	n/r	420	420	103A	
36" METAL DECO	S	46	36 1/2	n/r	n/r	n/r	n/r	430	430	103B	
41" METAL DECO	S	37	41	13841	79	n/r	n/r	n/a	n/a	n/a	
43" METAL DECO	S	43	43	4922	73	n/r	n/r	520	520	103A	
45" METAL DECO	S	39	45	27387	55	n/r	n/r	450	450	103B	
45" METAL DECO	S	44 1/2	45 1/2	27387	55	n/r	n/r	520	520	103A	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 64

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>HOE: (cont'd.)</b>											
48" METAL DECO	S	42	48	4921	67	n/r	n/r	480	480	103A	
54" METAL DECO	S	46 5/8	54	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
72" METAL DECO	S	55 1/16	73	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
78" METAL DECO	S	57 1/2	78 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**IMPERIAL: (Ref. RYOBI)**

**ITEK: (Ref. RYOBI)**

**KBA-PLANETA AG:**

Rapida 72, 72K	S	25 1/2	28 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Rapida 104	S	34 7/16	40 1/4	n/r	n/r	10407 <sup>1</sup>	10407 <sup>1</sup>	n/a	n/a	n/a	
Rapida 104, 104CX, 105	S	34 7/16	41 3/4	n/r	n/r	10407 <sup>1</sup>	10407 <sup>1</sup>	n/a	n/a	n/a	
Rapida 105	S	33 7/8	41 3/4	n/r	n/r	27147 <sup>1</sup>	27147 <sup>1</sup>	n/a	n/a	n/a	
Rapida 130,130A	S	50 3/16	52 3/4	n/r	n/r	4B <sup>1</sup>	4B <sup>1</sup>	n/a	n/a	n/a	
Rapida 142	S	50 3/16	57 1/2	n/r	n/r	4B <sup>1</sup>	4B <sup>1</sup>	n/a	n/a	n/a	Notched blanket
Rapida 162	S	51 3/4	65 3/8	n/r	n/r	4B <sup>1</sup>	4B <sup>1</sup>	n/a	n/a	n/a	Notched blanket

Page 65

Rapida 162A	S	53 3/8	65 3/8	n/r	n/r	4B <sup>1</sup>	4B <sup>1</sup>	n/a	n/a	n/a	Notched blanket
Rapida SRO	S	22 7/8	28 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Rapida SRIII	S	34 7/16	41 3/4	n/r	n/r	10407 <sup>1</sup>	10407 <sup>1</sup>	n/a	n/a	n/a	

**KING PRESS: (Ref. Fairchild)**

**KOENIG-BAUER (KBA):**

Berliner	W	41 7/16	27 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	940 CO
Berliner V	W	29 15/16	38 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	630 CO
Colora	W	39 5/16	25	n/r	n/r	27148	27148	n/a	n/a	n/a	
Comet	W	45 1/16	33 1/2	n/r	n/r	27148	27148 INV	na/	na/	n/a	
Comet	W	47 1/2	33 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Comet	W	49 5/16	36 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Comet 70	W	45 9/16	39 3/4	n/r	n/r	27147	27147	n/a	n/a	n/a	
Commander	W	52	39 11/16	n/r	n/r	2E	2E	n/a	n/a	n/a	
Commander	W	53 3/4	38 11/16	n/r	n/r	2E	2E	n/a	n/a	n/a	
Commander	W	53 7/8	73 1/4	n/r	n/r	7C	7C	n/a	n/a	n/a	
Commander	W	64 5/8	68 11/16	n/r	n/r	7C	7C	n/a	n/a	n/a	
Compacta	W	23	28 3/4	4258	53	n/r	n/r	n/a	n/a	n/a	
Compacta	W	27 1/4	38 1/8	n/r	n/r	2E	2E	n/a	n/a	n/a	560 CO
Compacta	W	28	38 1/2	n/r	n/r	2E	2E	n/a	n/a	n/a	578 CO
Compacta	W	28 3/4	38 1/8	n/r	n/r	2E	2E	n/a	n/a	n/a	599 CO
Compacta	W	29 1/2	38 1/8	n/r	n/r	2E	2E	n/a	n/a	n/a	617 CO

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 66

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>KOENIG BAUER (KBA):</b> (cont'd.)											
Compacta	W	41 3/8	50	n/r	n/r	2E	2E	n/a	n/a	n/a	870 CO
Compacta	W	48	33 1/4	n/r	n/r	2E	2E	n/a	n/a	n/a	1156 CO
Compacta	W	48 7/8	34 5/8	n/r	n/r	2E	2E	n/a	n/a	n/a	1197 CO
Compacta	W	52 3/4	39 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Compacta	W	53 1/2	42	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Compacta	W	64 5/8	68 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Compacta 213	W	23 7/16	39 3/4	n/r	n/r	26489	7C	n/a	n/a	n/a	560 CO
Compacta 214	W	25 7/8	39 3/4	n/r	n/r	26489	7C	n/a	n/a	n/a	599 CO
Compacta 214	W	26 7/8	39 3/4	n/r	n/r	26489	7C	n/a	n/a	n/a	625 CO
Compacta 618	W	55 1/8	68 1/2	n/r	n/r	29036	29036	n/a	n/a	n/a	
Compacta 850	W	44 5/8	41 15/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Compacta S35	W	31 3/8	38 3/8	n/r	n/r	2E	2E	n/a	n/a	n/a	630 CO
Compacta S60	W	57	38 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	1260 CO
Express 60	W	54 1/16	33 1/4	n/r	n/r	2E	2E	n/a	n/a	n/a	
<b>KOMORI:</b>											
C-18S	W	25 1/4	20 3/4	n/r	n/r	26489	26489	n/a	n/a	n/a	
C-18U	W	25 1/8	19 1/2	n/r	n/r	109A	2E	n/a	n/a	n/a	
C-20	W	20 3/16	26 13/16	n/r	n/r	4A	29852	n/a	n/a	n/a	Page 67
C-25	W	37 13/16	26 3/16	n/r	n/r	29852	29852	n/a	n/a	n/a	
C-35	W	23 9/16	35 5/8	n/r	n/r	2E	2E	n/a	n/a	n/a	
C-35S	W	23 9/16	35 13/16	28475	53,55	2E	2E	n/a	n/a	n/a	
C-35S (LR-435/546S)	W	23 3/4	35 5/8	n/r	n/r	26490	26008	n/a	n/a	n/a	
C-35S (LR-435/546/ LR-435/546II)	W	48 15/16	35 5/8	n/r	n/r	26010	26010	n/a	n/a	n/a	NU4-3103-0001
C-35W, C-35SII	W	48 7/8	35 13/16	n/r	n/r	29852	29852	n/a	n/a	n/a	
C-38	W	26 7/8	38 5/8	n/r	n/r	2E	2E	n/a	n/a	n/a	
C-38C	W	29	39 3/4	n/r	n/r	29852	29852	n/a	n/a	n/a	
C-38U	W	51 1/2	38 3/8	n/r	n/r	2E,26290	2E,26290	n/a	n/a	n/a	
C-40 (LR-440/625 II)	W	55 1/8	41 15/16	n/r	n/r	26010	26010	n/a	n/a	n/a	RN4-3105-0001
C-40A	W	55	39 3/4	n/r	n/r	29852	29852	n/a	n/a	n/a	
Kony Super 9 (New)	S	38	39 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	L237S, L375, L375P, L437S
Kony Super 10	S	39 3/8	39 5/8	28475	53,55	n/r	n/r	n/a	n/a	n/a	
Kony Super 10 (New)	S	38	40 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	L237
Kosmo 43 Series	S	46	47 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Kosmo 49 Series	S	48	52 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Lithrone 20	S	19 5/8	21 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Lithrone 25	S	24 9/16	26 3/4	4927	53	4B,29600 <sup>2</sup>	4B,29600 <sup>2</sup>	800	800	101A	
Lithrone 26	S	24 1/2	26 3/4	4927	53	4B,29600 <sup>2</sup>	4B,29600 <sup>2</sup>	800	800	101A	
Lithrone 26 Coater	S	21 1/2	26 3/4	n/r	n/r	4B	4B	n/a	n/a	n/a	
Lithrone 28	S	28 1/8	29	n/r	n/r	26489,29397 <sup>2</sup>	26489,29397 <sup>2</sup>	n/a	n/a	n/a	
Lithrone 28 Coater	S	22 1/2	29 1/4	n/r	n/r	26489	26489	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>KOMORI: (cont'd.)</b>											
Lithrone 32	S	26	32 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Lithrone 40	S	38	40	29613	53,55	n/r	n/r	n/a	n/a	n/a	
Lithrone 40	S	35 1/2	41	n/r	n/r	26489	26489	n/a	n/a	n/a	Quick Change
Lithrone 40	S	35 1/2	41	n/r	n/r	25258	25258	801	801	101A	
Lithrone 40 Coater	S	31 1/4	41	n/r	n/r	4B,26489	4B,26489	n/a	n/a	n/a	
Lithrone 44	S	40 3/8	44 7/8	n/r	n/r	26489	26489	802	802	101A	
Lithrone 44 Coater	S	40 3/8	44 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Lithrone 50	S	48 1/32	52 5/32	n/r	n/r	4B	4B	n/a	n/a	n/a	Incl. Quick Change
Lithrone 50 Coater	S	42 3/4	52	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Sprint 25	S	24 9/16	26 7/8	4927	53	n/r	n/r	800	800	101A	
Sprint 26	S	24 5/8	27	4927	53	n/r	n/r	800	800	101A	
Sprint 28	S	23 3/8	29 1/8	4927	53	n/r	n/r	n/a	n/a	n/a	

**LINOTYPE HUNTER:**

Hunter 60	W	25 3/4	36	n/r	n/r	25761	2E	n/a	n/a	n/a	
Linocolour	W	27	38	n/r	n/r	25761	25761	n/a	n/a	n/a	
Linoform	W	8 3/8-12 3/8	16 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Sticky back

Page 69

Linonews	W	24 5/8	36 5/16	n/r	n/r	25761	2E	n/a	n/a	n/a	
Newsmaster	W	46 7/8	36 5/16	n/r	n/r	25761	25761	n/a	n/a	n/a	
Newsmaster	W	48 1/2	36 5/16	n/r	n/r	25761	25761	n/a	n/a	n/a	
Pacer 36	W	24 5/8	36	n/r	n/r	25761	2E	n/a	n/a	n/a	

<b>LITTLE JOE:</b>	S	13 1/2	7	26679	53	n/r	n/r	n/a	n/a	n/a	
--------------------	---	--------	---	-------	----	-----	-----	-----	-----	-----	--

**MAILANDER:**

1C	S	26	26	2654	55	n/r	n/r	n/a	n/a	n/a	
2C	S	36	36	2655	55	n/r	n/r	n/a	n/a	n/a	
220, 370, 371	S	48 13/16	56 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
230	S	49 1/2	52	2757	55	n/r	n/r	n/a	n/a	n/a	
241, 241C	S	40 1/2	45 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
250	S	33 1/2	39 1/4	12179	55	n/r	n/r	n/a	n/a	n/a	
260, 330	S	33 1/2	35 13/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
280, 280C	S	26	26	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
350	S	33 1/2	42 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
600	S	22	11 13/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
610	S	30 5/16	18 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
632	S	30 5/16	39 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Mailander	S	45 1/2	38	27100	55,56	n/r	n/r	n/a	n/a	n/a	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>MARINONI:</b>											
701	W	26	23 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
702	W	26 3/4	26 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
703	W	27 1/2	30 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
ML3	W	28 3/8	31 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
ML4	W	28 3/4	36 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
ML7	W	48 5/8	51 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
ML9	W	51	59 7/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
ML10	W	56 1/8	63 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

**MERGANTHALER:**

Media Master 27	S	29 5/16	28 15/16	2657	55	n/r	n/r	n/a	n/a	n/a	
Media Master 29	S	30 5/16	32 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Media Master 30	S	30 5/16	33 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Media Master 36	S	31 1/4	36 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Media Master 38	S	37 1/2	39 3/4	29612	55	n/r	n/r	n/a	n/a	n/a	
Media Master 40	S	39 3/4	40 9/16	12527	56	n/r	n/r	n/a	n/a	n/a	

**MIEHLE:**

17	S	16 5/16	17 9/16	*	*	*	*	n/a	n/a	n/a	
20	S	15 11/16	20 1/4	3822	64	n/r	n/r	n/a	n/a	n/a	
22	S	18 3/4	22	3823	64	n/r	n/r	n/a	n/a	n/a	
24	S	20 1/2	23 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
25	S	29	28 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
25/40	S	34	41	n/r	n/r	25258	25258	n/a	n/a	n/a	
28	S	27 1/2	29 1/2	n/r	n/r	25258	25258	n/a	n/a	n/a	
28/40	S	34 1/16	41	n/r	n/r	25258	25258	n/a	n/a	n/a	
29	S	30 5/16	31 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
29 (New)	S	32 3/4	34 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
36	S	30 5/16	36 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
36 (New)	S	32 3/4	36 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
38	S	32 7/8	39 1/8	n/r	n/r	25258	25258	902	902	101A	
40	S	35 13/16	41 5/16	n/r	n/r	25258	25258	801	801	101A	
41	S	39 5/8	43 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
41 (New)	S	39 5/8	45 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
43/60, 61G	S	47	61 1/4	n/r	n/r	25175	25175	n/a	n/a	n/a	
44	S	33 1/4	44	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
46	S	39 5/8	44 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
49	S	43 7/8	51	n/r	n/r	n/r	n/r	903	903	26472	
49 (New)	S	45 7/16	51 5/32	n/r	n/r	n/r	n/r	903	903	26472	
50	S	47 7/16	51 5/32	n/r	n/r	n/r	n/r	903	903	26472	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>MIEHLE: (cont'd.)</b>											
54	S	45 1/2	54 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
54/77	S	58 1/2	78 1/4	n/r	n/r	25175	25175	901	901	103A	
54/78	S	58 1/2	78 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
55	S	48 1/4	56 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
55/78	S	58	79 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
57/60	S	47	59 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
57	S	47	59	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
60	S	47	60	n/r	n/r	25175	25175	900	900	103A	
61, Super 60	S	48	61 1/4	n/r	n/r	25175	25175	900	900	103A	
65	S	52	65 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
69	S	51	68	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
76	S	58	78	n/r	n/r	25175	25175	901	901	103A	
77	S	58 1/2	78 1/4	n/r	n/r	25175	25175	901	901	103A	
77/78	S	58 1/2	78 1/4	n/r	n/r	25175	25175	901	901	103A	
MGD 17	S	16 3/8	17 9/16	4505	64	n/r	n/r	n/a	n/a	n/a	
MGD 20	S	15 11/16	20 1/4	3822	70	n/r	n/r	n/a	n/a	n/a	
MGD 22 (from 135)	S	18 3/4	22 3/8	3822	64	n/r	n/r	n/a	n/a	n/a	
MGD 22 (to 135)	S	18 3/4	22	3823	64	n/r	n/r	n/a	n/a	n/a	

**MILLER:**

Color Master	S	20 1/2	24 1/4	4408	51	n/r	n/r	n/a	n/a	n/a	
Commercial Web CW22	W	19 7/8	25	4409	51	n/r	n/r	n/a	n/a	n/a	
Commercial Web CW66	S	19 11/16	26 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Commercial Web CW68	S	20 1/4	26 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Ebco, SJ, TPJ-36	S	50	50 3/4	4415	67	n/r	n/r	n/a	n/a	n/a	
Ebco, SJ, TPJ-36	S	26	36	4411	67	102D <sup>2</sup>	102D <sup>2</sup>	401	401	101A	
SC-29, SC-74	S	26 3/8	29 17/32	n/r	n/r	n/r	n/r	290	290	103A	
SC-32	S	28 15/16	36 13/16	n/r	n/r	n/r	n/r	320	320	103A	
SC-36	S	28 15/16	36 13/16	n/r	n/r	n/r	n/r	360	360	103A	
SC-94	S	29 1/2	37 3/8	4182	53	n/r	n/r	360	360	103A	
SOW VI Perfector	S	50 3/4	57 1/2	*	*	*	*	n/a	n/a	n/a	
TP-29	S	26	31	4410	54	n/r	n/r	n/a	n/a	n/a	
TP-29	S	28 15/16	32 9/16	4183	54/76	n/r	n/r	n/a	n/a	n/a	
TP-29	S	29 1/8	32 1/4	4410	54	n/r	n/r	n/a	n/a	n/a	
TP-29 German	S	30 1/8	32 1/4	4183	54/76	n/r	n/r	n/a	n/a	n/a	
TP-29 S	S	26 3/8	29 17/32	26613	67	n/r	n/r	290	290	103A	
TP-32 German	S	30 1/8	32 1/4	4183	54/76	n/r	n/r	320	320	103A	
TP-32 S, TP-30	S	28 15/16	32 7/8	4183	54/76	n/r	n/r	320	320	103A	
TP-36	S	30	36 1/4	4182	53	102D <sup>2</sup>	102D <sup>2</sup>	360	360	103A	
TP-36 S	S	28 15/16	37 13/16	4182	53	n/r	n/r	360S	360S	103A	
TP-36 S	S	30	36 13/16	4182	53	n/r	n/r	360S	360S	103A	
TP-38	S	30	38 1/2	4412	66	102D,4C	102D,4C	400	400	101A	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>MILLER: (cont'd.)</b>											
TP-38 A	S	29	38 1/2	4412	66	102D <sup>2</sup>	102D <sup>2</sup>	400	400	101A	
TP-38 A	S	30	38 1/2	4412	66	102D <sup>2</sup>	102D <sup>2</sup>	400	400	101A	
TP-38 B	S	32 7/8	41 3/4	4181	54/76	n/r	n/r	410	410	103A	
TP-38 German	S	30 29/32	38 9/16	4413	54	102D,4C	102D,4C	400	400	101A	
TP-41	S	32 7/8	41 3/4	4181	54/76	102D	102D	410	410	103A	
TP-41	S	34 7/16	41 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
TP-41 S	S	32 7/8	41 3/4	4181	54/76	n/r	n/r	410	410	103A	
TP-50, TP-54 Perfector	S	51	54 1/2	4416	54	n/r	n/r	n/a	n/a	n/a	
TP-54	S	47	54	4416	54	n/r	n/r	n/a	n/a	n/a	
TP-74	S	26 3/8	29 17/32	n/r	n/r	n/r	n/r	290	290	103A	
TP-74	S	30 1/2	29 17/32	n/r	n/r	n/r	n/r	290	290	103A	
TP-94	S	29 1/2	37 3/8	4182	53	n/r	n/r	3605	3605	103A	
TP-95	S	29 15/16	37 3/4	n/r	n/r	n/r	n/r	411	411	103A	
TP-104	S	35 1/2	41 3/4	4414	54	n/r	n/r	410	410	103A	
TP-104 (new), TP-106	S	34 7/8	42 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
TP-104 Coater	S	34 1/2	41 1/4	n/r	n/r	n/r	n/r	412	413	103A	
Trail Blazer	W	20	25	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Page 75

**mitsubishi:**

1F	W	28	28 15/16	n/r	n/r	12331	12331	n/a	n/a	n/a	
2F	W	29 17/32	32 7/8	n/r	n/r	12331	12331	n/a	n/a	n/a	
3E-6D	W	36 1/4	40 3/4	n/r	n/r	12331	12331	n/a	n/a	n/a	
3E-5D 40"	W	48 5/8	57	n/r	n/r	12331	12331	n/a	n/a	n/a	
3F	W	36 1/4	40 3/4	n/r	n/r	12331	12331	n/a	n/a	n/a	
4F	W	43 5/16	44 11/16	n/r	n/r	12331	12331	n/a	n/a	n/a	
5F	W	48 5/8	51 25/32	n/r	n/r	12331	12331	n/a	n/a	n/a	
6F	W	40 15/16	56 5/8	n/r	n/r	12331	12331	n/a	n/a	n/a	
ATO-S	W	44 7/16	56 13/32	n/r	n/r	5B <sup>2</sup>	5B <sup>2</sup>	n/a	n/a	n/a	
AY1-500, 600	W	42 7/16	57	n/r	n/r	10407 <sup>2</sup>	10407 <sup>2</sup>	n/a	n/a	n/a	
Book Press	W	42 11/16	64 9/16	n/r	n/r	26490	26490	n/a	n/a	n/a	
BT1, BT2	W	50 25/32	35 13/16	n/r	n/r	10407 <sup>2</sup>	10407 <sup>2</sup>	n/a	n/a	n/a	
BT3-B	W	49 13/16	20 15/32	n/r	n/r	10407 <sup>2</sup>	10407 <sup>2</sup>	n/a	n/a	n/a	
BT-500, 600	W	50 9/16	35 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
BT-750	W	50 5/8	35 13/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DAIYA I	W	27 1/2	33 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DAIYA II	W	29 17/32	32 7/8	n/r	n/r	12331	12331	n/a	n/a	n/a	
DAIYA III	W	36 1/4	40 3/4	n/r	n/r	12331	12331	n/a	n/a	n/a	
DAIYA IV	W	48 5/8	52 7/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
DAIYA V	W	48 5/8	51 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
L-750	W	52 15/16	38 19/32	n/r	n/r	10407 <sup>1</sup>	10407 <sup>1</sup>	n/a	n/a	n/a	Lithopia
L-750	W	53 1/8	39	n/r	n/r	10407 <sup>1</sup>	10407 <sup>1</sup>	n/a	n/a	n/a	Lithopia

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 76

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>MITSUBISHI: (cont'd.)</b>											
L-750B	W	58 3/16	38 3/16	n/r	n/r	10407 <sup>1</sup>	10407 <sup>1</sup>	n/a	n/a	n/a	Lithopia
L-750C	W	52 15/16	38 19/32	n/r	n/r	10407 <sup>1</sup>	10407 <sup>1</sup>	n/a	n/a	n/a	Lithopia
L-750S	W	54 15/16	38 3/16	n/r	n/r	10407 <sup>1</sup>	10407 <sup>1</sup>	n/a	n/a	n/a	Lithopia
L-750XL	W	58 3/4	38 3/8	n/r	n/r	10407 <sup>1</sup>	10407 <sup>1</sup>	n/a	n/a	n/a	Lithopia
L-1100	W	50 13/16	35 13/16	n/r	n/r	10407 <sup>1</sup>	10407 <sup>1</sup>	n/a	n/a	n/a	Lithopia
L-1100	W	54	37	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	Lithopia
L-1100	W	53 1/2	37 1/16	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	Lithopia
L-1100	W	52 7/8	37	n/r	n/r	7C <sup>1</sup>	7C <sup>1</sup>	n/a	n/a	n/a	Lithopia
L-1100E	W	58 1/16	38 19/32	n/r	n/r	10407 <sup>1</sup>	10407 <sup>1</sup>	n/a	n/a	n/a	Lithopia
Newspaper	W	52 5/16	28 3/16	n/r	n/r	27141	27141	n/a	n/a	n/a	
WEB (HALF) 16pp	W	29 1/8	35 13/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
WEB (FULL) 32pp	W	38 3/16	44 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
WEB (FULL) 32pp	W	47 7/8	39 5/32	n/r	n/r	28924 <sup>1</sup>	29036 <sup>1</sup>	n/a	n/a	n/a	

**MIYAKOSHI:**

MSP-17	W	24 5/16	16 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
MSP-18	W	14 13/16-28 3/4	23	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
MVF-18	W	10 3/4-18 3/4	18 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Page 77

MVF-20	W	15 15/16-27 3/4	20 7/8	n/r	n/r	2E	2E	n/a	n/a	n/a	
MVF-22	W	16 1/8-22 7/8	23 1/32	n/r	n/r	2E	2E	n/a	n/a	n/a	

**MULLER MARTINI:**

508 Web	W	16 15/16-29 5/8	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	New series
508 Web	W	15 15/16-24 15/16	20 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Solid cylinders
813 Web	W	15 9/16-30 11/16	32 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
813 Web	W	19 15/16-25 15/16	32 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Solid cylinders
Grapha	W	18 11/16	20 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	430 CO
Grapha	W	23 5/8	20 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	559 CO
Grapha	W	25 5/8	20 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	610 CO
Grapha FDM Prunto	W	16 11/16	16 17/32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Grapha FDM Prunto	W	16 1/8	16 3/4	n/r	n/r	25117	27197	n/a	n/a	n/a	
Grapha Progress	W	28 11/16	32 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	686 CO
Grapha Progress	W	30 11/16	32 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	737 CO
Grapha Progress	W	31 3/16	32 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	750 CO

**M.A.N.:**

Cartoman	W	33 3/4	44 5/16	n/r	n/r	25972	13339	n/a	n/a	n/a	
Cartoman	W	42	44 5/16	n/r	n/r	25972	13339	n/a	n/a	n/a	
Cartoman	W	49	44 5/16	n/r	n/r	25972	13339	n/a	n/a	n/a	
Cartoman	W	57	38 3/8	n/r	n/r	25972	13339	n/a	n/a	n/a	
Colorman	W	49 7/16	32 9/16	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 78

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>M.A.N.:</b> (cont'd.)											
Colorman	W	47 5/8	27 1/2	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Colorman	W	49 5/8	31 1/2	n/r	n/r	27387 <sup>1</sup>	27387 <sup>1</sup>	n/a	n/a	n/a	
Geoman	W	44 1/8	25 3/8	n/r	n/r	27148 <sup>1</sup>	27148 <sup>1</sup>	n/a	n/a	n/a	
Geoman	W	46 13/16	29 15/16	n/r	n/r	27148 <sup>1</sup>	27148 <sup>1</sup>	n/a	n/a	n/a	
Geoman	W	44 1/8	25 3/8	n/r	n/r	27148 <sup>1</sup>	27148 <sup>1</sup>	n/a	n/a	n/a	
Geoman	W	45 1/4	29 5/16	n/r	n/r	27148 <sup>1</sup>	27148 <sup>1</sup>	n/a	n/a	n/a	Notched blanket
Geoman	W	45 1/4	25 3/8	n/r	n/r	27148 <sup>1</sup>	27148 <sup>1</sup>	n/a	n/a	n/a	Notched blanket
Geoman	W	45 1/4	27	n/r	n/r	27148 <sup>1</sup>	27148 <sup>1</sup>	n/a	n/a	n/a	Notched blanket
Lithoman	W	45 7/8	50 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	546 CO
Lithoman	W	56 15/16	38 3/4	n/r	n/r	10407	10407	n/a	n/a	n/a	Bar overhang
Lithoman I	W	45 1/4	29 5/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	578 CO
Lithoman I	W	27 1/2	38 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	598 CO
Lithoman I	W	28 3/4	38 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	630 CO
Lithoman II	W	VAR.	41 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	680-774 CO
Lithoman II	W	VAR.	37 5/8, 49 5/8, 52	n/r	n/r	n/r	n/r	n/a	n/a	n/a	890-940 CO
Lithoman III	W	VAR.	34 5/8, 52	n/r	n/r	n/r	n/r	n/a	n/a	n/a	1040-1232 CO
Lithoman V	W	37 3/8	52 9/16	n/r	n/r	26685 <sup>1</sup>	26723 <sup>1</sup>	n/a	n/a	n/a	
Lithoman VIII	W	53 7/16	57 7/16	n/r	n/r	2E	2E	n/a	n/a	n/a	

Page 79

Medieman	W	45 3/8	30	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Newsman 40	W	53 5/16	31 15/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Octoman	W	29 3/4	26 7/8	n/r	n/r	7C	7C	n/a	n/a	n/a	
Octoman	W	21 3/8	26 25/32	n/r	n/r	2E	2E	n/a	n/a	n/a	
Plamag Coroset	W	23 5/8-24 15/16	34 1/4	n/r	n/r	2F	2F	n/a	n/a	n/a	546-578 CO
Plamag Cromoman/Set	W	22 5/8	34 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	546 CO
Plamag Cromoman/Set	W	23 1/4	34 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	560 CO
Plamag Cromoman/Set	W	23 3/4	34 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	578 CO
Plamag Cromoman/Set	W	24 1/4	34 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	630 CO
Plamag Tectoset	W	49 3/8-55 1/2	38 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	546-630 CO
Plamag Ultraset Junior RO 62	W	19 1/2	24 15/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Plamag Uniset	W	44 1/4	36 5/8	n/r	n/r	27148 <sup>1</sup>	27148 <sup>1</sup>	n/a	n/a	n/a	
Plamag Uniset	W	46 7/8	36 5/8	n/r	n/r	5C	27147	n/a	n/a	n/a	560 CO
Plamag Uniset 70	W	48 1/4	38 5/8	n/r	n/r	5C	27147	n/a	n/a	n/a	
Polyman	W	25	38	n/r	n/r	2F	25117	n/a	n/a	n/a	
Polyman	W	25 1/4	38	n/r	n/r	2F	25117	n/a	n/a	n/a	
Roland 100	S	23 5/16	26 5/8	n/r	n/r	26008 <sup>1</sup>	26008 <sup>1</sup>	n/a	n/a	n/a	
Roland 200	S	25 19/32	30	n/r	n/r	27144	27144	600	600	101A	R2010B, R2020B
Roland 300	S	28 3/4	29 1/2	n/r	n/r	25607	25607	n/a	n/a	n/a	After 6/1998
Roland 300	S	30 5/6	29 9/16	n/r	n/r	25607	25607	n/a	n/a	n/a	
Roland 300	S	30 5/16	29 1/2	n/r	n/r	25607 <sup>1</sup>	25607 <sup>1</sup>	n/a	n/a	n/a	
Roland 300 Coater	S	26 5/8	29 1/2	n/r	n/r	29802 <sup>1</sup>	29802 <sup>1</sup>	n/a	n/a	n/a	
Roland 600	S	32 7/8	39 3/16	n/r	n/r	25258	25258	801	801	101A	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 80

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>M.A.N.:</b> (cont'd.)											
Roland 600	S	34 1/16	41 1/8	n/r	n/r	25258	25258	801	801	101A	
Roland 618	S	34 1/16	41 3/16	n/r	n/r	12987	12987	n/a	n/a	n/a	
Roland 620	S	35 1/32	41 3/8	n/r	n/r	109A <sup>1</sup>	109A <sup>1</sup>	n/a	n/a	n/a	PERFECTOR 40"
Roland 700 Coater	S	33	41 1/8	n/r	n/r	2F	2F	28880-1	28880-1	101A	
Roland 700 Coater	S	34 1/4	41	n/r	n/r	2F	2F	28880-1	28880-1	101A	
Roland 700 Detail 1	S	35 13/16	41 3/4	n/r	n/r	2F <sup>1</sup>	2F <sup>1</sup>	n/a	n/a	n/a	
Roland 700 Detail 4	S	36 5/8	41 3/4	n/r	n/r	2F <sup>1</sup>	2F <sup>1</sup>	n/a	n/a	n/a	
Roland 700 Detail 5	S	36 1/4	41 3/4	n/r	n/r	2F <sup>1</sup>	2F <sup>1</sup>	n/a	n/a	n/a	
Roland 700 Deatil 6	S	35 7/16	41 3/4	n/r	n/r	2F <sup>1</sup>	2F <sup>1</sup>	n/a	n/a	n/a	
Roland 800 Coater	S	49 1/4	52	n/r	n/r	n/a	n/a	28880	28880	101A	
Roland 800 Coater	S	52 3/4	64 1/4	n/r	n/r	n/r	n/r	27412-5	27412-5	26472	
Roland 800 Series 5, 5W	S	50	52 3/4	n/r	n/r	n/r	n/r	601	601	26472	
Roland 800 Series 6	S	50	56 11/16	n/r	n/r	n/r	n/r	602	602	26472	
Roland 800 Series 7	S	51 3/4	64 9/16	n/r	n/r	n/r	n/r	603	603	26472	
Roland 800 Series 7A	S	53 1/2	64 1/2	n/r	n/r	n/r	n/r	603	603	26472	
Roland 800 Series 7B	S	54 5/16	64 9/16	n/r	n/r	n/r	n/r	603	603	26472	
Roland 900-4	S	38 1/2	45 5/8	n/r	n/r	110B <sup>1</sup>	110B <sup>1</sup>	n/a	n/a	n/a	
Roland 900-5	S	43 1/4	52 3/4	n/r	n/r	110B <sup>1</sup>	110B <sup>1</sup>	n/a	n/a	n/a	
Page 81											
Roland 900-6	S	45 13/16	57 1/2	n/r	n/r	110B <sup>1</sup>	110B <sup>1</sup>	n/a	n/a	n/a	
Roland 900-RM	S	58 7/8	80 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	Metal deco
Roland 900 Coater	S	n/a	56 3/8	n/r	n/r	n/r	n/r	28880-2	28880-2	101A	
Roland Favorite	S	24 13/16	26 3/8	n/r	n/r	n/a	n/a	n/a	n/a	n/a	RF01, RZF01
Roland Favorite	S	27 9/16	29 17/32	n/r	n/r	27144	27144	600	600	101A	RFOB,RZFOB,RVFOB, RFFOB,RSFOB
Roland Favorite Coater	S	27 1/4	29 17/32	n/r	n/r	n/r	n/r	600	600	101A	
Roland Parva	S	29 15/16	33 7/8	n/r	n/r	26184	26184	n/a	n/a	n/a	RP1,RZP1,RVP1
Roland Parva	S	31 7/8	35 1/32	n/r	n/r	26184	26184	n/a	n/a	n/a	RP2,RZP2,RVP2
Roland Parva	S	32 5/8	37 5/16	n/r	n/r	26184	26184	n/a	n/a	n/a	RP2C,RZP2C,RVP2C
Roland Praktika PRO1	S	26 5/8	20 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Roland Rekord	S	32 7/8	39 3/16	n/r	n/r	25258	25258	801	801	101A	RKT3,RKH3 RSK3,RKH3B
Roland Rekord	S	34 1/16	41 5/16	n/r	n/r	25258	25258	801	801	101A	RKT3B,RKH3B,RZK3B RVK3B,RFK3B,RSK3B
Roland Rekord	S	35 1/32	41 5/16	n/r	n/r	25258	25258	801	801	101A	RZK3B 1/1P
Roland Ultra	S	41 3/4	45 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	RU4,RVU4
Roland Ultra	S	44 11/16	51 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	RU5,RSU5,RVU5,RZU5
Roland Ultra	S	44 11/16	51 31/32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	RU5W,RZU5W RVW5W,RSI5W
Roland Ultra	S	50 25/32	56 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	RU6,RZU6,RVU6,RSU6
Roland Ultra	S	53 1/8	64 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	RU7,RZU7,RVU7,RSU7

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>M.A.N.:</b> (cont'd.)											
Roland Ultra	S	54 5/16	64 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	RU7B,RZU7B RVU7B,RSU7B
Rotoman 40	W	26 3/8	38 25/32	n/r	n/r	2E <sup>1</sup>	2E <sup>1</sup>	n/a	n/a	n/a	
Rotoman 40	W	28 1/2	38 3/4	n/r	n/r	13339	13339	n/a	n/a	n/a	630 CO
Rotoman 40	W	28 9/16	38 21/32	n/r	n/r	7C	7C	n/a	n/a	n/a	
Rotoman 40	W	29 9/16	38 9/16	n/r	n/r	7C	7C	n/a	n/a	n/a	648 CO
Rotoman "N"	W	27 1/4	38 21/32	n/r	n/r	7C	7C	n/a	n/a	n/a	
Rotoman I	W	28 1/2	38 25/32	n/r	n/r	7C	7C	n/a	n/a	n/a	
Rotoman II	W	31 1/4-33 1/4	42 1/2	n/r	n/r	7C	7C	n/a	n/a	n/a	
Uniman 2/2	W	44 9/16	39 3/8	n/r	n/r	2F,11923 INV.	2F,11923 INV.	n/a	n/a	n/a	546 CO
Uniman 2/2	W	50	39 3/8	n/r	n/r	11923 INV	11923 INV	n/a	n/a	n/a	578 CO
Uniman 4/2	W	39 7/8-47 1/2	33 1/4	n/r	n/r	11923 INV	11923 INV	n/a	n/a	n/a	470-578 CO
Uniman 4/2S	W	45 29/32	33 1/4	n/r	n/r	11923 INV	11923 INV	n/a	n/a	n/a	560 CO
Uniman	W	44 9/16	39 3/8	n/r	n/r	2F	2F	n/a	n/a	n/a	
Uniman S	W	44 1/2-47 1/2	39 3/8	n/r	n/r	2F,11923 INV.	2F,11923 INV.	n/a	n/a	n/a	

**NEBIOLO:**

Colora 5000	S	47 1/4	52 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Colora 5000 Coater	S	39 3/8	51 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Colora 6000, 6000HT	S	60 5/8	57 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Colora 6000 Coater	S	44 1/4	57 1/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Colora 7000	S	59 7/16	64 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Colora 7000, 8000	S	49 5/8	64 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Colora 8000, 8000HQ	S	63	64 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Colora 8000 (old) Coater	S	47 1/4	64 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 25, 25S, 26, 26S, 126, 225, 226	S	25 3/16	26 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 27, 28, 128V, 228S	S	25 3/4	28 15/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 28 (new)	S	29 5/16	28 15/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 33, 33R, 233	S	30 5/16	33 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 36	S	31 1/4	36 13/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 36 (new), 36R	S	33 1/16	37	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 38	S	37 3/8	39 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 38R, 238R	S	33 1/16	38 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 40, 40S	S	39 3/4	40 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 41, 41S	S	40	41	6059	79	n/r	n/r	n/a	n/a	n/a	
Invicta 41S	S	40	40 1/8	9918	56	n/r	n/r	n/a	n/a	n/a	
Invicta 44, 44S, 44V	S	42 1/2	45 3/16	26611	55	n/r	n/r	n/a	n/a	n/a	
Invicta 44S Coater	S	34 5/8	44 1/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>NEBIOLO: (cont'd.)</b>											
Invicta 52	S	59 1/4	52 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 56, 56P, 56SV	S	60 5/8	57 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 62SV	S	61 5/8	64 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 63 Coater	S	47 1/4	64 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Invicta 63K, 63SV	S	61 5/8	64 9/16	6021	79	n/r	n/r	n/a	n/a	n/a	
Invicta 63L, 63P, 63SV	S	63	64 9/16	n/r	n/r	25761	25761	n/a	n/a	n/a	
Invicta 140, 240	S	36 1/4	40 15/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
OVF	W	47 1/4	64 3/16	n/r	n/r	109A	109A	n/a	n/a	n/a	
Target 16	W	24 7/8-26 7/8	38 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Target 22	W	38	22 3/4	n/r	n/r	25025	12702	n/a	n/a	n/a	
Target 32	W	49 9/16	38 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	1194 CO
Target 32	W	52 9/16	38 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	1270 CO
Target 44	W	44 1/2	44 3/4	11927	79	n/r	n/r	n/a	n/a	n/a	
Target 55	W	55	52 1/2	26905	79	n/r	n/r	n/a	n/a	n/a	
Target I	W	24 13/16	38 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Target II, 16/22	W	25	38 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	578 CO
Target II, 16/24	W	26 7/8	38 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	530 CO
Target II, 16/25	W	27 3/16	38 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	638 CO

Page 85

Target III, 45	W	48	38 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	1157 CO
Target III, 47	W	49 9/16	38 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	1197 CO
Target III, 50	W	52	38 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	1260 CO

**OLIVER: (Ref. Sakurai)**

**OMNI: (REF. Adast)**

**OMSCA:**

Aurelia 29	S	27	29 1/2	2875	55,67	n/r	n/r	n/a	n/a	n/a	
Aurelia 36, 136	S	33 7/8	36 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 39A, B	S	38 3/16	40 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 44A, 76	S	40 1/2	44 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 44B, 82	S	45 1/4	44 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 46, 146	S	24 13/16	24 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 48, 48A, 126, 225, 248	S	25 5/8	26 3/8	3505	67	n/r	n/r	n/a	n/a	n/a	
Aurelia 51A	S	46	52	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 52, 252	S	27	29 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 60	S	31 7/8	31 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 61	S	33 7/8	31 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 62	S	33 7/8	36 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 63, 64	S	35 13/16	36 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 86

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>OMSCA: (cont'd.)</b>											
Aurelia 65, 72	S	38 3/16	40 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 66A	S	36 11/16	39 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 92	S	44 1/8	51 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 125	S	24 13/16	25 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 129	S	33 7/8	31 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 500, 500P	S	24 3/8	29 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 520	S	25 9/16	29 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 522, 524, 525, 526	S	25	29 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia 700, 700P (old)	S	33 1/2	40 15/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Aurelia S-700, Elite	S	35 3/4	41 1/8	n/r	n/r	102D	102D	n/a	n/a	n/a	
Commander 23, 123	S	38 3/16	40	3608	52,67	n/r	n/r	n/a	n/a	n/a	
Commander 24, 124	S	25	24 1/2	3505,3603	67	n/r	n/r	n/a	n/a	n/a	
Commander 24, 124	S	24 3/4	24 1/2	3602	57	n/r	n/r	n/a	n/a	n/a	
Commander 25, 125, 225	S	24 5/8	26 3/8	3505,3603	67	n/r	n/r	n/a	n/a	n/a	
Commander 25B, 225B, 28, 228	S	27	29 1/2	2875	55,67	n/r	n/r	n/a	n/a	n/a	
Commander 25N, 225N	S	24 5/8	26 1/4	3604	53,55	n/r	n/r	n/a	n/a	n/a	
Commander 26, 126	S	24 5/8	26 3/8	3505,3603	67	n/r	n/r	n/a	n/a	n/a	

Page 87

Commander 29, 129, 229	S	35 1/2	31 1/2	3605	57,73	n/r	n/r	n/a	n/a	n/a	
Commander 29N	S	30 11/16	31 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Commander 36, 136, 136C, 236	S	33 7/8	36 1/4	3606	73	n/r	n/r	n/a	n/a	n/a	
Commander 36N, 136N	S	31 1/8	36 13/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Commander 38	S	36 5/8	39 3/8	3607	55,67	n/r	n/r	n/a	n/a	n/a	
Commander 39A, B, 139	S	38 3/16	40 3/16	3607	55,67	n/r	n/r	n/a	n/a	n/a	
Commander 39B, 239B	S	35	40 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Commander 39A, 139A, 239A	S	33 3/16	40 3/16	3607	56,67	n/r	n/r	n/a	n/a	n/a	
Commander 40,140 (New)	S	33 1/2	41	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Commander 44, 82, 244A	S	40 1/2	44 1/2	27522	67	n/r	n/r	n/a	n/a	n/a	
Commander 44 B	S	45 1/4	44 1/2	3609	55,65	n/r	n/r	n/a	n/a	n/a	
Commander 48	S	24 5/8	26 3/8	3505,3603	67	n/r	n/r	n/a	n/a	n/a	
Commander 51	S	46	52	3610	53,55	n/r	n/r	n/a	n/a	n/a	
Commander 60, 61	S	33 7/8	31 1/2	3605	57,73	n/r	n/r	n/a	n/a	n/a	
Commander 62	S	33 7/8	36 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Commander 65	S	38 3/16	40 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Commander 66	S	29 3/4	39 7/168	12532	55,56	n/r	n/r	n/a	n/a	n/a	
Commander 72	S	38 3/16	40 3/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Commander 92	S	46	52	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Omsca	S	34 3/4	32	n/r	n/r	102D	102D	n/a	n/a	n/a	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>PLANETA:</b>											
226	S	22 3/4	26 7/32	4087	76,52	n/r	n/r	n/a	n/a	n/a	
Brilliant P01	S	35 7/16	29 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Brilliant P02	S	37	32 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Duplicator 14S	S	19 1/16	20 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Duplicator 15	S	19	11 3/16	7178	52	n/r	n/r	n/a	n/a	n/a	
Duplicator 15S	S	19	11 1/8	6684	52	n/r	n/r	n/a	n/a	n/a	
Duplicator 20	S	17 3/8	20 1/2	4078	52	n/r	n/r	n/a	n/a	n/a	
Duplicator 20 Polycrome	S	17 1/2	20 5/8	4079	52	n/r	n/r	n/a	n/a	n/a	
Duplicator 20S	S	18 1/2	20 5/8	4339	52	n/r	n/r	n/a	n/a	n/a	
Duplicator 22	S	21 5/8	22 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Jobber 22	S	21 3/4	23	4080	52	n/r	n/r	n/a	n/a	n/a	
Jobber 23	S	26 3/8	23 1/2	4081	64	n/r	n/r	n/a	n/a	n/a	
Jobber 25	S	21 3/4	25	4086	51	n/r	n/r	n/a	n/a	n/a	
Planeta 808	S	40 1/2	40 1/2	4091	67	n/r	n/r	n/a	n/a	n/a	
Planeta 33 x 32	S	35 1/4	32 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Planeta 22, 224	S	22 1/2	25 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Planeta 24, 34, 44, 54, 64	S	40 1/2	40 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
RZ (Royal Zenith) 16, 126	S	22 3/4	26 7/32	4087	76,52	n/r	n/r	n/a	n/a	n/a	

Page 89

RZ 24, 124	S	21 1/4	24 3/4	*	*	*	*	n/a	n/a	n/a	
RZ 25	S	31	26 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
RZ 25 (German)	S	31	26 1/2	4088	52	n/r	n/r	n/a	n/a	n/a	
RZ 29, 30	S	33 1/2	31	4090	52	n/r	n/r	n/a	n/a	n/a	
RZ 40, 140, 240	S	42 1/2	41 1/2	4091	67	n/r	n/r	n/a	n/a	n/a	
RA-104	S	34 1/2	41 3/4	n/r	n/r	10407	10407	n/a	n/a	n/a	
Super Variant 4, 5, 24-5, 24-6	S	39 3/8	40 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Super Variant 40"	S	37 3/16	40 1/4	4091	67	n/r	n/r	702M	702	11984	
Super Variant 40"	S	39 3/4	41	4091	67	4C	4C	702M	702	11984	
Super Variant 50", 6, 6A, 6-2	S	55 1/8	51 1/8	n/r	n/r	n/r	n/r	703	703	11984	
Super Variant 55"	S	53 1/8	56 5/8	n/r	n/r	n/r	n/r	700	700	11984	
Super Variant 64"	S	53 1/8	65 3/8	n/r	n/r	n/r	n/r	701	701	11984	
Super Variant 64", 8, 8-2	S	55 1/8	65 3/8	n/r	n/r	n/r	n/r	701	701	11984	
Super Variant 7, 7-2	S	55 1/8	56 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Super Variant 8A, 8A-2	S	58 1/4	65 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Variant 3	S	40 9/16	36 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Variant 30, 130, 230	S	36 5/8	31 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Variant 30, 301, 302	S	37	31	4090	52	106A	106A	n/a	n/a	n/a	
Variant 40	S	39 1/4	40 5/8	9856,29614	67	n/r	n/r	702M	702	11984	
Variant 40, 402, 404	S	40 1/2	40 1/2	4091	67	n/r	n/r	n/a	n/a	n/a	
Variant 55, 552, 554	S	55 1/8	57 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Variant 64, 642, 644, 645	S	55 1/8	65 3/8	n/r	n/r	n/r	n/r	701	701	11984	
Varitrend 102	S	37 25/32	40 5/32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 90

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>PLANETA: (cont'd.)</b>											
Webmatic	W	19 3/4	24 1/4	4082	71	4A INV.	4A INV.	n/a	n/a	n/a	
Webmatic (new)	W	19 1/2	24 13/16	4085	52,53	4A INV.	4A INV.	n/a	n/a	n/a	
Webmatic (old)	W	19 1/4	24 1/8	4083	52,53	4A INV.	4A INV.	n/a	n/a	n/a	
Webmatic (Polychrome)	W	19 1/4	24 1/2	4083	52,53	4A INV.	4A INV.	n/a	n/a	n/a	
Webmatic (Rotary Ultraset)	W	19 1/2	24 5/8	4084	67	n/r	n/r	n/a	n/a	n/a	441 CO
Zephyr 26	W	19 7/8	27 1/2	4089	52	4C <sup>1</sup>	4C <sup>1</sup>	n/a	n/a	n/a	
Zephyr 90	W	19 7/8	26 1/2	n/r	n/r	4C <sup>1</sup>	4C <sup>1</sup>	n/a	n/a	n/a	
Zephyr 300	W	19 5/8	27 5/8	n/r	n/r	4C <sup>1</sup>	4C <sup>1</sup>	n/a	n/a	n/a	
Zephyr 300	W	20	27 1/2	n/r	n/r	27426	27426 INV	n/a	n/a	n/a	
Zephyr 420	W	19 7/8	27 1/2	4089	52	4C <sup>1</sup>	4C <sup>1</sup>	n/a	n/a	n/a	

**ROCKWELL: (Ref. Baker Perkins, Hantscho or Goss)**

**ROLAND: (Ref. M.A.N.)**

**RONEO VICKERS:**

RV1000, 2000, 2500, 3000	S	14 5/8	9 7/8	13364	52	n/r	n/r	n/a	n/a	n/a	
--------------------------	---	--------	-------	-------	----	-----	-----	-----	-----	-----	--

Page 91

**ROTAPRINT:**

R10/75-TTR (10011)	S	14 3/8	9 5/8	4502,4503	71	n/r	n/r	n/a	n/a	n/a	4502=lead; 4503=trail
R14CS2, R30S, R36,											
R30CS (10003), R37K	S	16 1/8	17 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
R15, R15/80, R80	S	16 1/4	9 5/8	4501	71	n/r	n/r	n/a	n/a	n/a	
R20	S	20 1/4	24 3/16	4507	52	n/r	n/r	n/a	n/a	n/a	
R20 V	S	18 13/16	25 1/8	4508	52	n/r	n/r	n/a	n/a	n/a	
R20V (RA2) (10002),											
R203R, R20/3RV,	S	20 9/16	24 7/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
R20 (RA2) (10001)	S	20 9/16	23 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
R30/40	S	16 1/4	8 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
R30/95, R36K, R33/50, R30/90,											
R95/3R (10003)	S	16 1/8	17 9/16	4505	64	n/r	n/r	n/a	n/a	n/a	
R30CS, R30/90,											
R30/CS-V (10004)	S	16 1/8	17 9/16	4506	52	n/r	n/r	n/a	n/a	n/a	
R35V	S	16 5/16	19 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
R40 ALG (RA3) (10010)	S	20 9/16	10 3/4	4504	52	n/r	n/r	n/a	n/a	n/a	
R40A, R45, R45K, R455Y,											
R40 (RA4) (10009)	S	16 1/8	9 11/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
R45	S	16 1/8	9 3/4	4502,4503	71	n/r	n/r	n/a	n/a	n/a	4502=lead; 4503=trail
R50/70 (20 X 28)	S	22 1/8	27 5/8	3847	64	n/r	n/r	n/a	n/a	n/a	
R50/70 (10012)	S	22 1/16	27 15/16	4507	52	n/r	n/r	n/a	n/a	n/a	
R50/70 Perfector	S	22	28	4509	52	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 92

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>ROTAPRINT: (cont'd.)</b>											
R70, R75	S	14 7/16	8 9/16	4499,4500	51	n/r	n/r	n/a	n/a	n/a	4499=lead; 4500=trail
R90V (10005)	S	16 1/8	19 1/4	4506	52	n/r	n/r	n/a	n/a	n/a	
R95/2C, R35/50 (10003)	S	16 1/8	17 9/16	4505	64	n/r	n/r	n/a	n/a	n/a	
R382CS, R38/50 (10013)	S	17 15/16	19 3/16	4354	64	n/r	n/r	n/a	n/a	n/a	
Regal 52	S	17 1/2	21 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Sky #2	S	16 1/8	19 1/4	4506	52	n/r	n/r	n/a	n/a	n/a	
Super Copilith	S	20 1/4	24 3/16	4507	52	n/r	n/r	n/a	n/a	n/a	

**ROYAL ZENITH: (Ref. Planeta)**

**RUTHERFORD:**

CMP	S	30	5 1/4	3043	52	n/r	n/r	n/a	n/a	n/a	
CMP	S	37 3/8	8	6064	52	n/r	n/r	n/a	n/a	n/a	
CMP	S	60	7	2897,3045	52	104A	104A	n/a	n/a	n/a	
Metal Deco.	S	11 1/2	4 3/4-6 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Metal Deco.	S	24	5-7	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Page 93

**RYOBI:**

270	S	16	10 3/4	26653	52	n/r	n/r	n/a	n/a	n/a	
290	S	18 3/4	11 1/8	4768	52	n/r	n/r	n/a	n/a	n/a	
413, 463 Perfector	S	19 3/16	12 3/16	10071	52	26673	26673	n/a	n/a	n/a	
430	S	16 1/4	17 1/4	2744	53	n/r	n/r	n/a	n/a	n/a	
480, 480N	S	16	19	2743	53	n/r	n/r	n/a	n/a	n/a	
480D	S	16 7/8	19 3/32	2743	53	n/r	n/r	n/a	n/a	n/a	
480K	S	16 7/8	18 7/8	2743	53	n/r	n/r	n/a	n/a	n/a	
500K	S	16 7/8	18 7/8	2743	53	n/r	n/r	n/a	n/a	n/a	
510, 510NP, 512H	S	16 7/16	20 7/8	n/r	n/r	4B	4B	n/a	n/a	n/a	
512	S	16 13/16	21 3/16	n/r	n/r	4B	4B	n/a	n/a	n/a	
520, 520H, 522, 522H,											
522PFH, 524H, 528H	S	16 15/16	21 5/16	n/r	n/r	2F,26489	2F,26489	n/a	n/a	n/a	
524	S	16 15/16	21 5/16	n/r	n/r	27539	27539	n/a	n/a	n/a	
530, 532T, 520NP, 530NP	S	19 1/8	21 7/16	n/r	n/r	4B	4B	n/a	n/a	n/a	
535MCS	S	20 11/16	13 3/4	n/r	n/r	4A,26673	4A,26673	n/a	n/a	n/a	
560, 560NP, 562T	S	19 1/8	22 15/16	n/r	n/r	4B	4B	n/a	n/a	n/a	
580	S	20 3/8	23 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
582H	S	20 3/8	23 9/16	n/r	n/r	4B <sup>1</sup> ,26673 <sup>1</sup>	4B <sup>1</sup> ,26673 <sup>1</sup>	n/a	n/a	n/a	
640K, 640	S	22 1/4	27 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
660, 662, 664, 665, 666	S	23 3/8	27 9/16	n/r	n/r	4B	4B	n/a	n/a	n/a	
2500 KR	S	15 3/4	10 3/4	2656	54	n/r	n/r	n/a	n/a	n/a	
2600	S	19 3/16	11	2742	52	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 94

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>RYOBI: (cont'd.)</b>											
2700	S	18	9 13/16	2742	52	n/r	n/r	n/a	n/a	n/a	
2700 KR	S	18 5/32	10 9/16	2742	52	n/r	n/r	n/a	n/a	n/a	
2800, 2800CD	S	19	11 1/4	2742	52	n/r	n/r	n/a	n/a	n/a	
2800 KR	S	19	11 1/4	2742	52	n/r	n/r	n/a	n/a	n/a	
3200	S	19 1/2	12	10071	52	4A <sup>1</sup> ,26673 <sup>1</sup>	4A <sup>1</sup> ,26673 <sup>1</sup>	n/a	n/a	n/a	
3200 A, 3200S	S	19	12	10071	52	n/r	n/r	n/a	n/a	n/a	
3200 MCD (XL)	S	19 1/2	13	13891	52	n/r	n/r	n/a	n/a	n/a	
3200 PFA, PMX, PCX	S	19 3/16	12 3/16	10071	52	26673 <sup>1</sup>	26673 <sup>1</sup>	n/a	n/a	n/a	5 ply only
3200 XL, S, A	S	19 1/2	12 1/2	10071	52	n/r	n/r	n/a	n/a	n/a	
3302	S	19 1/2	13	13891	52	n/r	n/r	n/a	n/a	n/a	
3302M	S	19 3/8	13 5/8	n/r	n/r	4A <sup>1</sup> ,26673 <sup>1</sup>	4A <sup>1</sup> ,26673 <sup>1</sup>	n/a	n/a	n/a	
4502MCS	S	18 13/16	17 9/16	n/r	n/r	4B	4B	n/a	n/a	n/a	
AD80, AD80CD	S	19	11 1/4	2742	52	n/r	n/r	n/a	n/a	n/a	
Gazette	S	24 1/4	17 3/8	n/r	n/r	5A	5A	n/a	n/a	n/a	
Itek 950	S	18 31/32	9 15/16	2742	52	n/r	n/r	n/a	n/a	n/a	
Itek 950, 950CPD	S	18 1/8	10 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Itek 960	S	18 31/32	11 1/8	2742	52	n/r	n/r	n/a	n/a	n/a	
Itek 960 Wide	S	19 1/8	12	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Page 95

Itek 975	S	19 1/2	12 1/16	12180	52	4A <sup>1</sup> ,26673 <sup>1</sup>	4A <sup>1</sup> ,26673 <sup>1</sup>	n/a	n/a	n/a	Perfector
Itek 975A, 970/975	S	19 1/2	13	13891	52	n/r	n/r	n/a	n/a	n/a	
Itek 985, 987	S	19 1/2	13	10071	52	n/r	n/r	n/a	n/a	n/a	
Itek 1115	S	15	10	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Itek 1116-A	S	16	10	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Itek 1116-B	S	16	10 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Itek 1117	S	18 9/16	11	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Itek 1117, Itek 3200											
Duplicator	S	20 3/8	12 3/8	11080	53	n/r	n/r	n/a	n/a	n/a	
Itek 3985, 3980, 3995	S	19 1/2	13	13891	52	n/r	n/r	n/a	n/a	n/a	

**SAKURAI (OLIVER):**

16	S	27 3/16	33 3/8	27070	57	n/r	n/r	n/a	n/a	n/a	
48, 6	S	17 19/32	19 3/32	27067	57	n/r	n/r	n/a	n/a	n/a	
52	S	18 1/2	20 5/8	27068	57	n/r	n/r	n/a	n/a	n/a	
58, 58E II	S	21 21/32	22 25/32	14138	57	n/r	n/r	n/a	n/a	n/a	
66, 66E Z	S	23 13/16	26 15/32	12896	57	n/r	n/r	n/a	n/a	n/a	
66EPZ	S	22 1/4	26 7/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
72, 72ED II	S	24 5/8	28 13/16	13368	57	n/r	n/r	n/a	n/a	n/a	
74, 74EPII	S	24 5/8	29 1/2	30139	68	n/r	n/r	n/a	n/a	n/a	
82	S	27 3/16	33 11/16	27070	57	n/r	n/r	n/a	n/a	n/a	
94, 94HP	S	30 3/4	38	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
102EPII	S	36 1/4	40 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 96

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>SANDEN:</b>											
Vericom 1200	W	20 1/4	24	n/r	n/r	13339	25117	n/a	n/a	n/a	
Vericom 1200	W	24	38 3/8	n/r	n/r	13339	25117	n/a	n/a	n/a	
Vericom 1200	W	27	24	n/r	n/r	12377	12702	n/a	n/a	n/a	
<b>SCHEFFER:</b>											
Perf. Blkt. 17 3/4 CO	S	19 9/16	27	n/r	n/r	114	2E	n/a	n/a	n/a	DWG#:03227
Perf. Blkt. 22 3/4 CO	S	24 1/2	38 1/2	n/r	n/r	114	2E	n/a	n/a	n/a	DWG#:07710
<b>SCHRIBER:</b>											
500 Series	W	14 1/2	17 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	11 X 17 1/2
500 Series	W	16 1/4	17 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	14 X 17 1/2
500 Series	W	19 1/4	17 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	17 X 17 1/2
500 Series	W	24 1/4	17 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	22 X 17 1/2
500 Series	W	26 1/4	17 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	24 X 17 1/2
500 Series	W	27 1/4	17 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	25 X 17 1/2
1000 Series	W	15	20 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	13 X 20
1000 Series	W	23 1/4	32 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	21 X 32
1000 Series	W	26 1/4	32 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	24 X 32

Page 97

1000 Series	W	35 1/4	32 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	33 X 32
LW131 Format	W	12 3/8	18	n/r	n/r	6A INV	7C	n/a	n/a	n/a	11 X 18
LW131 Format	W	15 1/4	18 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	13 X 18
LW131 Format	W	19 1/4	16 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	14 X 18
LW131, 500M Series	W	16 1/4	18 3/8	n/r	n/r	6A INV	7C	n/a	n/a	n/a	14 X 18
LW151 Format	W	19 1/4	22 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	17 X 22
LW151 Format	W	19 1/4	31 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	17 X 31
LW151 Format	W	19 1/4	32 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	17 X 32
LW151 Format	W	20 1/4	26 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	18 X 26
LW151 Format	W	22 1/4	32 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	20 X 32
LW151 Format	W	24 1/4	22 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	22 X 22
LW151 Format	W	24 1/4	31 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	22 X 31
LW151 Format	W	26 3/4	26 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	24 1/2 X 26
LW151, 1000 Series	W	19 1/4	26 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	17 X 26
LW151, 1000 Series	W	23 1/4	26 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	21 X 26
LW151, 1000 Series	W	24 1/4	26 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	22 X 26
LW151, 1000 Series	W	24 1/4	32 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	22 X 32
LW151, 1000 Series	W	26 1/4	26 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	24 X 26
LW151, 1000 Series	W	27 3/4	32 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	25 X 32
LW151, 1000 Series	W	28 1/4	26 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	26 X 26
LW151, 1000 Series	W	30 1/4	22 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	28 X 22
LW151, 1000 Series	W	30 1/4	26 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	28 X 26
LW151, 1000 Series	W	30 1/4	32 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	28 X 32

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 98

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>SCHRIBER: (cont'd.)</b>											
LW203 Format	W	16 1/4	22 3/8	n/r	n/r	6A INV	7C	n/a	n/a	n/a	14 X 22
LW203 Format	W	18 1/4	22 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	16 X 22
LW203 Format	W	21 3/4	20 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	19 X 20
LW203 Format	W	22 1/4	20 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	20 X 20
LW203 Format	W	25 1/4	18 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	23 X 18
LW203 Format	W	26 1/4	18 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	24 X 18
LW203 Format	W	28 1/4	18 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	26 X 18
LW203, 500M Series	W	19 1/4	18 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	17 X 18
LW203, 500M Series	W	24 1/4	18 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	22 X 18
LW203, 1000 Series	W	16	20 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	14 X 20
LW203, 1000 Series	W	19 1/4	20 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	17 X 20
LW203, 1000 Series	W	23 1/4	20 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	21 X 20
LW 203, 1000 Series	W	24 1/4	20 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	22 X 20
LW203, 1000 Series	W	26 1/4	20 3/4	n/r	n/r	6A INV	7C	n/a	n/a	n/a	24 X 20
Schriber	W	12 7/16	18 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Schriber	W	13 1/8	18 1/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	
Schriber	W	24 1/2	36	n/r	n/r	6A INV	7C	n/a	n/a	n/a	
Schriber (22 X 38)	W	27 3/4	36 1/2	n/r	n/r	6A INV	7C	n/a	n/a	n/a	

Page 99

Schriber C550	W	9-21 3/4	20 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
VS 1220	W	24 1/2	20 3/4	n/r	n/r	RIV.	RIV.	n/a	n/a	n/a	

**SHINOHARA (FUJI):**

50	S	18 15/16	20 11/16	10401	53	n/r	n/r	n/a	n/a	n/a	
52	S	20 1/16	20 3/8	n/r	n/r	3B	3B	n/a	n/a	n/a	
52-B	S	19 1/4	20 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
52-IIP	S	19 5/16	20 13/16	n/r	n/r	2E	2E	n/a	n/a	n/a	
52 IV	S	20 3/32	19 9/32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
56	S	22 1/4	23	n/r	n/r	n/r	n/	n/a	n/a	n/ar	
58	S	21 7/8	24	n/r	n/r	n/r	n/r	n/a	n/a	n/a	2 ply blanket
65	S	21 5/8	26 3/16	n/r	n/r	5B	5B	n/a	n/a	n/a	
65-IIP	S	25 5/8	26 1/8	n/r	n/r	2E	2E	n/a	n/a	n/a	
66	S	25 19/32	26 1/8	n/r	n/r	4A	4A	n/a	n/a	n/a	
66	S	26	26 1/8	n/r	n/r	10407	10407	n/a	n/a	n/a	
74	S	30 1/8	30 3/4	n/r	n/r	2E	2E	n/a	n/a	n/a	
74 IV, IV-P, V	S	30 1/8	30 3/4	n/r	n/r	2E <sup>1</sup> ,28519 <sup>1</sup>	2E <sup>1</sup> ,28519 <sup>1</sup>	n/a	n/a	n/a	
82	S	30 5/16	33 1/4	n/r	n/r	2E	2E	n/a	n/a	n/a	
225	S	25 3/4	26 1/8	n/r	n/r	2E	2E	n/a	n/a	n/a	

**SHIVA: (Ref. Solna)**

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>SOLNA:</b>											
C-18-A	W	23 15/16	36 13/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
C-18-B	W	24 3/4	36 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
C-18-C	W	25 7/16	39 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
C-18-D	W	27	39 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
C-18-U	W	25 7/16	37	n/r	n/r	5C	109A	n/a	n/a	n/a	
C-50H-B	W	24 7/8	21	n/r	n/r	5C	109A	n/a	n/a	n/a	578 CO
C-50H-C	W	25 21/32	21	n/r	n/r	5C	109A	n/a	n/a	n/a	599 CO
C50H-D	W	26 29/32	21	n/r	n/r	5C	109A	n/a	n/a	n/a	630 CO
C-96-B	W	24 5/8	38 3/4	n/r	n/r	5C	109A	n/a	n/a	n/a	
C-96-C	W	25 7/16	38 3/4	n/r	n/r	5C	109A	n/a	n/a	n/a	
C-96-D	W	26 11/16	38 3/4	n/r	n/r	5C	109A	n/a	n/a	n/a	
C-96H-B	W	24 7/8	38 3/4	n/r	n/r	5C	109A	n/a	n/a	n/a	
C-96H-C	W	25 21/32	38 3/4	n/r	n/r	5C	109A	n/a	n/a	n/a	
C-96H-D	W	26 29/32	38 3/4	n/r	n/r	5C	109A	n/a	n/a	n/a	
CNH-1000 B	W	24 7/8	38 3/4	n/r	n/r	5C	109A	n/a	n/a	n/a	578 CO
CNH-1000 C	W	25 21/32	38 3/4	n/r	n/r	5C	109A	n/a	n/a	n/a	599 CO
CNH-1000 D	W	26 29/32	38 3/4	n/r	n/r	5C	109A	n/a	n/a	n/a	630 CO

Page 101

<b>Distributor D18, D22,</b>											
D25, D30	W	24 5/8	36 3/4	n/r	n/r	5C	2E	n/a	n/a	n/a	
Distributor D200, D300	W	24 3/16	34 13/16	n/r	n/r	5C	109A	n/a	n/a	n/a	560 CO
Meisi Kord 25, Profiteer	S	22 1/4	25 5/8	3987	54,58	n/r	n/r	n/a	n/a	n/a	
P 24 Lead	S	21 11/32	24 5/8	3990	54,56	n/r	n/r	n/a	n/a	n/a	
P 24 Trail	S	21 11/32	24 5/8	3991	54,56	n/r	n/r	n/a	n/a	n/a	
P 25 Lower	S	21 21/32	25 19/32	3989	54,56	n/r	n/r	n/a	n/a	n/a	
P 25 Upper	S	21 21/32	25 19/32	3988	54,56	n/r	n/r	n/a	n/a	n/a	
RP-36 A	W	23 15/16	36 13/16	n/r	n/r	5C,25971	4A	n/a	n/a	n/a	
RP-36 B	W	24 11/16	36 13/16	n/r	n/r	5C,25971	4A	n/a	n/a	n/a	
RP-36 C	W	25 7/16	39 3/4	n/r	n/r	5C,25971	4A	n/a	n/a	n/a	
RP-36 D	W	26 11/16	39 3/4	n/r	n/r	5C,25971	4A	n/a	n/a	n/a	
Shiva 66, P66 Series	S	23 1/32	25 19/32	26969	54,55	n/r	n/r	n/a	n/a	n/a	
Shiva 72, P72 Series	S	24 7/16	28 3/4	26961	54,55	n/r	n/r	n/a	n/a	n/a	
Solna 24, P24 Series	S	21 11/32	24 5/8	3986	54,56	n/r	n/r	n/a	n/a	n/a	
Solna 25 Series	S	22 1/4	25 5/8	3987	54,57	n/r	n/r	n/a	n/a	n/a	
Solna 29, 32 Series	S	29 1/8	33	3760	67	n/r	n/r	n/a	n/a	n/a	
Solna 30 Series	S	29 1/8	30 3/4	3759	67	n/r	n/r	n/a	n/a	n/a	
Solna 40 Series	S	33 15/16	40 31/32	3763	55	n/r	n/r	n/a	n/a	n/a	
Solna 54 Series	S	17 1/2	21 1/2	7776	52	n/r	n/r	n/a	n/a	n/a	
Solna 64, P64 Series	S	23 5/8	25 19/32	3937	54,57	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 102

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>STRACHAN-HENSHAW:</b>											
Book Press	W	41 1/4	31	n/r	n/r	4B	2E	n/a	n/a	n/a	
Book Press	W	43	41	n/r	n/r	4B	2E	n/a	n/a	n/a	
Book Press	W	41 3/8	60	n/r	n/r	4B	2E	n/a	n/a	n/a	
Book Press	W	40 5/8	61 1/2	n/r	n/r	4B	2E	n/a	n/a	n/a	
Book Press	W	52 11/16	41 5/16	n/r	n/r	4B	2E	n/a	n/a	n/a	
Book Press	W	26 1/2	39 3/8	n/r	n/r	4B	2E	n/a	n/a	n/a	
Book Press	W	50 3/4	61	n/r	n/r	4B	2E	n/a	n/a	n/a	
Variquick (A size)	W	37 3/4	29 5/16	n/r	n/r	6A,114	2E,26991	n/a	n/a	n/a	
Variquick (B size)	W	41 3/4	29 5/16	n/r	n/r	6A,114	2E,26991	n/a	n/a	n/a	
Variquick (E size)	W	42 3/4	41	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Variquick PC IS	W	35 5/8-43 3/4	29 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

<b>TIMSON:</b>											
Book Major 26	S	29-49	27 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Book Major 31	S	29-49	32 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Book Major 38	S	29-49	39 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
T-32	W	49 1/4	43	n/r	n/r	13340	2E	n/a	n/a	n/a	
T-32 (A Range)	W	22 1/2-38 3/4	41	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Page 103

T-32 (A Range)	W	22 1/2-38	43	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
T-32 (B Range)	W	38-52	41	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
T-32 (B Range)	W	38-52	52	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
T-32/40	W	25 1/2-51	40	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
T-32, 46" CO	W	51 1/8	55 1/2	n/r	n/r	26977	13508	n/a	n/a	n/a	
T-32/47	W	31-60	47	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
T-32/53	W	60-80	53	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
T-48A	W	37 9/16-85 9/16	34 1/4-62 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
T-96	W	40	45	n/r	n/r	n/r	n/r	n/a	n/a	n/a	927 CO
T-96	W	41 1/2	46	n/r	n/r	n/r	n/r	n/a	n/a	n/a	965 CO
T-96	W	43 1/2	51	n/r	n/r	n/r	n/r	n/a	n/a	n/a	1016 CO
T-96	W	54 1/2	51	n/r	n/r	n/r	n/r	n/a	n/a	n/a	1295 CO

<b>TOKO:</b>											
800, 810, 820	S	14 7/8	10 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
820-L	S	15 19/32	10 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
1510	S	15 13/16	10 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
1800	S	19 3/16	11 7/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
1800 AWD	S	20 1/4	11 7/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
4700 CD	S	20 5/16	12 5/16	13023	53	n/r	n/r	n/a	n/a	n/a	
5800	S	20 1/4	12 1/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
7000	S	20 5/8	13 15/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
8000	S	21 1/16	13 3/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required

Page 104

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>TOSHIBA:</b>											
AIT-500	W	39 9/16	26 3/4	n/r	n/r	2E	2E	n/a	n/a	n/a	
AIY-500	W	53 15/16	41 11/16	n/r	n/r	2E	2E	n/a	n/a	n/a	
AOT-500	W	39 3/8	51 3/16	n/r	n/r	2E	2E	n/a	n/a	n/a	
ATY-300	W	29 1/2	37 9/16	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
B2T-300, 500, 600	W	23 13/16	35 13/16	n/r	n/r	4B	2E	n/a	n/a	n/a	
B2T-800	W	47 1/16	36 1/4	n/r	n/r	4B	2E	n/a	n/a	n/a	
B2Y-330	W	34 11/16	23	n/r	n/r	2E	2E	n/a	n/a	n/a	
BIT-500	W	47 3/4	35 7/16	n/r	n/r	2E	2E	n/a	n/a	n/a	
BIY-500	W	34 7/8	44 1/2	n/r	n/r	4B	2E	n/a	n/a	n/a	
BK-2200	W	42 9/16	34 5/8	n/r	n/r	2E	2E	n/a	n/a	n/a	
OA-1800	W	50 1/4	62 1/2	n/r	n/r	7C	7C	n/a	n/a	n/a	
OA-AIL-S	W	39 3/8	26 3/16	n/r	n/r	2E	2E	n/a	n/a	n/a	
OA-TVD	W	34	44 1/2	n/r	n/r	4C	2E	n/a	n/a	n/a	
OA-AOT-1600	W	50 3/4	39 5/8	n/r	n/r	2E	2E	n/a	n/a	n/a	
OA-DA-1400 D	W	52 3/8	39 1/4	n/r	n/r	2E	2E	n/a	n/a	n/a	
OA-TVG	W	35 13/16	47 1/2	n/r	n/r	2E	2E	n/a	n/a	n/a	
OC Series, OC B3	W	23 5/8	18	n/r	n/r	2E	2E	n/a	n/a	n/a	

Page 105

OC RK	W	24 13/16	36	n/r	n/r	2E	2E	n/a	n/a	n/a	
RKO 1500	W	39 3/8	43 1/2	n/r	n/r	2E	2E	n/a	n/a	n/a	
RKO 1600	W	35 13/16	47 1/2	n/r	n/r	2E	2E	n/a	n/a	n/a	
RKO 1800	W	50 1/4	43 1/2	n/r	n/r	2E	2E	n/a	n/a	n/a	
Toshiba	W	25	39	n/r	n/r	2E	2E	n/a	n/a	n/a	
Toshiba	W	34 1/16	43 1/2	n/r	n/r	2E	2E	n/a	n/a	n/a	
Toshiba	W	34 1/16	44	n/r	n/r	4C	2E	n/a	n/a	n/a	
Toshiba	W	42 5/8	34 21/32	n/r	n/r	2E	2E	n/a	n/a	n/a	
Toshiba	W	53 9/16	30 5/8	n/r	n/r	2F	2F	n/a	n/a	n/a	
Toshiba	W	50	37 1/4	n/r	n/r	2E	2E	n/a	n/a	n/a	
Toshiba 66	W	47 1/2	67	n/r	n/r	7C	7C	n/a	n/a	n/a	66 1/2" bar
Toshiba, 1400	W	50	36	n/r	n/r	2E	2E	n/a	n/a	n/a	
Toshiba, Commercial	W	50 3/8	43 1/2	n/r	n/r	2E	2E	n/a	n/a	n/a	
Toshiba, Directory	W	50 1/4	40 1/2	n/r	n/r	2E	2E	n/a	n/a	n/a	
Toshiba, Telephone	W	39 9/16	43 7/16	n/r	n/r	2E	2E	n/a	n/a	n/a	
Toshiba, TV Guide	W	35 13/16	47 1/2	n/r	n/r	2E	2E	n/a	n/a	n/a	

**T.K.S.:**

T.K.S.	W	52 3/8	28 5/8	n/r	n/r	2F	2F	n/a	n/a	n/a	
T.K.S.	W	51	64 1/2	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
HBP-1300	W	26	35 21/32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
HB-2000	W	51 3/16	35 27/32	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>WEB PRESS:</b>											
Web Leader (Atlas)	W	24 1/2	36	n/r	n/r	2F INV	2F INV	n/a	n/a	n/a	578 CO
Web Press	W	25 1/16	36	n/r	n/r	2F	2F	n/a	n/a	n/a	600 CO, Nar. gap
Web Press	W	26	36	n/r	n/r	4A	2E	n/a	n/a	n/a	

**WESTERN GEAR:**

Dart, Dutro	W	15 1/2	19 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	14 X 19
Dart, Dutro	W	18 1/2	19 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	17 X 19
Dart, Dutro	W	18 1/2	27	n/r	n/r	n/r	n/r	n/a	n/a	n/a	17 1/2 X 26
Dart, Dutro	W	19	27	n/r	n/r	n/r	n/r	n/a	n/a	n/a	17 1/2 X 26
Dart, Dutro	W	22 1/2	27	n/r	n/r	n/r	n/r	n/a	n/a	n/a	21 X 26
Dart, Dutro	W	23 1/2	19 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	22 X 19
Dart, Dutro	W	23 1/2	27	n/r	n/r	n/r	n/r	n/a	n/a	n/a	22 X 26
Dart, Dutro	W	24 1/4	36 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	22 1/2 X 36
Dart, Dutro	W	25	36 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	22 3/4 X 36
Dart, Dutro	W	25 1/2	19 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	24 X 19
Dateline, Dutro	W	18 1/2	13 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	17 x 13
Dateline, Dutro	W	22 7/8	38 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Page 107

Dateline, Dutro	W	23 1/2	26 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Dateline, Dutro	W	24 1/2	36 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Dateline, Dutro	W	25	36 5/8	n/r	n/r	n/r	n/r	n/a	n/a	n/a	22 3/4 X 36
Journeyman, Dutro	W	19	27	n/r	n/r	n/r	n/r	n/a	n/a	n/a	17 1/2 x 36
P-19	W	25 1/2	19 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	24 X 19
P-26 HP Series	W	18 1/2-25 1/2	19 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
P-26 HP Series	W	18 1/2-25 1/2	26 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Speedflex	W	15 1/2-25 1/2	16 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Speedflex	W	15 1/2-25 1/2	18	n/r	n/r	n/r	n/r	n/a	n/a	n/a	
Speedflex	W	18 1/2	13 3/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	17 X 13
Speedflex	W	18 1/2	27	n/r	n/r	n/r	n/r	n/a	n/a	n/a	17 X 26
Speedflex	W	23 1/2	27	n/r	n/r	n/r	n/r	n/a	n/a	n/a	22 X 26

**WILKENING:**

#11 Coupon	S	13 1/2	2 3/4	4407	53	n/r	n/r	n/a	n/a	n/a	
#11 Inlid	S	13 1/2	2 3/4	4405	53	n/r	n/r	n/a	n/a	n/a	
#12 Inlid	S	15 7/8	2 5/8	4405	53	n/r	n/r	n/a	n/a	n/a	
#13 Inlid	S	15 1/8	2 3/4	4405	53	n/r	n/r	n/a	n/a	n/a	
#13 Poster	S	13 1/4	2 3/4	4405	53	n/r	n/r	n/a	n/a	n/a	
800 Top Printer DOP-292	S	13 3/8	4	4406	52	n/r	n/r	n/a	n/a	n/a	
Side Printer DOP-750	S	13 1/2	1 1/4	n/r	n/r	n/r	n/r	n/a	n/a	n/a	

Manufacturer/ Model	Press Type	Around Size:	Across Size:	Template Number	Punch Number	Lead Blkt.Bar	Trail Blkt.Bar	Lead Adapter	Trail Adapter	Adapter Blkt.Bar	Notes:
<b>WOOD-HOE:</b>											
Litho-Flex/Matic II	W	27 11/16	31 3/8	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Litho-Flex/Matic II	W	47 1/4	31 3/8	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Litho-Flex/Matic II	W	48 3/16	61	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Litho-Flex/Matic II	W	53 7/8	68 1/2	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Litho-Flex/Matic II	W	56	63	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
Litho-Flex/Matic II	W	58	70 1/2	n/r	n/r	27426 <sup>1</sup>	27426 <sup>1</sup>	n/a	n/a	n/a	
<b>ZIRCON:</b>											
6210	W	25 3/16	19 3/16	n/r	n/r	26489	26489	n/a	n/a	n/a	
6611	W	19 3/4	27 9/16	n/r	n/r	109A	109A	n/a	n/a	n/a	
7221	W	29 15/16	42 3/4	n/r	n/r	26489	26489	n/a	n/a	n/a	
9620	W	38 11/16	39	n/r	n/r	26489	26489	n/a	n/a	n/a	

n/r = not required    n/a = not available    \* = sample required    (1) = special end cuts    (2) = notching required