

Information provided by Fiberweb

Press Make/Model	Roller Diameter (mm)	Red-1 Size Form	Red-1 Ductor	Red-1 Cut Form	Red-1 Cut Ductor	Red-1 Set	Hyton Press	Hyton Cut Form	Hyton Cut Ductor	Hyton Cut Set	Red Runner
Adast Dominant											
612	46	100	100				33				
712	46	100	100				33				
714	50\40	100	75	100	RM-27		33				
725		100	75		RM-27		33				
745P		100					33				
514		75	75	RM-22	RM-22						
515		75	75	RM-22	RM-22						
524		75	75	RM-22	RM-22						
525		75	75	RM-22	RM-22						
Adast-Royayor											
313		100	100				33				
314		100	100				33				
111		100	100				33				
513		100	100				33				
Akiyama											
HA-26	61	300	300				33				
HA-2-26	45.5	75	75								
HA-4-26	46	75	75				33				
ATC-K50	46.8\53.2	75	100				33				
ATC-K33	59.5\53.2	100	100				33				
TH-26	52\49\40	100	100\75				33				
TH-28	52\49\40	100	100\75				33				
TH-38	59.5\46.8	100	75				33				
TH-2-38	59.5\46.8	100	100				33				
TH-20	62.7\56.3	300	200				33				
SL-1-38	66	300	300				43				
SI-2-38	66	300	300				43				
New SA-1-38	66	300	300				43				
New SA-2-38	66	300	300				43				
New SA-4-38	66	300	300				43				
SA-38	65.5	300	300				43				
SA-2-28	59.5	200	200				33				
SA-4-38		200	200				33				
SA-2-44	72.2	400	400				43				
SA-4-44	59.5	200	200				43				
SA-250	72.2	400	400				43				
SA-4-50	59.5	200	200				33				
SA-32	65.9\59.5	300	200				33				
SA-4-38		200	200				33				
SA-2-44	72.2	400	400				43				
SA-4-44	59.5	200	200				43				
SA-250	72.2	400	400				43				
SA-4-50	59.5	200	200				33				
SA-32	65.9\59.5	300	300				33				
HA-438		400	400								
240		300	300				43				DD42
440		300	300				43				DD42
226											C32
426											C32
ATF Chief											
15, 115, 215, 17, 117	50.8\25.4	100	50	RF11	RD11	RFD11	33	F2	D2	F2D2	BT11\B14
217, 1014, 1015	50.8\25.4	100	50	RF11	RD11	RFD11	33	F2	D2	or VIP	BT11\B14
2115, 2117	50.8\25.4	100	50	RF14	RD14	RFD14	33				BT11\B14
226		200	200				33				C28
Big Chief		100	100				33				C32
Bus. Form FW 26		100	100				33				B28
Chief 29, 29A		100	100				33				C32
Green Hornet		100	100				33				B24

Information provided by Fiberweb

Press Make/Model	Roller Diameter (mm)	Red-1 Size Form	Red-1 Ductor	Red-1 Cut Form	Red-1 Cut Ductor	Red-1 Set	Hyton Press	Hyton Cut Form	Hyton Cut Ductor	Hyton Cut Set	Red Runner
ATF Chief											
New Bus. Forms		100	100				33				C28
22,28 Web		100	100				33				C28
14 X 20 Little Chief		100	100				33				B24
DM Chief 20		100	100				33				B24
DE Chief 20		100	100				33				C24
25-1 Profiteer		100	100				33				C28
Webendorfer		100	100				33				C32
Super Chief		100	100				33				B14
126		200	200				33				C28
238		300	300				43				
250		300	300				43				DD56
255		300	300				43				DD56
35, 36		400	400				45				
38		400	400				45				E42
49, 50		400	400				45				F60
69		700	700				63				none
Aurelia											
Commander 19X26 SC		200\100	100				33				C28
Commander 24, 25, 225		200\100	100				33				C28
Commander 29 upper		300	300				43\45				DD38
Commander 29 lower		200	200				33				C32
Commander 38 4/c		500	500				53,55				F40
Commander 39A lower		300	300				43,45				DD42
Commander 39A upper		400	400				43,45				E42
Aurelia 26		200\300	200				33				
Baker Perkins											
G-16		600	600				53,55				F40
Gemini		600	600				53,55				F40
Chambon											
L-65		300	300				33				DD42
Chandler & Price											
24" Web		100	100				33				B28
Clary											
Century 36 & 38		100	100				33				C42
Futura 18"		100	100				33				C28
26" Web		100	100				33				C28
Color Metal											
Champion 25 X 38 CK		500	500				43,45				E42
Champion 138, 238, 438		500	500				43,45				E42
136		500	500				43,45				E42
Champion 42, 142, 150		500	500				43,45				E48
Champion 27 SC		200	200				33				C32
Jewel 29		400	400				43,45				
Olympic 28" C		100	100				33				B32
Perle 24, 25		100	100				33				B28
Perle 27		200	200				33				C32
Perle 29		400	400				43,45				DD38
Consolidated Hitachi											
30		500	500				43,45				E42
40		500	500				43,45				E48
45		500	500				43,45				E28
Hitachi Web		500	500				45				
Cotrell (Harris)											
See Harris											
Crabtree											
Ambassador		600	600				53,55				G79
Countess		400	400				43,45				E42
Empress 41X54 (Mark X)		700	700				63				G58

Information provided by Fiberweb

Press Make/Model	Roller Diameter (mm)	Red-1 Size Form	Red-1 Ductor	Red-1 Cut Form	Red-1 Cut Ductor	Red-1 Set	Hyton Press	Hyton Cut Form	Hyton Cut Ductor	Hyton Cut Set	Red Runner
Crabtree											
Empress 42X65 (Mark XII)		700	700				63				G79
Falcon 25		200\300					33				C28
Princess		200	200				33				C38
Sovereign		600	600				63				G58
Sovereign Mark I		600	600				53,55				G52
Sovereign Mark II		600	600				53,55				G58
Sovereign Mark III		600	600				53,55				G79
Crusader		700	700								
Davidson											
221\242\251\400\500\501	55\32	100	50	RF11	RD11	RFD11	33	F2	D2	VIP	C12
502\560\301	55\32	100	50	RF11	RD11	RFD11	33	F2	D2	VIP	C12
233\600\601\700\702	55\32	100	50	RF19	RD19		33	F2018	D2017		C19\CT18
900\901	55\32	100	50	RF21	RD21		33	F800	D800		C28
Ditto											
215\217		100	50	RF11	RD11	RFD11	33	F2	D2	VIP	BT11\B14
Didde											
Apollo, IBM 9370, Tandy		50	50	RD14	RD14			FD2014	FD2014		
Tandem 17, Conserver		75	75	RM14	RM14						BT13\B14
Minicom 17		75	75	RM14	RM14						BT13\B14
175		75	75	RM18	RM18						BT19\B20
Dominant											
515\519\524\525		100	50	RF21	RD21		33	F2	D2	VIP	BT-21
714\715\724\725\745\755		100	75		RM27		33	F800	D800		B28
EBCO											
22X34		200	200				33				C42
Fuji											
26		100					33				
58		200					33				
Gestetner											
211\212\213\311	51\24	100	50	RF11	RD11	RFD11	33	F2	D2	VIP	
313		100	50	RF14	RD14	RFD14	33	F1300	D1300		
Goss											
Community (Web)		400	400				33				DD38
Metro 66		700	700				63				
Publication 34.5X50		700	700				63				G52
Suburban		400	400				43,45				E38
Signature (Web)		400	400				45				E38
Urbanite		500	500				45				F40
HV											
Hamada											
500,50 color head		100	50	RF11	RD11	RFD11	33	F2	D2	VIP	BT11\B14
500CDA,600,50A\60 Color		100	50	RFH14	RD14		33	F600	D600		BT13\B14
Duetto		100	50	RFH14	RD14		33	F600	D600		BT13\B14
700,70,c.h. E47,E47S		100	50	RFH19	RD19		33	F2018	D2107		BT19\B20
800DX\SX,800\SX		100	50	RF21	RD21		33	F800	D800		BT21\B24
B252		100	75\75	RF21	RM22\RM22		33				
A66		100	100\75	RF21	100\RM22		33				
C248											A19
900		100	50								B28
1100		100	50								B28
Hantscho											
36" Web		400	400				45				E38
Mark II 32", 34"		400	400				43,45				E38
Mark VI 33"		400	400				43,45				E38
Mark II 36"		400	400				43,45				E38
Mark II, Mark IV, Mark VI		400	400				43,45				E42
Mark V		400	400				43,45				E28

Information provided by Fiberweb

Press Make/Model	Roller Diameter (mm)	Red-1 Size Form	Red-1 Ductor	Red-1 Cut Form	Red-1 Cut Ductor	Red-1 Set	Hyton Press	Hyton Cut Form	Hyton Cut Ductor	Hyton Cut Set	Red Runner
Hantscho											
38" Commercial (Web)		500	500				55				F40
42" (Web)		400	400				45				E42
50" (Web)		600	600				55				F52
50" (Web)		600	600				55				F52
50" (Web) new series		600	600				55				F52
63",64" (Web)		600	600				55				F79
MR 23\25		500	500								
HASHIMOTO											
26 Series		100	100				33				
551	59	200	200				33				
AFK	44	75	75								
AFV	41	75	75								
AFS	44	75	75								
BFK	44	75	75								
BFS	44	75	75								
BFS-JA	47	100	100								
BFS-FB	47	100	100								
BF III	56\50	100	100								
FEM	47	100	100								
JA, JB, JM	47	100	100								
Harris											
Vanguard V15 (Web)		200	200				33				C42
Vanguard V22 (Web)		400	400				45				E38
V15A, V22D, V25, V700		400	400				43,45				E38
M-80		500	500				43,45				F52
M-90, M110		500	500				43,45				E28
M200		400	400				43,45				E28
35X51.5		600	600				63				G58
38" M1000		400	400				45				E42
38" Perf. (Web)		100	100				33				C42
38.75X64		700	700				63				
38.75X40.5		500	500				53				E48
41X61 (Web)		700	700				63				
42X66		700	700				63				
50" (Web)		600	600				55				F62
50" M1000 (Web)		600	600				55				G52
845		600	600				63				F52
1650		600	600				53				F79
V15, V25		400	400				43,45				E38
1650		400	400				43,45				E38
55X78 Lithotronic		100	100				33				
LWA,LNB,LNC,LWD		100	100				33				
LWE,LWF,L-136A		100	100				33				C28
19X25 L XK (1000 & UP)		100	100				33				B28
14X20 LUH		100	100				33				BT21\B24
17X22 LTV,LMP,LTG		100	100				33				B24
LWE,LWF,L-136A		100	100				33				C28
19X25 L XK (1000 & UP)		100	100				33				B28
14X20 LUH		100	100				33				B24
17X22 LTV,LMP,LTG		100	100				33				B24
LXD		100	100				33				B24
Harris											
17X22 LSB		100	100				33				B28
19X25 LUS		100	100				33				B28
21X28 LTW,LMP,LTC		100	100				33				B42
22X29 LTW		100	100				33				B32
22X34 EL		400	400				43,45				E38
22X34 LTP,LPT,LTN		100	100				33				B42

Information provided by Fiberweb

Press Make/Model	Roller Diameter (mm)	Red-1 Size Form	Red-1 Ductor	Red-1 Cut Form	Red-1 Cut Ductor	Red-1 Set	Hyton Press	Hyton Cut Form	Hyton Cut Ductor	Hyton Cut Set	Red Runner
Harris											
22X26 LUS,LXF		100	100				33				B28
23X29 LXB,TWB,LXG,LXE		100	100				33				B32
23X36 LTP (557 & below)		100	100				33				B42
LTN (797 & below)		100	100				33				B42
25X36		100	100				33				B42
LUL,LUM,LWG,LWQ,LUR		100	100				33				B42
LWQ,LWR		100	100				33				B42
LUP,LUN,LST		400	400				43,45				B42
LSQ,LSR		400	400				43,45				E48
LSC,LSD,LSE		400	400				43,45				E58
LUN,LUD,LUE,LUP,LSS		400	400				43,45				E48
36X43 MTL		400	400				43,45				E48
36X49 LUP		400	400				43,45				E58
36X36 MTL		500	500				43,45				E42
36X48 STL		400	400				43,45				E58
36X49 LUP, LUN		400	400				43,45				E58
38X52 GT,HT,JT		400	400				43,45				E58
41X54 LSW,LSX,LSZ		400	400				43,45				E58
42X58 LSJ,LSK,LSC,LSM		400	400				43,45				E78
42X64 LTA,LTB		400	400				43,45				E78
LVA,LVB,LVC,LVE,LVF		500	500				43,45				F79
44X58 LE		400	400				43,45				E78
44X68 LSF,LSH		500	500				43,45				F79
50X69 LSF,LSG,LSH		600	600				53,55				F79
52X76 LTX,LTY,LTZ		600	600				53,55				F79
50X72 LTQ,LTR,LTS		600	600				53,55				F79
54.5X77		600	600				53,55				F79
52X76 LUS		600	600				53,55				F79
59X72 LTQ,LTR,LTS		600	600				53,55				F79
HEIDELBERG											
G T046	47	100	100	RF19	RF19		33	F2018	F2018		BT19/B20
GT052	47	100	100	RF21	RF21		33	F800	D800		BT21/B24
KOR	48.5	100	100				33				BT26/B24
KORA	48.5	100	100				33				BT26/B24
KORD62	48.5	100	100				33				BT26/B24
KORD64	48.5	100	100				33				BT26/B24
KORS	48.5	100	100				33				B32
KORC		100	100				33				
SORK	61	200	200				33				C28
SORM	61	200	200				33				C38
SOR	61	200	200				33				DT37/D38
SORD	61	200	200				33				DT37/D38
SORS	61	200	200				33				DT42/D42
SORKZ	61	200	200				33				C28
SORMZ	61	200	200				33				DT37/D38
SORZ	61	200	200				33				DT42/D42
SORDZ	61	200	200				33				DT37/D38
SORSZ	61	200	200				33				DT42/D42
RON	68\71	300	400				43				
ROH	68\71	300	400				43				
RZO	68\71	300	400				43				
RVO	68\71	300	400				43				
Superspeed		200	200				33				DT42/D42
Rotospeed		300	300				43				DD42
Speedmaster 72	63	300	300				43				DD42
Speedmaster 102	63	300	300				43				DT42/D42
Speedmaster MO	48	100	100				33				B28
Speedmaster 727		300	300				43				

Information provided by Fiberweb

Press Make/Model	Roller Diameter (mm)	Red-1 Size Form	Red-1 Ductor	Red-1 Cut Form	Red-1 Cut Ductor	Red-1 Set	Hyton Press	Hyton Cut Form	Hyton Cut Ductor	Hyton Cut Set	Red Runner
Hess & Barker											
All		500	500				43				
Hitachi Seiko											
ORP 66		300	300				33				
Hilrose											
Unit	86\76	500	400								
HOE											
MTL Décor 20X36		500	500				43,45				E42
29X36, 34X36		500	500				43,45				E42
34X45 MTL, Décor		500	500				43,45				E58
ITEK											
1115, 1117		100	50	RF11	RF11	RFD11	33	F2	D2	VIP	BT11\B14
9, 759, 853, 985		100	50	RF14	RD14	RFD14	33	F2018	D2017		BT13\B14
KING (SOLNA)											
Color King		300	300				33				
News King		300	300				33				
Production King		600	600				55				
Koenig & Bauer											
KRO		100	100				33				C32
Rapida O		100	100				33				C32
Rapida Perfector III		100	100				33				C32
Super Rapida III		100	100				33				C42
Rapi+A474da SR O/Z		300	300				33				C42
Rapida SR III/Z		500	500								
KOMORI											
Kony 10											DD42
Sprint	62	300	300				43,45				
L-25B	57	200	200				33				
L-25C	55	200	200				33				
L-225B	55	200	200				33				C28
L-425B	55	200	200				33				
Sprint	61	300	300				43,45				
L-225BF,BP	56	200	200				33				
Excel	61	300	300				43,45				
L-32	61\56	300	200				43,45				
Excel	61	300	300				43,45				
L232	61	300	300				43,45				
L432	56	200	200				33				
New Kony	64	300	300				43,45				
L37T	58	200	200				33				
L-237S	58	200	200				33				
L-437S	58	200	200				33				
Hi Kony	66	300	300				43,45				
L37T	56	200	200				33				
L37TP	56	200	200				33				
L237T	56	200	200				33				
Super 9		300	300				43,45				DD42
System 20		400	400				43,45				
Kosmo	86	500	500				55				
L43B	72	400	400				43,45				
L234B	72	400	400				43,45				
L443B		400	400				43,45				
L543B		400	400				43,45				
L-634B		400	400				43,45				
Kosmo	86	500	500				55				
L-47	72	400	400				43,45				
L-249	72	400	400				43,45				
L-449		400	400				43,45				
L-549		400	400				43,45				
L-649		400	400				43,45				

Information provided by Fiberweb

Press Make/Model	Roller Diameter (mm)	Red-1 Size Form	Red-1 Ductor	Red-1 Cut Form	Red-1 Cut Ductor	Red-1 Set	Hyton Press	Hyton Cut Form	Hyton Cut Ductor	Hyton Cut Set	Red Runner
KUHBUNDO											
Grampus 52	44.5\40	75\75	75								
Grampus 58	48\45	100\75	100								
Grampus 66	54.5\53	200\100	200								
LINOTYPE											
Pacer 36		300	300				33				
Hunter DIN		300	300				33				
Lino Web		300	300				33				
Lino News		300	300				33				
Newsmaster 63		300	300				33				
Newsmaster 67		300	300				33				
MAILANDER											
Model 1-C		300	300								DD32
Model 2-C		300	300				33				DD38
Model 250		300	300				33				DD42
Model 3-C		500	500				33				F52
Model 4-C		500	500				43,45				F52
Model 5-C		500	500				43,45				F62
MANN											
L135 SC		300	300				33				DD38
L236, L136		400	400				43,45				DD38
30.5 X42.5		400	400				43,45				DD48
35 X 45 L148A, L248A		500	500				43,45				E58
37 X 53 Perf, LP53		500	500				43,45				E58
40 X 54 LP54		500	500				43,45				E58
42x54 L154C, L254C		500	500				43,45				E58
42 X 59 L159C, L259		500	500				43,45				E78
NP56		500	500				43,45				
Fast 6		500	500				43,45				
Ultra Series		600	600				43,45				
MARINONI											
42 x 59 Upper		500	500				43,45				E78
42 X 59 Lower		600	600				53,55				E78
ML3, ML4		100	100				33				B42
ML5, ML6		200	200				33				C42
ML7, ML9 Upper		500	500				43,45				E58
ML7, ML9 Lower		600	600				53,55				G52
ML10 Upper		500	500				43,45				E78
ML10 Lower		600	600				53,55				G80
MERGENHALER											
Invicta 38, 40		400	400				43,45				E42
Media Master		400	400				43,45				E38
Media Master 27		400	400				43,45				E38
Media Master 30		400	400				43,45				E38
Media Master 36		400	400				43,45				E38
News Master (Web)		500	500				45				F38
Pacer 36 (Web)		300	300				33				DD38
MERGENHALER											
400\38		400	400				43,45				E42
500\40		400	400				43,45				E42
500\42		400	400				43,45				E48
600\50		500	500				43,45				E58
600\56		500	500				43,45				E58
600\63		500	500				43,45				E78
MIEHLE											
Favorite 19 X 25		200	200				33				C28
25Ss/c, 125 t/c (below 2929)		200	200				33				C32
26 TC (2929 & up)		300	300				33				DD32
Miehle 28		200	200				33				C32

Information provided by Fiberweb

Press Make/Model	Roller Diameter (mm)	Red-1 Size Form	Red-1 Ductor	Red-1 Cut Form	Red-1 Cut Ductor	Red-1 Set	Hyton Press	Hyton Cut Form	Hyton Cut Ductor	Hyton Cut Set	Red Runner
MIEHLE											
29SC, 29TC (below 2924)		200	200				33				C32
29TC (2924 & up)		300	300				33				DD32
29		200	200				33				C38
35 X 50 (Web)		600	600				55				F52
36		200	200				33				C38
361		400	400				43,45				E38
38 XC		200	200				33				C42
38 SC		300	300				33				DD42
38TC (below 2657)		200	200				33				C42
38 TC		300	300				33				DD42
39 4C		300	300				33				DD42
381		400	400				43,45				
29\9		400	400				43,45				
41 SC (below 790)		500	500				43,45				E48
41 SC		500	500				43,45				F52
41 TC (below 798)		500	500				43,45				E48
41 TC (946 & up)		500	500				43,45				F52
49 TC (958 & up)		500	500				43,45				F52
49 TC (below 662)		500	500				43,45				E58
49 TC (518 & up)		500	500				43,45				F52
49 4C (1194 & up)		500	500				43,45				F52
54 TC, SC		400	400				43,45				E58
55 X 78		700	700				63				
57		500	500				43,45				F62
60,61,61G		500	500				43,45				F62
76 X 77		500	500				43,45				F79
40											C42
MILLER											
W22		200	200				33				C28
TP29		200	200				33				C42
Millermatic		500	500				43,45				
TPJ		200	200				33				C42
M415		400	400				43,45				E42
TP38		200	200				33				C42
TP54		500	500				53,55				F62
Man III		400	400				43,45				E42
MAN VI, VIS, V36		500	500				53,55				F62
Mark IVS		500	500				53,55				F52
Mark VS		500	500				53,55				F52
Mark VIS		500	500				53,55				F62
Mark VIIS		500	500				53,55				F79
TP38, TP74, TP94		200	200				33				C42
TP54		500	500				53,55				F62
TP41S		400	400				43,45				G42
17.5 X 24W Web		200	200				33				C28
23 X 36 TPJ		200	200				33				C42
TP104 26\40, TP418		300	300				43				E42
MITSUBISHI											
D4E	77	500									
D4E	73	400									
D4E	82	500									
D3D	77	500									
D3D	73	400									
D3D	82	500									
D2D	75	400									
D2D	73	400									
D2D	62	300									
D1E	62	300									
D1E	65	300									
D1E	57	200									
Lithopia 600		700					63				G52

Information provided by Fiberweb

Press Make/Model	Roller Diameter (mm)	Red-1 Size Form	Red-1 Ductor	Red-1 Cut Form	Red-1 Cut Ductor	Red-1 Set	Hyton Press	Hyton Cut Form	Hyton Cut Ductor	Hyton Cut Set	Red Runner
ROLAND											
RVR OB		200	200								
RFF OB		200	200								
RSF OB		200	200								
RVF OB		200	200								
PARVA	61	300	300								
RP	56	200	200								
RZP 1		200	200								
RVP 1 GRO1, IA, II, IIA, IIB		200	200				33				
PARVA	61	300	300								
RP2	56	200	200								
PZP2		200	200								
PARVA	61	300	300								
RP2C	56	200	200								
RZP2C		200	200								
RVP2C		200	200								
REKORD											
GRO1,IIB, 88-10, 88-15		200	200				33				
GR111, 88-11, 88-15		200	200				33				
GRO-1, II, IIB, III, IIIB		400	400				43				
SERIES 13-323, 301-323		400	400				43				
GR-111 Series 15-328		400	400				43				
301\328		400	400				43				
GR111B Ser. 309-328		400	400				43				
GRIV, V, VI, VII, VIII		500	500				43				
RP 36 Web		400	400				43				
C96 Web		400	400				43				
REKORD	61	300					33				
RKT, RKH	56	200					33				
RZK, RVK		200					33				
RFK, RSK		200					33				
3		200					33				
ULTRA	86	500					53				
RU 5	76	400					43				
RZU S		400					43				
RVU 5		400					43				
RSU 5		400					43				
ULTRA	86	500					53				
RU 5W	76	400					43				
RZU 5W		400					43				
RVU 5W		400					43				
RSU 5W		400					43				
ULTRA	86	500					53				
RU 6	76	400					43				
RZU 6		400					43				
RVU 6		400					43				
RSU 6		400					43				
ULTRA	86	500					53				
RU7, 7B	76	400					43				
RZU7, 7B		400					43				
RVU 7, 7B		400					43				
RSU 7, 7B		400					43				
RYOBI											
3200, 3302		100	50	RF14	RD14	RDF14	33	F2018	FD2014		BT13\B14
500N		100	50	RF19	RD19		33	F2018	D2017		BT19\B20
480 ALL, 500K, 520, 522		75	75	RM22	RM22						
512		75\75	75	RM22	RM22\RM22						
530, 560		100\75	75	RF21	RM22\RM22						
640		100	75	RF21	RM27						

Information provided by Fiberweb

Press Make/Model	Roller Diameter (mm)	Red-1 Size Form	Red-1 Ductor	Red-1 Cut Form	Red-1 Cut Ductor	Red-1 Set	Hyton Press	Hyton Cut Form	Hyton Cut Ductor	Hyton Cut Set	Red Runner
SAKURIOLIVER											
Oliver	45	75	75								
48 Type 6	45	75	75								
48 Type 8	48\47	100	100				33				
58 Type 8	47	100	100				33				
258	47	100	100				33				
72	61	300	300				33				
272	61	300	300				33				
FG	61	300	300				33				
52	45	75	75				33				
66	61	300	300				33				
SHINOHARA (FUJI)											
Fuji 65	54	100	100				33				
Fuji 2 Color	54	100	100				33				C32
Fuji 58	48	100	100				33				
Fuji Oversize	48	100	100				33				
Fuji 50 (old)	38\28	75	50								
Fuji (new)	48.8\44	50	50				33				B24
SCHRIBER											
Bantam (Web)		100	100				33				B24
27" (Web)		100	100				33				C28
SOLNA											
C-50H		500	500				33				DD38
Color Kint		300	300				33				DD42
C-96 Webs		300	300				33				C28
Solna Chief (befoe 1800)		100	100				33				C28
Solna Chief (1800 & up)		100	100				33				C28
Solna 125, 225, 425, 124		100	100				33				DD32
Solna 130, 230, t/c		200	200				33				C38
Solna 129, 132, 232		200	200				33				B24
Solna 164		200	200				33				
Solna 129\132, 130\132		300	300				33				C28
Solna 164		100	100				33				
64 Series		200	200				33				
SUMITOMO											
TP38 S	61\53	300	100				33				
TP32 S	61\53	300	100				33				
TP26 S	58\58	200	200				33				
TP 41	60\60	300	300				33				
TAIYO											
SPM 80-1	48	100	100				33				
THATCHER											
TP 36		300	300				33				DD38
TOSHIBA											
OC-BC	64\62	300	300								
OT-A1, A2	62\62	300	300								
OA-B1R, B1, B2	112\112	700	700								
OT-B2, B3	77\77	400	400								
OC-B3E	96	600	600								
OA-B2	96	600	600								
OC-B2	96	600	600								
OT-B2	96	600	600								
OA-A1	95	600	600								
OA-B2	80	500	500								
OE-B2	78\74	500	400								
AOT-500	112	700	700								
B2T-500	74	400	400								
THOMPSON CROWN											
Regal		300	300				33				

Information provided by Fiberweb

Press Make/Model	Roller Diameter (mm)	Red-1 Size Form	Red-1 Ductor	Red-1 Cut Form	Red-1 Cut Ductor	Red-1 Set	Hyton Press	Hyton Cut Form	Hyton Cut Ductor	Hyton Cut Set	Red Runner
TOWNSEND											
T-51 FOR 1250		100	50	RF11	RD11	RFD11	33	F2	D2	VIP	BT11\B14
T-51 FOR 1850		100	50	RF19	RD19		33	F2018	D2017		BT19\B20
T-51 FOR AM1250W, CHIEF 17											BT13\B14
AB DICK 350, 360											BT13\B14
UKITA											
OW	47\43	100	75				33				
VANDERCOOK											
RO4-29		100	100				33				B32
WEB PRESS											
Web Leader		300	300				45				DD38
WEBENDORFER											
14X20 M, MA		100	100				33				C28
17X22 MAC		100	100				33				C28
20X26 S		100	100				33				C32
WESTERN GEAR											
P-26		200	200				33				C32
Speedflex 1713 (Web)		100	100				33				B14
Hendry 45.5X37.5 (Web)		400	400				45				E38
Speedflex 1716 (Web)		100	100				33				B20
Speedflex 1719 (Dark Web)		100	100				33				C28
Speedflex 27"		100	100				33				B28
WOOD HOE											
Uniman		500	500				53,55				F40
ZENITH											
Jobber 22		200	200				33				B24
Planeta 28X40		300	300				33				DD42
Planeta 44X64		500	500				53,55				G79\F79
Webmatic (Upper)		300	300				33				DD32
Zenith 29		300	300				33				DD32
Zenith 30		300	300				43,45				DD38
Zephyr 26, 30, 420, RZ90		300	300				43,45				D32
14X20		100	100				33				B24
S20		100	100				33				B24
23		100	100				33				B24
25		100	100				33				B24
50		600	600				53,55				
55		600	600				53,55				
RZ15		100	100				33				B14
RZ20		100	100				33				B28
RZ126, TP226		100	100				33				B28
301, 302, 304		200	200				33				C32
Royayor 513		100	100				33				B24