

Press	Model	Sleeve	Water Form Rollers Outside Diameter	
			Inches	mm
A.B. Dick	9985	21019	2.110 +/- 0.004	53.594 +/- 0.10
Adast (Omni)	Dominant 414	19714	1.985 +/- 0.004	50.419 +/- 0.10
	Dominant 514, 524	19722	1.985 +/- 0.004	50.419 +/- 0.10
	Dominant 515, 525	18822	1.890 +/- 0.004	48.006 +/- 0.10
	Dominant 714, 724	19728	1.985 +/- 0.004	50.419 +/- 0.10
	Dominant 715, 725, 745, 755	19728	1.985 +/- 0.004	50.419 +/- 0.10
Akiyama	HA-226, 426 AK	25132	2.527 +/- 0.004	64.186 +/- 0.10
	HA-226, 426 AK	25132	2.527 +/- 0.004	64.186 +/- 0.10
	HA-226, 426 molleton	23032	2.310 +/- 0.004	58.674 +/- 0.10
	New HA-226, 426	23032	2.310 +/- 0.004	58.674 +/- 0.10
	HA-238, 438	27240	2.740 +/- 0.004	69.596 +/- 0.10
	HA-240, 440 AK	28042	2.815 +/- 0.004	71.501 +/- 0.10
	HA-240, 440 molleton	27242	2.740 +/- 0.004	69.596 +/- 0.10
	SA-38, 238, 438	27240	2.740 +/- 0.004	69.596 +/- 0.10
	SA-244, 240, 444, 450	29752	2.990 +/- 0.004	75.946 +/- 0.10
	SL-138, 238	27240	2.740 +/- 0.004	69.596 +/- 0.10
	TH-38, 238	27240	2.740 +/- 0.004	69.596 +/- 0.10
	ATF	Chief 15 (old style)	22212	2.235 +/- 0.004
Chief 15 (new style) 115, 215		21014	2.110 +/- 0.004	53.594 +/- 0.10
Chief 17 (old style)		22212	2.235 +/- 0.004	56.769 +/- 0.10
Chief 17, 117, 215, Super Chief 2117, Super XLK		21014	2.110 +/- 0.004	53.594 +/- 0.10
126, 226		22228	2.235 +/- 0.004	56.769 +/- 0.10
Big Chief DC		22232	2.235 +/- 0.004	56.769 +/- 0.10
Business Forms FW 26 (web)		21028	2.110 +/- 0.004	53.594 +/- 0.10
Chief 29, 29A		22232	2.235 +/- 0.004	56.769 +/- 0.10
New Business Forms 17", 22", 28" (web)		23028	2.310 +/- 0.004	58.674 +/- 0.10
14 x 20" Little Chief DM, Chief 20		21022	2.110 +/- 0.004	53.594 +/- 0.10
17 x 22" DE Chief 22		22224	2.235 +/- 0.004	56.769 +/- 0.10
25-1 Profiteer (old model)		22228	2.235 +/- 0.004	56.769 +/- 0.10
25-1 Profiteer (1979 & newer)		21028	2.110 +/- 0.004	53.594 +/- 0.10
22 x 29" Webendofer SA		22232	2.235 +/- 0.004	56.769 +/- 0.10
22 x 32" Webendofer		23036	2.310 +/- 0.004	58.674 +/- 0.10
23 x 30 inches Super Chief		22232	2.235 +/- 0.004	56.769 +/- 0.10
Chief 238		28540	2.865 +/- 0.004	72.771 +/- 0.10
Chief 250		28552	2.865 +/- 0.004	72.771 +/- 0.10
Chief 255		28556	2.865 +/- 0.004	72.771 +/- 0.10
AM Multigraphics		296, 1200, 1260, 1275, 2550, 2650	20511	2.065 +/- 0.004
	1250 W, LW, 2560 W, 1274 W, 2650 W, 2550 W	20512	2.065 +/- 0.004	52.451 +/- 0.10
	1275 W, LW, 1260 W, 2850 W, 1250 N	20512	2.065 +/- 0.004	52.451 +/- 0.10
	1300, 1330, 1360, 1650, 1650 XE	20514	2.065 +/- 0.004	52.451 +/- 0.10
	1860, 1960 XE, 1850, 1870, 1870 N, 1820, 1862, 1250	20519	2.065 +/- 0.004	52.451 +/- 0.10
2024, 2066	20511	2.065 +/- 0.004	52.451 +/- 0.10	
Aurelia	28522	28522	2.865 +/- 0.004	72.771 +/- 0.10
	Commander 19 x 26" 1/c, 2/c, - lower	25128	2.527 +/- 0.004	64.186 +/- 0.10
	Commander 19 x 26" 1/c, 2/c, - upper	23028	2.310 +/- 0.004	58.674 +/- 0.10
	Commander 24 (#2145 & up), 125, 225 - lower	24728	2.485 +/- 0.004	63.119 +/- 0.10
	Commander 24 (#2145 & up), 125, 225 - upper	23028	2.310 +/- 0.004	58.674 +/- 0.10
	Commander 29 - lower	27236	2.740 +/- 0.004	69.596 +/- 0.10
	Commander 29 - upper	25132	2.527 +/- 0.004	64.186 +/- 0.10
	Commander 38 4/c	37840	3.801 +/- 0.004	96.546 +/- 0.10
	Commander 39A - lower	27242	2.740 +/- 0.004	69.596 +/- 0.10
Commander 39A - upper	29742	2.990 +/- 0.004	75.946 +/- 0.10	
Baker - Perkins	G-14, Gemini	39740	3.990 +/- 0.004	101.350 +/- 0.10
	G-16	39140	3.925 +/- 0.004	99.695 +/- 0.10
Chambon	L-65	26030	2.615 +/- 0.004	66.421 +/- 0.10
Chandler and Price	24: web (ductor water system)	19728	1.985 +/- 0.004	50.419 +/- 0.10
	24: web (continuous water system)	22228	2.235 +/- 0.004	56.769 +/- 0.10
Clary (Stevens)	Futural 8 inches (web)	22224	2.235 +/- 0.004	56.769 +/- 0.10
	26 inches (web)	22228	2.235 +/- 0.004	56.769 +/- 0.10

Press	Model	Sleeve	Water Form Rollers Outside Diameter	
			Inches	mm
	Century 36" and 38" (web)	22242	2.235 +/- 0.004	56.769 +/- 0.10
Color Metal (HCM)	Champion 25 x 38: CK, 138, 238, 438	32240	3.240 +/- 0.004	82.296 +/- 0.10
	Champion 42	32248	3.240 +/- 0.004	82.296 +/- 0.10
	Champion 27	25132	2.527 +/- 0.004	64.186 +/- 0.10
	Jewel 29	30332	3.051 +/- 0.004	77.496 +/- 0.10
	Olympic 29	21032	2.110 +/- 0.004	53.594 +/- 0.10
	Olympic 38	25132	2.527 +/- 0.004	64.186 +/- 0.10
	Pearl 24, 25	19728	1.985 +/- 0.004	50.419 +/- 0.10
	Pearl 27	25132	2.527 +/- 0.004	64.186 +/- 0.10
	Pearl 29	28532	2.865 +/- 0.004	72.771 +/- 0.10
Consolidated - Hitachi	30 inch	32232	3.240 +/- 0.004	82.296 +/- 0.10
	40 inch	32242	3.240 +/- 0.004	82.296 +/- 0.10
	45 inch	33548	3.365 +/- 0.004	85.471 +/- 0.10
	Hatachi Web	33524	3.365 +/- 0.004	85.471 +/- 0.10
Cottrell (Harris (Harris Graphics))	Vanguard V-15	24738	2.485 +/- 0.004	63.119 +/- 0.10
	Vanguard V-15A, V-22, V-22D, V-25, V-700	29738	2.990 +/- 0.004	75.946 +/- 0.10
	M-80	34740	3.490 +/- 0.004	88.646 +/- 0.10
	M-90	32222	3.240 +/- 0.004	82.296 +/- 0.10
	M-110	32228	3.240 +/- 0.004	82.296 +/- 0.10
	M-120	32232	3.240 +/- 0.004	82.296 +/- 0.10
	M-200, M-300	29738	2.990 +/- 0.004	75.946 +/- 0.10
	M-850	34740	3.490 +/- 0.004	88.646 +/- 0.10
	M-1000 38 inches	31342	3.145 +/- 0.004	79.883 +/- 0.10
	M-1000B, short cutoff	31338	3.145 +/- 0.004	79.883 +/- 0.10
	N-900	39748	3.990 +/- 0.004	101.350 +/- 0.10
	N-954	39756	3.990 +/- 0.004	101.350 +/- 0.10
	845	39738	3.990 +/- 0.004	101.350 +/- 0.10
	1650	39772	3.990 +/- 0.004	101.350 +/- 0.10
	35 x 51-1/2"	42858	4.300 +/- 0.004	109.22 +/- 0.10
	38-3/4 x 40-1/2"	34748	3.490 +/- 0.004	88.646 +/- 0.10
	38 inches Perfector	22242	2.235 +/- 0.004	56.769 +/- 0.10
	50 inches	39158	3.925 +/- 0.004	99.695 +/- 0.10
Crabtree	Ambassador	41379	4.149 +/- 0.004	105.385 +/- 0.10
	Countess	29740	2.990 +/- 0.004	75.946 +/- 0.10
	Empress 41 x 54" (Mark X)	44758	4.490 +/- 0.004	114.046 +/- 0.10
	Empress 42 x 65" (Mark XII)	44766	4.490 +/- 0.004	114.046 +/- 0.10
	Falcon 25	24728	2.485 +/- 0.004	63.119 +/- 0.10
	Princess	25136	2.527 +/- 0.004	64.186 +/- 0.10
	Sovereign	42858	4.300 +/- 0.004	109.22 +/- 0.10
	Sovereign Mark I	41352	4.149 +/- 0.004	105.385 +/- 0.10
	Sovereign Mark II	41358	4.149 +/- 0.004	105.385 +/- 0.10
	Sovereign Mark III	41372	4.149 +/- 0.004	105.385 +/- 0.10
Davidson	221, 241, 251	23011	2.310 +/- 0.004	58.674 +/- 0.10
	223	23019	2.310 +/- 0.004	58.674 +/- 0.10
	400, 500, 501 including BB	23011	2.310 +/- 0.004	58.674 +/- 0.10
	500, 501, 502 Perfector including BB	23011	2.310 +/- 0.004	58.674 +/- 0.10
	600, 601, 700, 701, 702 Perfector incl. BB	23019	2.310 +/- 0.004	58.674 +/- 0.10
	650, 900, 901 including Perfector	23022	2.310 +/- 0.004	58.674 +/- 0.10
Didde Graphics	Apollo, IBM - 9370, Tandemer 8-1/2"	13014	1.310 +/- 0.004	33.274 +/- 0.10
	Tandemer 17", Conserver, Minicom 17"	19714	1.985 +/- 0.004	50.419 +/- 0.10
	175	19719	1.985 +/- 0.004	50.419 +/- 0.10
Gestener	313	21014	2.110 +/- 0.004	53.594 +/- 0.10
Goebel	Optiforma	28522	2.865 +/- 0.004	72.771 +/- 0.10
Goss (Rockwell (Rockwell International))	Community	27238	2.740 +/- 0.004	69.596 +/- 0.10
	Metro 66	49772	4.490 +/- 0.004	114.046 +/- 0.10
	Publication 34-1/2 x 50"	44752	4.490 +/- 0.004	114.046 +/- 0.10
	Suburban	31338	3.145 +/- 0.004	79.883 +/- 0.10
	C-500	34742		
	Suburbanite signature	30338	3.051 +/- 0.004	77.496 +/- 0.10
	Urbanite	34738	3.490 +/- 0.004	88.646 +/- 0.10
Hantscho	36 inches	29738	2.990 +/- 0.004	75.946 +/- 0.10
	38 inches commercial	36040	3.615 +/- 0.004	91.821 +/- 0.10
	42 inches	29742	2.990 +/- 0.004	75.946 +/- 0.10

Press	Model	Sleeve	Water Form Rollers Outside Diameter	
			Inches	mm
	50 inches	36052	3.615 +/- 0.004	91.821 +/- 0.10
	50 inches New Series	39152	3.925 +/- 0.004	99.695 +/- 0.10
	50 inches New Series	39752	3.990 +/- 0.004	101.350 +/- 0.10
	63 inches and 64 inches	39165	3.925 +/- 0.004	99.695 +/- 0.10
	Mark II 32 & 34 inches, Mark IV 33 inches	31336	3.145 +/- 0.004	79.883 +/- 0.10
	Mark II 36 inches	31338	3.145 +/- 0.004	79.883 +/- 0.10
	Mark II, Mark IV, Mark VI, Mark VII 38 inches	31340	3.145 +/- 0.004	79.883 +/- 0.10
	Mark V 26 inches	31328	3.145 +/- 0.004	79.883 +/- 0.10
Hamada	C248, C252 + B334	18522	1.860 +/- 0.004	47.244 +/- 0.10
	RS34-M, VS34-M	20514	2.065 +/- 0.004	52.451 +/- 0.10
	500, 550 incl. CDA, 600, 601, 602, 612, 612VL, 612ECD, 660, 62 Color	21014	2.110 +/- 0.004	53.594 +/- 0.10
	700, 770, 760DX, 700CD, 700CDX, E47	21019	2.110 +/- 0.004	53.594 +/- 0.10
	800, 880 DX/SX	21022	2.110 +/- 0.004	53.594 +/- 0.10
	C-24 AE	21022	2.110 +/- 0.004	53.594 +/- 0.10
	900 CD, 1100	21028	2.110 +/- 0.004	53.594 +/- 0.10
Harris	Color J	19719	1.985 +/- 0.004	50.419 +/- 0.10
	17 x 22 inches LTG, XLTG	18524	1.860 +/- 0.004	47.244 +/- 0.10
	17 x 22 inches LTV, LXD	21024	2.110 +/- 0.004	53.594 +/- 0.10
	17 x 22 inches LSB	22224	2.235 +/- 0.004	56.769 +/- 0.10
	20 x 26 inches LUS, LXF	21028	2.110 +/- 0.004	53.594 +/- 0.10
	21 x 28 inches LTC, XLTC	19732	1.985 +/- 0.004	50.419 +/- 0.10
	21 x 28 inches LTW, XLTW, LXG, TWB	21032	2.110 +/- 0.004	53.594 +/- 0.10
	21 x 28 inches LSN	22232	2.235 +/- 0.004	56.769 +/- 0.10
	22 x 34 inches EL	30338	3.051 +/- 0.004	77.496 +/- 0.10
	22 x 34 inches LTN, LTP	21038	2.110 +/- 0.004	53.594 +/- 0.10
	22 x 38 inches LUL, LUM, TWC	21040	2.110 +/- 0.004	53.594 +/- 0.10
	25 x 38 inches LSQ, LSR, LUB	30348	3.490 +/- 0.004	88.646 +/- 0.10
	36 x 36" Metal Decorator MDE, MDF, MDG, MDH	32238	3.240 +/- 0.004	82.296 +/- 0.10
	32 x 44 inches LSC, LSD, LSE	30348	3.490 +/- 0.004	88.646 +/- 0.10
	36 x 45 inches LSS, LST, LUD, LUE	30352	3.051 +/- 0.004	77.496 +/- 0.10
	36 x 48 inches S7L	30352	3.051 +/- 0.004	77.496 +/- 0.10
	36 x 49 inches LUN, LUP, TWG	30352	3.051 +/- 0.004	77.496 +/- 0.10
	38 x 52 inches LB, GT, HT, JT	30358	3.051 +/- 0.004	77.496 +/- 0.10
	41 x 54 inches LSW, LSX, LSZ	30358	3.051 +/- 0.004	77.496 +/- 0.10
	42 x 58 inches LTK, LTL, LTM	34762	3.490 +/- 0.004	88.646 +/- 0.10
	42 x 58 inches LSJ, LSK, LSL, LSM	30362	3.051 +/- 0.004	77.496 +/- 0.10
	44 x 58 inches LE	30362	3.051 +/- 0.004	77.496 +/- 0.10
	43 x 60 inches LVA, LVB, LVC, LVD, LVE, LVF	34762	3.490 +/- 0.004	88.646 +/- 0.10
	42 x 64 inches LTA, LTB	30372	3.051 +/- 0.004	77.496 +/- 0.10
	46 x 68" LSF (to 114), LSG (to 126), LSH (to 105)	34772	3.490 +/- 0.004	88.646 +/- 0.10
	46 x 68" LSF (115 up), LSG (127 up), LSH (106 up)	37872	3.801 +/- 0.004	96.546 +/- 0.10
	50 x 72 inches LTQ, ITR, LTS	39174	3.925 +/- 0.004	99.695 +/- 0.10
	52 x 76 inches LTX, LTY, LTE	37879	3.801 +/- 0.004	96.546 +/- 0.10
	52 x 76 inches LUJ	39179	3.925 +/- 0.004	99.695 +/- 0.10
Heidelberg*	GTO 46	18519	1.860 +/- 0.004	47.244 +/- 0.10
(See note)	GTO 52	18822	1.890 +/- 0.004	48.006 +/- 0.10
	KOR, KORA	19724	1.985 +/- 0.004	50.419 +/- 0.10
	KORD 62, 64	19728	1.985 +/- 0.004	50.419 +/- 0.10
	KORS	19732	1.985 +/- 0.004	50.419 +/- 0.10
	M, MO	19728	1.985 +/- 0.004	50.419 +/- 0.10
	SORK	25128	2.527 +/- 0.004	64.186 +/- 0.10
	SORM	25132	2.527 +/- 0.004	64.186 +/- 0.10
	SOR	25136	2.527 +/- 0.004	64.186 +/- 0.10
	SORD	25138	2.527 +/- 0.004	64.186 +/- 0.10
	SORS	25142	2.527 +/- 0.004	64.186 +/- 0.10
	Speedmaster 72	25132	2.527 +/- 0.004	64.186 +/- 0.10
	Speedmaster 102	25142	2.527 +/- 0.004	64.186 +/- 0.10
	Rotaspeed	28042	2.815 +/- 0.004	71.501 +/- 0.10
HOE	Metal Decorator 20 x 36", 29 x 32", 34 x 36"	32240	3.240 +/- 0.004	82.296 +/- 0.10
	Metal Decorator 34 x 45"	32252	3.240 +/- 0.004	82.296 +/- 0.10
Inoprint (Inovative Equip. Co.)	204	19722	1.985 +/- 0.004	50.419 +/- 0.10

Press	Model	Sleeve	Water Form Rollers	
			Outside Diameter	
			Inches	mm
Itek	975 molleton, 985, 985 CBD, 3985	21019	2.110 +/- 0.004	53.594 +/- 0.10
	1115	21011	2.110 +/- 0.004	53.594 +/- 0.10
	1117	21014	2.110 +/- 0.004	53.594 +/- 0.10
King (Solna- King Press)	Color King	26038	2.615 +/- 0.004	66.421 +/- 0.10
	News King	26038	2.615 +/- 0.004	66.421 +/- 0.10
	Production King	37838	3.801 +/- 0.004	96.550 +/- 0.10
Koenig and Bauer	KRO S/C, T/C, 4/C	23032	2.310 +/- 0.004	58.674 +/- 0.10
	Rapida O	23032	2.310 +/- 0.004	58.674 +/- 0.10
	Rapida Perfector 111	23042	2.310 +/- 0.004	58.674 +/- 0.10
	Super Rapida 111	23042	2.310 +/- 0.004	58.674 +/- 0.10
Kimori	Kony 10	27240	2.740 +/- 0.004	69.596 +/- 0.10
	Sprint	25128	2.527 +/- 0.004	64.186 +/- 0.10
	Super 9	27242	2.740 +/- 0.004	69.596 +/- 0.10
	Lithrone 40	39742	3.990 +/- 0.004	101.350 +/- 0.10
Mailander	Model 1-C	27228	2.740 +/- 0.004	69.596 +/- 0.10
	Model 2-C	27238	2.740 +/- 0.004	69.596 +/- 0.10
	Model 250	27240	2.740 +/- 0.004	69.596 +/- 0.10
	Model 3-C	34748	3.490 +/- 0.004	88.646 +/- 0.10
	Model 4-C	34752	3.490 +/- 0.004	88.646 +/- 0.10
	Model 5-C	34758	3.490 +/- 0.004	88.646 +/- 0.10
	Model 241	32252	3.240 +/- 0.004	82.296 +/- 0.10
Mann	L 135	27238	2.740 +/- 0.004	69.596 +/- 0.10
	L 136, L 236	28538	2.865 +/- 0.004	72.771 +/- 0.10
	L 142, L 242	28548	2.865 +/- 0.004	72.771 +/- 0.10
	L 148A, L 248A	33552	3.365 +/- 0.004	85.471 +/- 0.10
	L 154C, L 254C	33558	3.365 +/- 0.004	85.471 +/- 0.10
	L 159C, L 259C	33562	3.365 +/- 0.004	85.471 +/- 0.10
	LP 53, LP 54 Perfector	33558	3.365 +/- 0.004	85.471 +/- 0.10
Marinoni	42 x 59" Perfector - upper	33562	3.365 +/- 0.004	85.471 +/- 0.10
	42 x 59" Perfector - lower	41362	4.149 +/- 0.004	105.385 +/- 0.10
	ML 3	21036	2.110 +/- 0.004	53.594 +/- 0.10
	ML 4	21038	2.110 +/- 0.004	53.594 +/- 0.10
	ML 5	25142	2.527 +/- 0.004	64.186 +/- 0.10
	ML 6	25148	2.527 +/- 0.004	64.186 +/- 0.10
	ML 7, ML 9 lower	33552	3.365 +/- 0.004	85.471 +/- 0.10
	ML 7, ML 9 upper	41352	4.149 +/- 0.004	105.385 +/- 0.10
	ML 10 lower	33566	3.365 +/- 0.004	85.471 +/- 0.10
	ML 10 upper	41366	4.149 +/- 0.004	105.385 +/- 0.10
Mergenthaler	Invicta 38, 400	29740	2.990 +/- 0.004	75.946 +/- 0.10
	Media Master 27, 30	29736	2.990 +/- 0.004	75.946 +/- 0.10
	Media Master 36	29738	2.990 +/- 0.004	75.946 +/- 0.10
	Newsmaster	34738	3.490 +/- 0.004	88.646 +/- 0.10
	Pacer 36	27238	2.740 +/- 0.004	69.596 +/- 0.10
	400-38	29740	2.990 +/- 0.004	75.946 +/- 0.10
	500-40	29742	2.990 +/- 0.004	75.946 +/- 0.10
	600-50	33552	3.365 +/- 0.004	85.471 +/- 0.10
	600-56	33558	3.365 +/- 0.004	85.471 +/- 0.10
	600-63	33566	3.365 +/- 0.004	85.471 +/- 0.10
Miehle	Favorite	25128	2.527 +/- 0.004	64.186 +/- 0.10
	25 s/c, 25 2/c (below 2919)	25132	2.527 +/- 0.004	64.186 +/- 0.10
	25 2/c (2919 and up)	27232	2.740 +/- 0.004	69.596 +/- 0.10
	28, 29 2/c, 29 2/c (below 2924)	25132	2.527 +/- 0.004	64.186 +/- 0.10
	29 2/c (2924 and up)	27232	2.740 +/- 0.004	69.596 +/- 0.10
	36	25138	2.527 +/- 0.004	64.186 +/- 0.10
	38 s/c (below 2422)	25140	2.527 +/- 0.004	64.186 +/- 0.10
	38 s/c (2913 and up)	27240	2.740 +/- 0.004	69.596 +/- 0.10
	38 2/c (below 2657, except 2631 thru 2640)	25140	2.527 +/- 0.004	64.186 +/- 0.10
	38 2/c (2929 and up and 2631 thru 2640)	27240	2.740 +/- 0.004	69.596 +/- 0.10
	39 4/c	27240	2.740 +/- 0.004	69.596 +/- 0.10
	41 s/c (below 790)	33548	3.365 +/- 0.004	85.471 +/- 0.10
	41 s/c (943 and up)	34748	3.490 +/- 0.004	88.646 +/- 0.10
	41 2/c (below 798)	33548	3.365 +/- 0.004	85.471 +/- 0.10
	41 2/c (946 and up)	34748	3.490 +/- 0.004	88.646 +/- 0.10

Press	Model	Sleeve	Water Form Rollers Outside Diameter	
			Inches	mm
	41 s/c, 2/c, 4/c	34752	3.490 +/- 0.004	88.646+/- 0.10
	54 s/c, 2/c	39758	3.990 +/- 0.004	101.350+/- 0.10
	54 4/c, 57	34758	3.490 +/- 0.004	88.646+/- 0.10
	61	34762	3.490 +/- 0.004	88.646+/- 0.10
	361 (web)	29738	2.990 +/- 0.004	75.946+/- 0.10
	381, 383 (web)	29740	2.990 +/- 0.004	75.946+/- 0.10
	76 x 77 inches	34778	3.490 +/- 0.004	88.646+/- 0.10
Miller	W-22	24728	2.485 +/- 0.004	63.119+/- 0.10
	Ebco 22 x 34 inches	24738	2.485 +/- 0.004	63.119+/- 0.10
	TP - 29, TP - 32, TPJ, SJ	24738	2.485 +/- 0.004	63.119+/- 0.10
	TP - 38	24740	2.485 +/- 0.004	63.119+/- 0.10
	TP - 41S	31342	3.145 +/- 0.004	79.883+/- 0.10
	TP - 54	37858	3.801 +/- 0.004	96.546+/- 0.10
	MAN III	29740	2.990 +/- 0.004	75.946+/- 0.10
	MAN IV	34748	3.490 +/- 0.004	88.646+/- 0.10
	MAN IV-S	39148	3.925 +/- 0.004	99.695+/- 0.10
	MAN V	34752	3.490 +/- 0.004	88.646+/- 0.10
	MAN V-S	39152	3.925 +/- 0.004	99.695+/- 0.10
	MAN VI	34758	3.490 +/- 0.004	88.646+/- 0.10
	MAN VI-S	39158	3.925 +/- 0.004	99.695+/- 0.10
	MAN VII-S	39162	3.925 +/- 0.004	99.695+/- 0.10
Offset	50, 52	20522	2.065 +/- 0.004	52.451 +/- 0.10
(Shinohara formerly Fuji)	58	19728	1.985 +/- 0.004	50.419 +/- 0.10
	58 (new)	20528	2.065 +/- 0.004	52.451 +/- 0.10
	65, 65 TP	23032	2.310 +/- 0.004	58.674 +/- 0.10
Rotaprint	R 30	18522	1.860 +/- 0.004	47.244 +/- 0.10
Ryobi	510 - 1st water form roller	18520	1.860 +/- 0.004	47.244 +/- 0.10
	510 - 2nd water form roller	17222	1.735 +/- 0.004	44.069 +/- 0.10
	512 - 1st water form roller	18520	1.860 +/- 0.004	47.244 +/- 0.10
	512 - 2nd water form roller	17222	1.735 +/- 0.004	44.069 +/- 0.10
	430	21019	2.110 +/- 0.004	53.594 +/- 0.10
	520, 522, 524	18524	1.860 +/- 0.004	47.244 +/- 0.10
	480	21022	2.110 +/- 0.004	53.594 +/- 0.10
	640, 640K	22228	2.235 +/- 0.004	56.769 +/- 0.10
	480K	17222	1.735 +/- 0.004	44.069 +/- 0.10
	500N	21022	2.110 +/- 0.004	53.594 +/- 0.10
	3200 MCD, 3302	21019	2.110 +/- 0.004	53.594 +/- 0.10
Sakurai	Oliver OL - 48, 52 (Oliver 6)	18522	1.860 +/- 0.004	47.244 +/- 0.10
	Oliver OL - 58, 528 (Oliver 8)	19728	1.985 +/- 0.004	50.419 +/- 0.10
	Oliver OL - 66	25132	2.527 +/- 0.004	64.186 +/- 0.10
	Oliver OL - 72, 272 (Oliver 12)	25132	2.527 +/- 0.004	64.186 +/- 0.10
	Oliver OL - 82, 282 (Oliver 16)	25136	2.527 +/- 0.004	64.186 +/- 0.10
Schriber	Bantam	19722	1.985 +/- 0.004	50.419 +/- 0.10
	27 inches	22228	2.235 +/- 0.004	56.769 +/- 0.10
Solna	C-96 Webs	27242	2.740 +/- 0.004	69.596 +/- 0.10
	Chief 24 (before 1800)	22228	2.235 +/- 0.004	56.769 +/- 0.10
	Chief 24 (1800 and up)	23028	2.310 +/- 0.004	58.674 +/- 0.10
	125, 225, 425, p-125	22228	2.235 +/- 0.004	56.769 +/- 0.10
	126, 226	22228	2.235 +/- 0.004	56.769 +/- 0.10
	130, 230	27232	2.740 +/- 0.004	69.596 +/- 0.10
	129, 132, 232	25136	2.527 +/- 0.004	64.186 +/- 0.10
	240	25142	2.527 +/- 0.004	64.186 +/- 0.10
	64 series	22228	2.235 +/- 0.004	56.769 +/- 0.10
	154	19722	1.985 +/- 0.004	50.419 +/- 0.10
Thatcher	TP 36	27238	2.740 +/- 0.004	69.596 +/- 0.10
Toshiba* (See note)				
Townsend	T- 51 units for AM 1250, Chief 15, & AB Dick 350 (before 1974)	21011	2.110 +/- 0.004	53.594 +/- 0.10
	T- 51 units for AM 1250, Chief 15, & AB Dick 350 (1974 and newer)	21014	2.110 +/- 0.004	53.594 +/- 0.10
	T- 51 units for AM 1250W, Chief 17, & ABD 350	21014	2.110 +/- 0.004	53.594 +/- 0.10
	T- 51 1250, W & LW, T51-1250 Old	21014	2.110 +/- 0.004	53.594 +/- 0.10
	T- 51 1360, T51-1650, T-51, 350, T-51 360 Old	21014	2.110 +/- 0.004	53.594 +/- 0.10

Press	Model	Sleeve	Water Form Rollers Outside Diameter	
			Inches	mm
	T- 51 units for Ryobi 3200 MCD	21014	2.110 +/- 0.004	53.594 +/- 0.10
	T- 51 380, T-51 385	21024	2.110 +/- 0.004	53.594 +/- 0.10
Vandercook	RO 4-29	19732	1.985 +/- 0.004	50.419 +/- 0.10
Web Press	Web Leader	28538	2.865 +/- 0.004	72.771 +/- 0.10
Webendorfer	M, MA, MAC	22224	2.235 +/- 0.004	56.769 +/- 0.10
	S	22232	2.235 +/- 0.004	56.769 +/- 0.10
Western Gear	P-26	24728	2.485 +/- 0.004	63.119 +/- 0.10
	Speedflex 1713	19714	1.985 +/- 0.004	50.419 +/- 0.10
	Speedflex 1719 and Dart	22224	2.235 +/- 0.004	56.769 +/- 0.10
	Speedflex 27	19728	1.985 +/- 0.004	50.419 +/- 0.10
	Hendry 45-1/2 x 37-1/2 inches	30338	3.051 +/- 0.004	77.496 +/- 0.10
Wood-Hoe	Uniman	36040	3.615 +/- 0.004	91.821 +/- 0.10
Zenith		34778	3.490 +/- 0.004	88.646 +/- 0.10
	Jobber 22	19724	1.985 +/- 0.004	50.419 +/- 0.10
	23	18524	1.860 +/- 0.004	47.244 +/- 0.10
	25	21028	2.110 +/- 0.004	53.594 +/- 0.10
	29	27232	2.740 +/- 0.004	69.596 +/- 0.10
	301, 302, 304	24732	2.485 +/- 0.004	63.119 +/- 0.10
	Zephyr 26, 300, 420, RZ-90	27228	2.740 +/- 0.004	69.596 +/- 0.10
	14 x 20 inches (above 10700)	19722	1.985 +/- 0.004	50.419 +/- 0.10
	Romayer 5133	19722	1.985 +/- 0.004	50.419 +/- 0.10
	Webmatic (upper)	27228	2.740 +/- 0.004	69.596 +/- 0.10
	Planeta 28 x 40 inches	27242	2.740 +/- 0.004	69.596 +/- 0.10
	Planeta 50	39154	3.925 +/- 0.004	99.695 +/- 0.10
	Planeta 55	39158	3.925 +/- 0.004	99.695 +/- 0.10
	Planeta 44 x 64 inches	39166	3.925 +/- 0.004	99.695 +/- 0.10
	Royal Zenith 15 S	19714	1.985 +/- 0.004	50.419 +/- 0.10
	Royal Zenith 20 S	19722	1.985 +/- 0.004	50.419 +/- 0.10
	Royal Zenith 126, TP 226	19728	1.985 +/- 0.004	50.419 +/- 0.10

Notes:

Heidelberg - Model names containing the suffixes Z, V, F and S denote number of press units (2, 4, 5 and 6). P denotes "perfecting". These suffixes do not indicate a different sleeve size.

Mitsubishi and Toshiba -

These web presses are furnished with a wide range of bareback form rollers which should be measured to determine the appropriate size.

The following presses have integrated dampening systems which are **not** suitable for Rogers dampening sleeves:

- AB Dick - all presses except AB Dick 9985
- MGD 20, 22
- Ryobi 2700, 22800, 3200 without MCD
- Didde Graphics Compupress, Webcom, 860